



Lowest Band edge: n260-BW:50MHz-ICC-BPSK-Beam ID 87


1RB0-Horizontal Polarization




1RB0-Vertical Polarization




10RB0-Horizontal Polarization




10RB0-Vertical Polarization



30RB0-Horizontal Polarization




30RB0-Vertical Polarization




Lowest Band edge: n260-BW:50MHz-1CC-BPSK-Beam ID 343


1RB0-Horizontal Polarization




1RB0-Vertical Polarization




10RB0-Horizontal Polarization




10RB0-Vertical Polarization



30RB0-Horizontal Polarization




30RB0-Vertical Polarization




Lowest Band edge: n260-BW:50MHz-1CC-BPSK-Beam ID 87+343


1RB0-Horizontal Polarization




1RB0-Vertical Polarization




10RB0-Horizontal Polarization




10RB0-Vertical Polarization



30RB0-Horizontal Polarization



30RB0-Vertical Polarization



Bandwidth (MHz)	CC	Modulation	Band edge	Beam ID	Resource block (RB)	Frequency Range (MHz)	Ant. Pol. (H/V)	EIRP (dBm)	Array Gain (dBi)	Conductive Power (dBm)	Limit (dBm)	Margin (dB)
50	1	QPSK	Lowest	87	1RB0	36995-37000	H	-11.10	19.80	-30.90	-5	-22.83
							V	-8.03	19.80	-27.83		
					<=36995	H	-17.77	19.80	-37.57	-13	-23.21	
						V	-16.41	19.80	-36.21			
					10RB0	36995-37000	H	-8.91	19.80	-28.71	-5	-22.07
							V	-7.27	19.80	-27.07		
					<=36995	H	-16.22	19.80	-36.02	-13	-20.58	
						V	-13.78	19.80	-33.58			
					30RB0	36995-37000	H	-16.90	19.80	-36.70	-5	-27.90
							V	-13.10	19.80	-32.90		
					<=36995	H	-14.53	19.80	-34.33	-13	-21.33	
						V	-15.76	19.80	-35.56			
				373	1RB0	36995-37000	H	-10.29	19.80	-30.09	-5	-24.24
							V	-9.44	19.80	-29.24		
					<=36995	H	-16.08	19.80	-35.88	-13	-22.88	
						V	-16.51	19.80	-36.31			
					10RB0	36995-37000	H	-9.22	19.80	-29.02	-5	-20.52
							V	-5.72	19.80	-25.52		
					<=36995	H	-12.39	19.80	-32.19	-13	-19.19	
						V	-14.78	19.80	-34.58			
					30RB0	36995-37000	H	-14.44	19.80	-34.24	-5	-29.24
							V	-15.03	19.80	-34.83		
					<=36995	H	-15.31	19.80	-35.11	-13	-21.02	
						V	-14.22	19.80	-34.02			
87+343	1RB0	36990-37000	H	-7.51	19.80	-27.31	-5	-20.50				
			V	-5.70	19.80	-25.50						
	<=36990	H	-17.22	19.80	-37.02	-13	-23.25					
		V	-16.45	19.80	-36.25							
	10RB0	36990-37000	H	-3.84	19.80	-23.64	-5	-15.81				
			V	-1.01	19.80	-20.81						
	<=36990	H	-12.90	19.80	-32.70	-13	-17.89					
		V	-11.09	19.80	-30.89							
	30RB0	36990-37000	H	-9.89	19.80	-29.69	-5	-22.30				
			V	-7.50	19.80	-27.30						
	<=36990	H	-15.92	19.80	-35.72	-13	-22.72					
		V	-16.42	19.80	-36.22							