



Lowest Band edge: n260-BW:100MHz-2CC-QPSK-Beam ID 343


1RB0-Horizontal Polarization




1RB0-Vertical Polarization




20RB0-Horizontal Polarization




20RB0-Vertical Polarization



64RB0-Horizontal Polarization




64RB0-Vertical Polarization




Lowest Band edge: n260-BW:100MHz-2CC-QPSK-Beam ID 87+343


1RB0-Horizontal Polarization




1RB0-Vertical Polarization




20RB0-Horizontal Polarization




20RB0-Vertical Polarization



64RB0-Horizontal Polarization



64RB0-Vertical Polarization




## Highest Band edge (n260-2CC-100 MHz)


Bandwidth (MHz)	CC	Modulation	Band edge	Beam ID	Resource block (RB)	Frequency Range (MHz)	Ant. Pol. (H/V)	EIRP (dBm)	Array Gain (dBi)	Conductive Power (dBm)	Limit (dBm)	Margin (dB)
100	2	BPSK	Highest	87	1RB65	40000-40010	H	-13.35	19.80	-33.15	-5	-27.89
							V	-13.09	19.80	-32.89		
					>=40010	H	-15.93	19.80	-35.73	-13	-22.48	
						V	-15.68	19.80	-35.48			
					20RB46	40000-40010	H	-15.77	19.80	-35.57	-5	-30.57
							V	-17.57	19.80	-37.37		
					>=40010	H	-16.25	19.80	-36.05	-13	-20.88	
						V	-14.08	19.80	-33.88			
					64RB2	40000-40010	H	-17.46	19.80	-37.26	-5	-31.03
							V	-16.23	19.80	-36.03		
					>=40010	H	-17.13	19.80	-36.93	-13	-22.19	
						V	-15.39	19.80	-35.19			
				343	1RB65	40000-40010	H	-16.83	19.80	-36.63	-5	-27.98
							V	-13.18	19.80	-32.98		
					>=40010	H	-15.59	19.80	-35.39	-13	-21.53	
						V	-14.73	19.80	-34.53			
					20RB46	40000-40010	H	-20.07	19.80	-39.87	-5	-33.01
							V	-18.21	19.80	-38.01		
					>=40010	H	-15.97	19.80	-35.77	-13	-20.84	
						V	-14.04	19.80	-33.84			
					64RB2	40000-40010	H	-15.77	19.80	-35.57	-5	-30.57
							V	-17.07	19.80	-36.87		
					>=40010	H	-15.39	19.80	-35.19	-13	-22.19	
						V	-15.80	19.80	-35.60			
87+343	1RB65	40000-40010	H	-11.62	19.80	-31.42	-5	-24.68				
			V	-9.88	19.80	-29.68						
	>=40010	H	-15.38	19.80	-35.18	-13	-22.18					
		V	-17.09	19.80	-36.89							
	20RB46	40000-40010	H	-19.21	19.80	-39.01	-5	-34.01				
			V	-19.31	19.80	-39.11						
	>=40010	H	-16.74	19.80	-36.54	-13	-22.60					
		V	-15.80	19.80	-35.60							
	64RB2	40000-40010	H	-15.04	19.80	-34.84	-5	-29.84				
			V	-15.24	19.80	-35.04						
	>=40010	H	-15.90	19.80	-35.70	-13	-22.70					
		V	-16.41	19.80	-36.21							

Highest Band edge: n260-BW:100MHz-2CC-BPSK-Beam ID 87


1RB65-Horizontal Polarization




1RB65-Vertical Polarization




20RB46-Horizontal Polarization



20RB46-Vertical Polarization



64RB2-Horizontal Polarization



64RB2-Vertical Polarization

