



Highest Band edge: n260-BW:100MHz-2CC-BPSK-Beam ID 343


1RB65-Horizontal Polarization




1RB65-Vertical Polarization




20RB46-Horizontal Polarization




20RB46-Vertical Polarization



64RB2-Horizontal Polarization




64RB2-Vertical Polarization




Highest Band edge: n260-BW:100MHz-2CC-BPSK-Beam ID 87+343


1RB65-Horizontal Polarization




1RB65-Vertical Polarization




20RB46-Horizontal Polarization




20RB46-Vertical Polarization



64RB2-Horizontal Polarization




64RB2-Vertical Polarization




Bandwidth (MHz)	CC	Modulation	Band edge	Beam ID	Resource block (RB)	Frequency Range (MHz)	Ant. Pol. (H/V)	EIRP (dBm)	Array Gain (dBi)	Conductive Power (dBm)	Limit (dBm)	Margin (dB)
100	2	QPSK	Highest	87	1RB65	40000-40010	H	-12.26	19.80	-32.06	-5	-26.67
						40000-40010	V	-11.87	19.80	-31.67		
					>=40010	H	-15.57	19.80	-35.37	-13	-22.19	
						V	-15.39	19.80	-35.19			
					20RB46	40000-40010	H	-15.40	19.80	-35.20	-5	-30.20
						40000-40010	V	-16.42	19.80	-36.22		
					>=40010	H	-15.35	19.80	-35.15	-13	-21.86	
						V	-15.06	19.80	-34.86			
					64RB2	40000-40010	H	-16.34	19.80	-36.14	-5	-31.14
						40000-40010	V	-16.74	19.80	-36.54		
					>=40010	H	-14.54	19.80	-34.34	-13	-21.34	
						V	-14.74	19.80	-34.54			
				343	1RB65	40000-40010	H	-14.28	19.80	-34.08	-5	-26.94
						40000-40010	V	-12.14	19.80	-31.94		
					>=40010	H	-15.55	19.80	-35.35	-13	-22.00	
						V	-15.20	19.80	-35.00			
					20RB46	40000-40010	H	-17.43	19.80	-37.23	-5	-32.23
						40000-40010	V	-18.14	19.80	-37.94		
					>=40010	H	-16.40	19.80	-36.20	-13	-21.62	
						V	-14.82	19.80	-34.62			
					64RB2	40000-40010	H	-15.13	19.80	-34.93	-5	-29.93
						40000-40010	V	-15.46	19.80	-35.26		
					>=40010	H	-14.94	19.80	-34.74	-13	-20.86	
						V	-14.06	19.80	-33.86			
87+343	1RB65	40000-40010	H	-12.63	19.80	-32.43	-5	-26.58				
		40000-40010	V	-11.78	19.80	-31.58						
	>=40010	H	-15.82	19.80	-35.62	-13	-22.62					
		V	-16.72	19.80	-36.52							
	20RB46	40000-40010	H	-14.82	19.80	-34.62	-5	-29.62				
		40000-40010	V	-17.53	19.80	-37.33						
	>=40010	H	-19.78	19.80	-39.58	-13	-24.24					
		V	-17.44	19.80	-37.24							
	64RB2	40000-40010	H	-12.67	19.80	-32.47	-5	-27.47				
		40000-40010	V	-14.25	19.80	-34.05						
	>=40010	H	-14.23	19.80	-34.03	-13	-21.03					
		V	-14.46	19.80	-34.26							

Highest Band edge: n260-BW:100MHz-2CC-QPSK-Beam ID 87


1RB65-Horizontal Polarization




1RB65-Vertical Polarization




20RB46-Horizontal Polarization



20RB46-Vertical Polarization



64RB2-Horizontal Polarization



64RB2-Vertical Polarization

