



Lowest Band edge: n261-BW:100MHz-1CC-BPSK-Beam ID 87+343


1RB0-Horizontal Polarization




1RB0-Vertical Polarization




20RB0-Horizontal Polarization




20RB0-Vertical Polarization



64RB0-Horizontal Polarization




64RB0-Vertical Polarization




Bandwidth (MHz)	CC	Modulation	Band edge	Beam ID	Resource block (RB)	Frequency Range (MHz)	Ant. Pol. (H/V)	EIRP (dBm)	Array Gain (dBi)	Conductive Power (dBm)	Limit (dBm)	Margin (dB)
100	1	QPSK	Lowest	87	1RB0	27490-27500	H	-6.73	19.90	-26.63	-5	-21.63
							V	-6.75	19.90	-26.65		
					<=27490	H	-30.64	19.90	-50.54	-13	-37.54	
						V	-31.03	19.90	-50.93			
					20RB0	27490-27500	H	-1.34	19.90	-21.24	-5	-16.24
							V	-2.69	19.90	-22.59		
				<=27490	H	-7.74	19.90	-27.64	-13	-14.64		
					V	-7.80	19.90	-27.70				
				64RB0	27495-27500	H	-8.26	19.90	-28.16	-5	-23.16	
						V	-8.55	19.90	-28.45			
				<=27490	H	-9.75	19.90	-29.65	-13	-16.65		
					V	-10.02	19.90	-29.92				
				343	1RB0	27490-27500	H	-7.21	19.90	-27.11	-5	-21.11
							V	-6.21	19.90	-26.11		
					<=27490	H	-32.76	19.90	-52.66	-13	-39.33	
						V	-32.43	19.90	-52.33			
					20RB0	27490-27500	H	-2.77	19.90	-22.67	-5	-17.36
							V	-2.46	19.90	-22.36		
				<=27490	H	-7.98	19.90	-27.88	-13	-14.56		
					V	-7.66	19.90	-27.56				
				64RB0	27490-27500	H	-7.58	19.90	-27.48	-5	-21.50	
						V	-6.60	19.90	-26.50			
				<=27490	H	-10.75	19.90	-30.65	-13	-17.23		
					V	-10.33	19.90	-30.23				
87+343	1RB0	27490-27500	H	-2.00	19.90	-21.90	-5	-16.90				
			V	-9.41	19.90	-29.31						
	<=27490	H	-22.41	19.90	-42.31	-13	-28.55					
		V	-21.65	19.90	-41.55							
	20RB0	27490-27500	H	2.04	19.90	-17.86	-5	-12.86				
			V	1.93	19.90	-17.97						
<=27490	H	-1.97	19.90	-21.87	-13	-6.77						
	V	0.13	19.90	-19.77								
64RB0	27490-27500	H	-2.03	19.90	-21.93	-5	-16.93					
		V	-4.05	19.90	-23.95							
<=27490	H	-3.26	19.90	-23.16	-13	-10.06						
	V	-3.16	19.90	-23.06								

Lowest Band edge: n261-BW:100MHz-1CC-QPSK-Beam ID 87


1RB0-Horizontal Polarization




1RB0-Vertical Polarization




20RB0-Horizontal Polarization




20RB0-Vertical Polarization



64RB0-Horizontal Polarization




64RB0-Vertical Polarization




Lowest Band edge: n261-BW:100MHz-1CC-QPSK-Beam ID 343


1RB0-Horizontal Polarization




1RB0-Vertical Polarization




20RB0-Horizontal Polarization




20RB0-Vertical Polarization



64RB0-Horizontal Polarization




64RB0-Vertical Polarization




Lowest Band edge: n261-BW:100MHz-1CC-QPSK-Beam ID 87+343


1RB0-Horizontal Polarization




1RB0-Vertical Polarization




20RB0-Horizontal Polarization




20RB0-Vertical Polarization



64RB0-Horizontal Polarization



64RB0-Vertical Polarization




Highest Band edge (n261-1CC-100 MHz)


Bandwidth (MHz)	CC	Modulation	Band edge	Beam ID	Resource block (RB)	Frequency Range (MHz)	Ant. Pol. (H/V)	EIRP (dBm)	Array Gain (dBi)	Conductive Power (dBm)	Limit (dBm)	Margin (dB)
100	1	BPSK	Highest	87	1RB65	28350-28360	H	-7.81	20.2	-28.01	-5	-21.99
							V	-6.79	20.2	-26.99		
						>=28360	H	-21.28	20.2	-41.48	-13	-28.48
							V	-21.45	20.2	-41.65		
					20RB46	28350-28360	H	-6.46	20.2	-26.66	-5	-19.62
							V	-4.42	20.2	-24.62		
						>=28360	H	-9.56	20.2	-29.76	-13	-16.76
							V	-9.87	20.2	-30.07		
					64RB2	28350-28360	H	-8.80	20.2	-29.00	-5	-23.89
							V	-8.69	20.2	-28.89		
						>=28360	H	-15.08	20.2	-35.28	-13	-21.59
							V	-14.39	20.2	-34.59		
				343	1RB65	28350-28360	H	-8.65	20.2	-28.85	-5	-21.50
							V	-6.30	20.2	-26.50		
						>=28360	H	-22.24	20.2	-42.44	-13	-29.33
							V	-22.13	20.2	-42.33		
					20RB46	28350-28360	H	-8.04	20.2	-28.24	-5	-20.05
							V	-4.85	20.2	-25.05		
						>=28360	H	-11.71	20.2	-31.91	-13	-16.46
							V	-9.26	20.2	-29.46		
					64RB2	28350-28360	H	-9.12	20.2	-29.32	-5	-23.98
							V	-8.78	20.2	-28.98		
						>=28360	H	-14.79	20.2	-34.99	-13	-21.19
							V	-13.99	20.2	-34.19		
87+343	1RB65	28350-28360	H	-4.90	20.2	-25.10	-5	-19.30				
			V	-4.10	20.2	-24.30						
		>=28360	H	-22.53	20.2	-42.73	-13	-29.62				
			V	-22.42	20.2	-42.62						
	20RB46	28350-28360	H	-1.55	20.2	-21.75	-5	-16.54				
			V	-1.34	20.2	-21.54						
		>=28360	H	-4.63	20.2	-24.83	-13	-9.69				
			V	-2.49	20.2	-22.69						
	30RB2	28350-28360	H	-3.44	20.2	-23.64	-5	-18.64				
			V	-4.40	20.2	-24.60						
		>=28360	H	-6.42	20.2	-26.62	-13	-12.58				
			V	-5.38	20.2	-25.58						

Highest Band edge: n261-BW:100MHz-1CC-BPSK-Beam ID 87


1RB65-Horizontal Polarization




1RB65-Vertical Polarization




20RB46-Horizontal Polarization



20RB46-Vertical Polarization



64RB2-Horizontal Polarization



64RB2-Vertical Polarization

