


ELEMENT

18855 Adams Court, Morgan Hill, CA 95037 USA Tel. 410.290.6652 / Fax 410.290.6654 http://www.element.com



Part 96 MEASUREMENT REPORT

Applicant Name:

Wistron NeWeb Corporation 20 Park Avenue II, Hsinchu Science Park Hsinchu 308 Taiwan

Date of Testing: 05/04/2022 - 05/05/2022 Test Report Issue Date: 05/10/2022 Test Site/Location: Element Lab., Morgan Hill, CA, USA Test Report Serial No.: 1M2204250057-01.NKR

FCC ID: APPLICANT:

NKR-LVSK-65

Wistron NeWeb Corporation

Application Type:	Certification
Model:	LV65
EUT Type:	Verizon Receiver
FCC Classification:	Citizens Band End User Devices (CBE)
FCC Rule Part(s):	96
Test Procedure(s):	KDB 940660 D01 v03, WINNF-18-IN-00178 v1.0.0.00

This equipment has been shown to be capable of compliance with the applicable technical standards as indicated in the measurement report and was tested in accordance with the measurement procedures specified in §2.947. Test results reported herein relate only to the item(s) tested.

I attest to the accuracy of data. All measurements reported herein were performed by me or were made under my supervision and are correct to the best of my knowledge and belief. I assume full responsibility for the completeness of these measurements and vouch for the qualifications of all persons taking them.

RJ Ortanez Executive Vice President



FCC ID: NKR-LVSK-65	element)	PART 96 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 1 of 14
1M2204250057-01.NKR	05/04/2022 - 05/05/2022	Verizon Receiver	Page 1 of 14
			V/3 0 1/6/2022



TABLE OF CONTENTS

1.0	INTRO	DDUCTION	3
	1.1	Scope	3
	1.2	Element Test Location	3
	1.3	Test Facility / Accreditations	3
2.0	PROD	DUCT INFORMATION	4
	2.1	Equipment Description	4
	2.2	Device Capabilities	4
	2.3	Test Configuration	4
	2.4	Software and Firmware	4
	2.5	EMI Suppression Device(s)/Modifications	4
3.0	DESC	RIPTION OF TESTS	5
	3.1	Measurement Procedure	5
	3.2	Additional Requirements for End User Devices	5
4.0	MEAS	SUREMENT UNCERTAINTY	6
5.0	TEST	EQUIPMENT CALIBRATION DATA	7
6.0	TEST	RESULTS	8
	6.1	Summary	8
	6.2	End User Device Additional Requirement (CBSD Protocol)	9
7.0	CONC	CLUSION	14

FCC ID: NKR-LVSK-65	element	PART 96 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 2 of 14
1M2204250057-01.NKR	05/04/2022 - 05/05/2022	Verizon Receiver	Page 2 of 14
			V/3 0 1/6/2022



1.0 INTRODUCTION

1.1 Scope

Measurement and determination of electromagnetic emissions (EMC) of radio frequency devices including intentional and/or unintentional radiators for compliance with the technical rules and regulations of the Federal Communications Commission.

1.2 Element Test Location

These measurement tests were conducted at the Element facility located at 18855 Adams Court, Morgan Hill, CA 95037. The measurement facility is compliant with the test site requirements specified in ANSI C63.4-2014 and KDB 414788 D01 v01r01.

1.3 Test Facility / Accreditations

Measurements were performed at Element located in Morgan Hill, CA 95037, U.S.A.

- Element is a OnGo Alliance Approved Test Lab (ATL)
- Element is a WInnForum Approved Test Lab
- Element is an ISO 17025-2017 accredited test facility under the American Association for Laboratory Accreditation (A2LA) with Certificate number 2041.02 for Specific Absorption Rate (SAR), Hearing Aid Compatibility (HAC) testing, where applicable, and Electromagnetic Compatibility (EMC) testing for FCC and Innovation, Science, and Economic Development Canada rules.
- Element TCB is a Telecommunication Certification Body (TCB) accredited to ISO/IEC 17065-2012 by A2LA (Certificate number 2041.03) in all scopes of FCC Rules and ISED Standards (RSS).
- Element facility is a registered (22831) test laboratory with the site description on file with ISED.

FCC ID: NKR-LVSK-65	element	PART 96 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 2 of 14
1M2204250057-01.NKR	05/04/2022 - 05/05/2022	Verizon Receiver	Page 3 of 14
			1/3 0 1/6/2022

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element. If you have any questions about this or have an inquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



2.0 PRODUCT INFORMATION

2.1 Equipment Description

The Equipment Under Test (EUT) is the **Wistron Verizon Receiver FCC ID: NKR-LVSK-65**. The test data contained in this report pertains only to the additional requirements for end user devices specified in 96.47 of the FCC rules for LTE Band 48 operation in the CBRS band. Per FCC Part 96, this device is evaluated as a Citizens Band End User Devices (CBE).

Test Device Serial No.: 353450100205459

2.2 Device Capabilities

This device contains the following capabilities:

LTE Band 48

2.3 Test Configuration

The EUT was tested per the guidance of KDB 940660 D01 v03 and WINNF-18-IN-00178 v1.0.0.00. See Section 6.0 of this test report for a description of the tests.

2.4 Software and Firmware

Testing was performed on device(s) using software/firmware version 0.2.3.0 installed on the EUT.

2.5 EMI Suppression Device(s)/Modifications

No EMI suppression device(s) were added and no modifications were made during testing.

FCC ID: NKR-LVSK-65	element	PART 96 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 4 of 14
1M2204250057-01.NKR	05/04/2022 - 05/05/2022	Verizon Receiver	Page 4 of 14
			V/3 0 1/6/2022



3.0 DESCRIPTION OF TESTS

3.1 Measurement Procedure

The measurement procedures described in KDB 940660 D01 v03 and WINNF-18-IN-00178 v1.0.0.00 were used in the measurement of the EUT to address the additional requirements for End User Devices.

Deviation from Measurement Procedure......None

3.2 Additional Requirements for End User Devices

See Section 6.2 of this report for a description of the specific test(s) run in order to demonstrate compliance to this requirement under Part 96.47 of the FCC Rules.

FCC ID: NKR-LVSK-65	element)	PART 96 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Page 5 of 14
1M2204250057-01.NKR	05/04/2022 - 05/05/2022	Verizon Receiver	Fage 5 01 14
			V/3.0.1/6/2022



4.0 MEASUREMENT UNCERTAINTY

The measurement uncertainties shown below were calculated in accordance with the requirements of ANSI C63.4-2014. All measurement uncertainty values are shown with a coverage factor of k = 2 to indicate a 95% level of confidence. The measurement uncertainty shown below meets or exceeds the U_{CISPR} measurement uncertainty values specified in CISPR 16-4-2 and, thus, can be compared directly to specified limits to determine compliance.

Contribution	Expanded Uncertainty (±dB)
Conducted Bench Top Measurements	1.13
Radiated Disturbance (<1GHz)	4.98
Radiated Disturbance (>1GHz)	5.07
Radiated Disturbance (>18GHz)	5.09

FCC ID: NKR-LVSK-65	element)	PART 96 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 6 of 14
1M2204250057-01.NKR	05/04/2022 - 05/05/2022	Verizon Receiver	Page 6 of 14
		·	V3.0 1/6/2022



5.0 TEST EQUIPMENT CALIBRATION DATA

Test Equipment Calibration is traceable to the National Institute of Standards and Technology (NIST). Measurements antennas used during testing were calibrated in accordance to the requirements of ANSI C63.5-2017.

Manufacturer	Model	Description	Cal Date	Cal Interval	Cal Due	Serial Number
Taoglass	FXUB66	Ultra Wide Band Antenna	N/A	N/A	N/A	2110
Dell	P60F	Laptop (Local SAS - WINNForum Test Harness)	N/A	N/A	N/A	C39Z600ANXM2
Ruckus	Q710	LTE Access Point CBRS Band	N/A	N/A	N/A	991929000125
Rohde & Schwarz	FSV40	Signal Analyzer (10Hz-40 GHz)	3/4/2022	Annual	3/4/2023	101619

Table 5-1. Test Equipment Table

Notes:

- 1. For equipment listed above that has a calibration date or calibration due date that falls within the test date range, care was taken to ensure that this equipment was used after the calibration date and before the calibration due date.
- 2. Equipment with a calibration date of "N/A" shown in this list was not used to make direct calibrated measurements.

FCC ID: NKR-LVSK-65	element)	PART 96 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dege 7 of 14
1M2204250057-01.NKR	05/04/2022 - 05/05/2022	Verizon Receiver	Page 7 of 14
	·	·	V3.0 1/6/2022



TEST RESULTS 6.0

6.1 Summary

Company Name:	Wistron NeWeb Corporation
FCC ID:	NKR-LVSK-65
FCC Classification:	Citizens Band End User Devices (CBE)
Mode(s):	<u>LTE</u>

Test Condition	Test Description	FCC Part Section(s)	Test Limit	Test Result	Reference
	End User Device Additional Requirements (CBSD Protocol)		End User Devices may operate only if they can positively receive and decode an authorization signal transmitted by a CBSD, including the frequencies and power limits for their operation. An End User Device must discontinue operations, change frequencies, or change its operational power level within 10 seconds of receiving instructions from its associated CBSD.	PASS	Section 6.2



FCC ID: NKR-LVSK-65	element	PART 96 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 9 of 14
1M2204250057-01.NKR	05/04/2022 - 05/05/2022	Verizon Receiver	Page 8 of 14
			1/3 0 1/6/2022



6.2 End User Device Additional Requirement (CBSD Protocol)

Test Overview and Limit

End user device additional requirements (CBSD Protocol) are tested per the test procedures listed below. During testing, the EUT is connected to a certified CBSD as a companion device to show compliance with Part 96.47.

End User Devices may operate only if they can positively receive and decode an authorization signal transmitted by a CBSD, including the frequencies and power limits for their operation.

An End User Device must discontinue operations, change frequencies, or change its operational power level within 10 seconds of receiving instructions from its associated CBSD.

Test Procedure Used

KDB 940660 D01 v03, WINNF-18-IN-00178 v1.0.0.00

Test Setup/Method

The EUT was connected via an RF cable to a certified CBSD and spectrum analyzer. The following procedure is performed by applying WINNF-18-IN-00178 v1.0.0.00 CBRS End User Device as UUT Test Guidelines

- 1. Run#1:
 - a. Setup WINNF.PT.C.HBT.1 with 3590MHz 3610MHz.
 - b. Enable AP service from Ruckus Cloud management.
 - c. Check EUT Tx frequency.
 - d. Disable AP service from Ruckus Cloud management and check EUT stop transmission within 10s.
- 2. Run#2:
 - a. Setup WINNF.PT.C.HBT.1 with 3615MHz 3635MHz.
 - b. Enable AP service from Ruckus Cloud management.
 - c. Check EUT Tx frequency.
 - d. Disable AP service from Ruckus Cloud management and check EUT stop transmission within 10s.


Test Notes

The EUT is an End User Device.

FCC ID: NKR-LVSK-65	element)	PART 96 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 0 of 14
1M2204250057-01.NKR	05/04/2022 - 05/05/2022	Verizon Receiver	Page 9 of 14
			1/3 0 1/6/2022



Run#1:



Plot 6-1. Run#1 End User Device Frequency of Operations (3620MHz)

FCC ID: NKR-LVSK-65	element	PART 96 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Daga 10 of 14
1M2204250057-01.NKR	05/04/2022 - 05/05/2022	Verizon Receiver	Page 10 of 14
		•	V3.0 1/6/2022



Spectr	um											
RefLe Att SGL			dBm OdB e SWT :		KBW 1 MHz KBW 3 MHz							
😑 1Pk Ma	×											
							D	8[1]				-18.37 dB
-30 dBm-												10.00000 s 61.09 dBm
							IVI.	1[1]			-	3.50100 s
-40 dBm-												3.301003
-50 dBm-												
60 d8m			M1 D'	,								
asolitisten (2	The second second	and an last	(International Property of the									
											_	
	11.00 A.2.	<u>، المحد الات</u>	لعصفاظ بالدية حصدت وحاجه	di ta i chaireadh	ender ha dit a dit han bien	ales.			det be	a kilo di teta anglari	it date for herstande	Study of Later arrayable
-90 dBm-	\rightarrow											
-100 dBn												
-110 dBn												
-110 UBI	"											
CF 3.6 (GHz				1000	1 p	ts					1.5 s/
Marker												
Туре	Ref		X-value		Y-value		Funct	tion		Func	tion Result	
M1		1		3.501 s	-61.09 dB							
D2	M1	1	930	.46 ms	-0.93 (
<u>D3</u>	M1	1		10.0 s	-18.37 (18						
							R	eady			4 /4	20:27:30

Plot 6-2. Run#1 End User Device Discontinues Operations within 10s

Note:

Marker 1: CBSD sends instructions to discontinue LTE operations.


Marker 2: EUT discontinues operation.

Marker 3: 10 seconds elapsed time from CBSD sending instructions to EUT.

FCC ID: NKR-LVSK-65	element)	PART 96 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 11 of 14
1M2204250057-01.NKR	05/04/2022 - 05/05/2022	Verizon Receiver	Page 11 of 14
			V3.0.1/6/2022



Run#2:



Plot 6-3. Run#2 End User Device Frequency of Operations (3625MHz)

FCC ID: NKR-LVSK-65	element	PART 96 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 12 of 14
1M2204250057-01.NKR	05/04/2022 - 05/05/2022	Verizon Receiver	Page 12 of 14
			V3.0 1/6/2022



Spectr	um										
SGL		-20.00	dBm OdB 😑 SWT :		W 1 MHz W 3 MHz						
o 1Pk Ma	x										
							D	3[1]			-19.89 dB
-30 dBm	\rightarrow										10.00000 s
							M	1[1]			58.68 dBm
-40 dBm	\rightarrow								1		1.14649 s
-50 dBm											
M	11	D	2								
			<u>.</u>								
-	مليا قدرويا		and a she housed at	a da cattle catteres	بالمزاد الملح مركباته المراج	a de la seta e	a an	Desident Stille State	DR.	the sheet beauty and	annon that much
-au asm											
-90 dBm											
-90 abiii											
-100 dBr	n—										
-110 dBr	n-										
CF 3.62		2			1000	1 nts				I	1.5 s/
Marker	Jugu	2			1000	r pcs					1.3 3/
Type M1	Ref			4649 s	-58.68 dB		Func	lion	Fund	ction Result	
D2	M1	1		1947 s	-58.68 uB -0.28 (
D3	M1	1	1.3	10.0 s	-19.89 (
		T			25.057						5.05.2022
							R	eady			19:02:2022

Plot 6-4. Run#2 End User Device Discontinues Operations within 10s

Note:

Marker 1: CBSD sends instructions to discontinue LTE operations.

Marker 2: EUT discontinues operation.

Marker 3: 10 seconds elapsed time from CBSD sending instructions to EUT.

FCC ID: NKR-LVSK-65	element)	PART 96 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 12 of 14
1M2204250057-01.NKR	05/04/2022 - 05/05/2022	Verizon Receiver	Page 13 of 14
			V/3.0.1/6/2022



7.0 CONCLUSION

The data collected relate only to the item(s) tested and show that the **Wistron Verizon Receiver FCC ID: NKR-LVSK-65** complies with the Additional Requirements for End User Devices specified in 96.47 of the FCC Rules for LTE operation only.

FCC ID: NKR-LVSK-65	element	PART 96 MEASUREMENT REPORT	Approved by: Technical Manager
Test Report S/N:	Test Dates:	EUT Type:	Dage 14 of 14
1M2204250057-01.NKR	05/04/2022 - 05/05/2022	Verizon Receiver	Page 14 of 14
			V3.0 1/6/2022