




5G NR n77\_CH647668\_30M\_1RB39\_pi/2  
BPSK\_Below 1 GHz




5G NR n77\_CH647668\_30M\_1RB39\_pi/2  
BPSK\_Above 1 GHz




5G NR n77\_CH656000\_30M\_1RB39\_pi/2  
BPSK\_Below 1 GHz




5G NR n77\_CH656000\_30M\_1RB39\_pi/2  
BPSK\_Above 1 GHz




5G NR n77\_CH664332\_30M\_1RB39\_pi/2  
BPSK\_Below 1 GHz




5G NR n77\_CH664332\_30M\_1RB39\_pi/2  
BPSK\_Above 1 GHz




5G NR n77\_CH648000\_40M\_1RB53\_pi/2  
BPSK\_Below 1 GHz




5G NR n77\_CH648000\_40M\_1RB53\_pi/2  
BPSK\_Above 1 GHz




5G NR n77\_CH656000\_40M\_1RB53\_pi/2  
BPSK\_Below 1 GHz





5G NR n77\_CH656000\_40M\_1RB53\_pi/2  
BPSK\_Above 1 GHz














5G NR n77\_CH648668\_60M\_1RB81\_pi/2  
BPSK\_Below 1 GHz




5G NR n77\_CH648668\_60M\_1RB81\_pi/2  
BPSK\_Above 1 GHz



5G NR n77\_CH656000\_60M\_1RB81\_pi/2  
BPSK\_Below 1 GHz




5G NR n77\_CH656000\_60M\_1RB81\_pi/2  
BPSK\_Above 1 GHz







5G NR n77\_CH663332\_60M\_1RB81\_pi/2  
BPSK\_Below 1 GHz




5G NR n77\_CH663332\_60M\_1RB81\_pi/2  
BPSK\_Above 1 GHz




5G NR n77\_CH649000\_70M\_1RB95\_pi/2  
BPSK\_Below 1 GHz




5G NR n77\_CH649000\_70M\_1RB95\_pi/2  
BPSK\_Above 1 GHz




5G NR n77\_CH656000\_70M\_1RB95\_pi/2  
BPSK\_Below 1 GHz




5G NR n77\_CH656000\_70M\_1RB95\_pi/2  
BPSK\_Above 1 GHz







5G NR n77\_CH649334\_80M\_1RB109\_pi/2  
BPSK\_Below 1 GHz




5G NR n77\_CH649334\_80M\_1RB109\_pi/2  
BPSK\_Above 1 GHz




5G NR n77\_CH656000\_80M\_1RB109\_pi/2  
BPSK\_Below 1 GHz




5G NR n77\_CH656000\_80M\_1RB109\_pi/2  
BPSK\_Above 1 GHz









5G NR n77\_CH649668\_90M\_1RB123\_pi/2  
BPSK\_Below 1 GHz




5G NR n77\_CH649668\_90M\_1RB123\_pi/2  
BPSK\_Above 1 GHz




5G NR n77\_CH656000\_90M\_1RB123\_pi/2  
BPSK\_Below 1 GHz




5G NR n77\_CH656000\_90M\_1RB123\_pi/2  
BPSK\_Above 1 GHz




5G NR n77\_CH662332\_90M\_1RB123\_pi/2  
BPSK\_Below 1 GHz




5G NR n77\_CH662332\_90M\_1RB123\_pi/2  
BPSK\_Above 1 GHz




5G NR n77\_CH649668\_100M\_1RB137\_pi/2  
BPSK\_Below 1 GHz




5G NR n77\_CH649668\_100M\_1RB137\_pi/2  
BPSK\_Above 1 GHz




5G NR n77\_CH656000\_100M\_1RB137\_pi/2  
BPSK\_Below 1 GHz



5G NR n77\_CH656000\_100M\_1RB137\_pi/2  
BPSK\_Above 1 GHz












### 6.5. Test Result of Radiated Spurious Emission

#### Mode 1: 5G NR n2




Site :CB2-H  
 Condition :3m Horizontal  
 Mode :5G NR\_N2\_20M\_Ch380000  
 Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBm	dBm	dB	dBm	dB	
1	3800.000	-37.39	-13.00	-24.39	-31.98	-5.41	Peak
2	5700.000	-48.93	-13.00	-35.93	-50.21	1.28	Peak
3	7600.000	-42.80	-13.00	-29.80	-50.07	7.27	Peak
4	9500.000	-43.87	-13.00	-30.87	-53.02	9.15	Peak

- Note:
- Level = Read Level + Factor
  - Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
  - Over Limit = Level - Limit Line
  - Aux Factor = Convert E (dBuVm) to EIRP (dBm)  
 $= 107 + 20\log(3) = 104.8 = 11.8 \text{ dB}$
  - The other emission levels were very low against the limit.
  - The emission under 1GHz was not included since the emission levels are very low against the limit.





Site :CB2-H  
 Condition :3m Vertical  
 Mode :5G NR\_N2\_20M\_Ch380000  
 Test by :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	Mhz	dBm	dBm	dB	dBm	dB	
1	3800.000	-37.85	-13.00	-24.85	-32.44	-5.41	Peak
2	5700.000	-44.78	-13.00	-31.78	-46.06	1.28	Peak
3	7600.000	-39.48	-13.00	-26.48	-46.75	7.27	Peak
4	9500.000	-44.48	-13.00	-31.48	-53.63	9.15	Peak


- Note:
- Level = Read Level + Factor
  - Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
  - Over Limit = Level - Limit Line
  - Aux Factor = Convert E (dBuVm) to EIRP (dBm)  
 $= 107 + 20\log(3) = 104.8 = 11.8 \text{ dB}$
  - The other emission levels were very low against the limit.
  - The emission under 1GHz was not included since the emission levels are very low against the limit.

**Mode 2: 5G NR n5**






Site :CB2-H  
 Condition :3m Horizontal  
 Mode :5G NR\_N5\_20M\_Ch167800  
 Test by :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1678.000	-57.51	-13.00	-44.51	-44.82	-12.69	Peak
2	2517.000	-55.61	-13.00	-42.61	-46.38	-9.23	Peak
3	3356.000	-50.28	-13.00	-37.28	-43.54	-6.74	Peak

Notes:  
 1. Level = Read Level + Factor  
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor  
 3. Over Limit = Level - Limit Line  
 4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)  
               = 107 + 20log(3) - 104.8 = 11.8 dB  
 5. The other emission levels were very low against the limit.  
 6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB2-H  
 Condition :3m Vertical  
 Mode :5G NR\_N5\_20M\_Ch167800  
 Test by :Cyril




No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	1678.000	-58.44	-13.00	-45.44	-45.75	-12.69	Peak
2	2517.000	-56.04	-13.00	-43.04	-46.81	-9.23	Peak
3	3356.000	-49.76	-13.00	-36.76	-43.02	-6.74	Peak

Notes:  
 1. Level = Read Level + Factor  
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor  
 3. Over Limit = Level - Limit Line  
 4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)  
               = 107 + 20log(3) - 104.8 = 11.8 dB  
 5. The other emission levels were very low against the limit.  
 6. The emission under 1GHz was not included since the emission levels are very low against the limit.

**Mode 3: 5G NR n66**


Site :CB2-H  
 Condition :3m Horizontal  
 Mode :5G NR\_N66\_40M\_Ch346000  
 Test by :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	3460.000	-41.24	-13.00	-28.24	-34.63	-6.61	Peak
2	5190.000	-43.86	-13.00	-30.86	-43.18	-0.68	Peak
3	6920.000	-47.83	-13.00	-34.83	-54.22	6.39	Peak

Notes:  
 1. Level = Read Level + Factor  
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor  
 3. Over Limit = Level - Limit Line  
 4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)  
               = 107 + 20log(3) - 104.8 = 11.8 dB  
 5. The other emission levels were very low against the limit.  
 6. The emission under 1GHz was not included since the emission levels are very low against the limit.


Site :CB2-H  
 Condition :3m Vertical  
 Mode :5G NR\_N66\_40M\_Ch346000  
 Test by :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	3460.000	-44.31	-13.00	-31.31	-37.70	-6.61	Peak
2	5190.000	-40.91	-13.00	-27.91	-40.23	-0.68	Peak
3	6920.000	-47.35	-13.00	-34.35	-53.74	6.39	Peak

Notes:  
 1. Level = Read Level + Factor  
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor  
 3. Over Limit = Level - Limit Line  
 4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)  
               = 107 + 20log(3) - 104.8 = 11.8 dB  
 5. The other emission levels were very low against the limit.  
 6. The emission under 1GHz was not included since the emission levels are very low against the limit.


Site :CB2-H  
 Condition :3m Horizontal  
 Mode :5G NR\_N66\_40M\_Ch349000  
 Test by :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	3490.000	-39.09	-13.00	-26.09	-32.51	-6.58	Peak
2	5235.000	-46.85	-13.00	-33.85	-46.29	-0.56	Peak
3	6980.000	-46.05	-13.00	-33.05	-52.75	6.70	Peak

Notes:  
 1. Level = Read Level + Factor  
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor  
 3. Over Limit = Level - Limit Line  
 4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)  
               = 107 + 20log(3) - 104.8 = 11.8 dB  
 5. The other emission levels were very low against the limit.  
 6. The emission under 1GHz was not included since the emission levels are very low against the limit.


Site :CB2-H  
 Condition :3m Vertical  
 Mode :5G NR\_N66\_40M\_Ch349000  
 Test by :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	3490.000	-43.16	-13.00	-30.16	-36.58	-6.58	Peak
2	5235.000	-42.29	-13.00	-29.29	-41.73	-0.56	Peak
3	6980.000	-44.91	-13.00	-31.91	-51.61	6.70	Peak

Notes:  
 1. Level = Read Level + Factor  
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor  
 3. Over Limit = Level - Limit Line  
 4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)  
               = 107 + 20log(3) - 104.8 = 11.8 dB  
 5. The other emission levels were very low against the limit.  
 6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB2-H  
 Condition :3m Horizontal  
 Mode :5G NR\_N66\_40M\_Ch352000  
 Test by :Cyril




No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	3520.000	-38.83	-13.00	-25.83	-32.35	-6.48	Peak
2	5280.000	-44.87	-13.00	-31.87	-44.45	-0.42	Peak
3	7040.000	-46.43	-13.00	-33.43	-53.28	6.85	Peak

Notes:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)  
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB2-H  
 Condition :3m Vertical  
 Mode :5G NR\_N66\_40M\_Ch352000  
 Test by :Cyril




No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	3520.000	-41.71	-13.00	-28.71	-35.23	-6.48	Peak
2	5280.000	-39.20	-13.00	-26.20	-38.78	-0.42	Peak
3	7040.000	-46.80	-13.00	-33.80	-53.65	6.85	Peak

Notes:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
3. Over Limit = Level - Limit Line
4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)  
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
5. The other emission levels were very low against the limit.
6. The emission under 1GHz was not included since the emission levels are very low against the limit.

**Mode 4: 5G NR n77 (Part 27 3450~3550 MHz)**


Site :CB2-H  
 Condition :3m Horizontal  
 Mode :5G NR\_N77\_100M\_Ch633334  
 Test by :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	7000.000	-46.62	-13.00	-33.62	-53.42	6.80	Peak
2	10500.000	-42.43	-13.00	-29.43	-54.13	11.70	Peak
3	14000.000	-39.48	-13.00	-26.48	-55.29	15.81	Peak

Notes:  
 1. Level = Read Level + Factor  
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor  
 3. Over Limit = Level - Limit Line  
 4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)  
               = 107 + 20log(3) - 104.8 = 11.8 dB  
 5. The other emission levels were very low against the limit.  
 6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB2-H  
 Condition :3m Vertical  
 Mode :5G NR\_N77\_100M\_Ch633334  
 Test by :Cyril




No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	7000.000	-45.95	-13.00	-32.95	-52.75	6.80	Peak
2	10500.000	-42.90	-13.00	-29.90	-54.60	11.70	Peak
3	14000.000	-40.16	-13.00	-27.16	-55.97	15.81	Peak

Notes:  
 1. Level = Read Level + Factor  
 2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor  
 3. Over Limit = Level - Limit Line  
 4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)  
               = 107 + 20log(3) - 104.8 = 11.8 dB  
 5. The other emission levels were very low against the limit.  
 6. The emission under 1GHz was not included since the emission levels are very low against the limit.

**Mode 5: 5G NR n77 (Part 27 3700~3980 MHz)**


Site :CB2-H  
 Condition :3m Horizontal  
 Mode :5G NR\_N77\_100M\_Ch650000  
 Test by :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	7500.000	-41.39	-13.00	-28.39	-48.83	7.44	Peak
2	11250.000	-42.48	-13.00	-29.48	-55.19	12.71	Peak
3	15000.000	-39.52	-13.00	-26.52	-55.88	16.36	Peak

- Notes:
1. Level = Read Level + Factor
  2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
  3. Over Limit = Level - Limit Line
  4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)  
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
  5. The other emission levels were very low against the limit.
  6. The emission under 1GHz was not included since the emission levels are very low against the limit.


Site :CB2-H  
 Condition :3m Vertical  
 Mode :5G NR\_N77\_100M\_Ch650000  
 Test by :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	7500.000	-40.65	-13.00	-27.65	-48.09	7.44	Peak
2	11250.000	-42.40	-13.00	-29.40	-55.11	12.71	Peak
3	15000.000	-39.67	-13.00	-26.67	-56.03	16.36	Peak

- Notes:
1. Level = Read Level + Factor
  2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
  3. Over Limit = Level - Limit Line
  4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)  
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
  5. The other emission levels were very low against the limit.
  6. The emission under 1GHz was not included since the emission levels are very low against the limit.


Site :CB2-H  
 Condition :3m Horizontal  
 Mode :5G NR\_N77\_100M\_Ch650000  
 Test by :Cyril



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	7680.000	-39.81	-13.00	-26.81	-46.94	7.13	Peak
2	11520.000	-42.46	-13.00	-29.46	-55.46	13.00	Peak
3	15360.000	-42.07	-13.00	-29.07	-56.81	14.74	Peak

- Notes:
1. Level = Read Level + Factor
  2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
  3. Over Limit = Level - Limit Line
  4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)  
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
  5. The other emission levels were very low against the limit.
  6. The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB2-H  
 Condition :3m Vertical  
 Mode :5G NR\_N77\_100M\_Ch650000  
 Test by :Cyril




No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	7680.000	-36.11	-13.00	-23.11	-43.24	7.13	Peak
2	11520.000	-42.19	-13.00	-29.19	-55.19	13.00	Peak
3	15360.000	-41.59	-13.00	-28.59	-56.33	14.74	Peak

- Notes:
1. Level = Read Level + Factor
  2. Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
  3. Over Limit = Level - Limit Line
  4. Aux Factor = Convert E (dBuVm) to EIRP (dBm)  
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
  5. The other emission levels were very low against the limit.
  6. The emission under 1GHz was not included since the emission levels are very low against the limit.



Site :CB2-H  
 Condition :3m Horizontal  
 Mode :5G NR\_N77\_100M\_Ch662000  
 Test by :Cyril




No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	7860.000	-42.05	-13.00	-29.05	-48.88	6.83	Peak
2	11790.000	-40.19	-13.00	-27.19	-52.89	12.70	Peak
3	15720.000	-42.02	-13.00	-29.02	-55.63	13.61	Peak

Notes:

- Level = Read Level + Factor
- Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
- Over Limit = Level - Limit Line
- Aux Factor = Convert E (dBuVm) to EIRP (dBm)  
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
- The other emission levels were very low against the limit.
- The emission under 1GHz was not included since the emission levels are very low against the limit.

Site :CB2-H  
 Condition :3m Vertical  
 Mode :5G NR\_N77\_100M\_Ch662000  
 Test by :Cyril




No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBm	dBm	dB	dBm	dB	
1	7860.000	-32.79	-13.00	-19.79	-39.62	6.83	Peak
2	11790.000	-41.37	-13.00	-28.37	-54.07	12.70	Peak
3	15720.000	-42.36	-13.00	-29.36	-55.97	13.61	Peak

Notes:

- Level = Read Level + Factor
- Factor = Antenna Factor + Cable Loss - Preamp Factor + Aux Factor
- Over Limit = Level - Limit Line
- Aux Factor = Convert E (dBuVm) to EIRP (dBm)  
 $= 107 + 20\log(3) - 104.8 = 11.8 \text{ dB}$
- The other emission levels were very low against the limit.
- The emission under 1GHz was not included since the emission levels are very low against the limit.

## 7. Conducted Band Edge

### 7.1. Test Setup



### 7.2. Test Procedure

1. The EUT makes a call to the communication simulator. The communication simulator station system controlled a EUT to export maximum output power under transmission mode and specific channel frequency. The path loss was compensated to the results for each measurement.
2. In the 1MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed to measure the out of band Emissions.

### 7.3. Test Methodology and Reference Procedures


KDB 971168 D01 Power Meas License Digital Systems v03r01

ANSI C63.26-2015


KDB 662911 D01 Multiple Transmitter Output v02r01

### 7.4. Test Result of Conducted Band Edge


#### Mode 1: 5G NR n2




5G NR n2\_CH381000\_10M\_pi/2 BPSK\_1RB51




5G NR n2\_CH381000\_10M\_pi/2 BPSK\_50RB2




5G NR n2\_CH371500\_15M\_pi/2 BPSK\_1RB0




5G NR n2\_CH371500\_15M\_pi/2 BPSK\_75RB0




5G NR n2\_CH3805000\_15M\_pi/2 BPSK\_1RB78



5G NR n2\_CH380500\_15M\_pi/2 BPSK\_75RB4







Mode 2: 5G NR n5

