





CSE-ENDC_66A_n5-16QAM_15M_CH132047_1717.5(1,74)




CSE-ENDC_66A_n5-16QAM_15M_CH132047_1717.5(1,74)




CSE-ENDC_66A_n5-16QAM_15M_CH132322_1745(1,74)




CSE-ENDC_66A_n5-16QAM_15M_CH132322_1745(1,74)




CSE-ENDC_66A_n5-16QAM_15M_CH132597_1772.5(1,0)




CSE-ENDC_66A_n5-16QAM_15M_CH132597_1772.5(1,0)



CSE-ENDC_66A_n5-16QAM_20M_CH132072_1720(1,50)




CSE-ENDC_66A_n5-16QAM_20M_CH132072_1720(1,50)




CSE-ENDC_66A_n5-16QAM_20M_CH132322_1745(1,99)



CSE-ENDC_66A_n5-16QAM_20M_CH132322_1745(1,99)



CSE-ENDC_66A_n5-16QAM_20M_CH132572_1770(1,0)




CSE-ENDC_66A_n5-16QAM_20M_CH132572_1770(1,0)




CSE-ENDC_66A_n5-64QAM_1.4M_CH131979_1710.7(1,5)




CSE-ENDC_66A_n5-64QAM_1.4M_CH131979_1710.7(1,5)




CSE-ENDC_66A_n5-64QAM_1.4M_CH132322_1745(1,5)



CSE-ENDC_66A_n5-64QAM_1.4M_CH132322_1745(1,5)




CSE-ENDC_66A_n5-64QAM_1.4M_CH132665_1779.3.7(1,0)




CSE-ENDC_66A_n5-64QAM_1.4M_CH132665_1779.3.7(1,0)




CSE-ENDC_66A_n5-64QAM_3M_CH131987_1711.5(1,14)




CSE-ENDC_66A_n5-64QAM_3M_CH131987_1711.5(1,14)




CSE-ENDC_66A_n5-64QAM_3M_CH132322_1745(1,14)




CSE-ENDC_66A_n5-64QAM_3M_CH132322_1745(1,14)




CSE-ENDC_66A_n5-64QAM_3M_CH132657_1778.5(1,0)




CSE-ENDC_66A_n5-64QAM_3M_CH132657_1778.5(1,0)




CSE-ENDC_66A_n5-64QAM_5M_CH131997_1712.5(1,24)




CSE-ENDC_66A_n5-64QAM_5M_CH131997_1712.5(1,24)



CSE-ENDC_66A_n5-64QAM_5M_CH132322_1745(1,24)




CSE-ENDC_66A_n5-64QAM_5M_CH132322_1745(1,24)




CSE-ENDC_66A_n5-64QAM_5M_CH132647_1777.5(1,0)




CSE-ENDC_66A_n5-64QAM_5M_CH132647_1777.5(1,0)



CSE-ENDC_66A_n5-64QAM_10M_CH132022_1715(1,49)




CSE-ENDC_66A_n5-64QAM_10M_CH132022_1715(1,49)




CSE-ENDC_66A_n5-64QAM_10M_CH132322_1745(1,49)



CSE-ENDC_66A_n5-64QAM_10M_CH132322_1745(1,49)




CSE-ENDC_66A_n5-64QAM_10M_CH132622_1775(1,25)




CSE-ENDC_66A_n5-64QAM_10M_CH132622_1775(1,25)




CSE-ENDC_66A_n5-64QAM_15M_CH132047_1717.5(1,74)




CSE-ENDC_66A_n5-64QAM_15M_CH132047_1717.5(1,74)




CSE-ENDC_66A_n5-64QAM_15M_CH132322_1745(1,74)




CSE-ENDC_66A_n5-64QAM_15M_CH132322_1745(1,74)




CSE-ENDC_66A_n5-64QAM_15M_CH132597_1772.5(1,37)




CSE-ENDC_66A_n5-64QAM_15M_CH132597_1772.5(1,37)




CSE-ENDC_66A_n5-64QAM_20M_CH132072_1720(1,50)




CSE-ENDC_66A_n5-64QAM_20M_CH132072_1720(1,50)




CSE-ENDC_66A_n5-64QAM_20M_CH132322_1745(1,99)



CSE-ENDC_66A_n5-64QAM_20M_CH132322_1745(1,99)



CSE-ENDC_66A_n5-64QAM_20M_CH132572_1770(1,0)



CSE-ENDC_66A_n5-64QAM_20M_CH132572_1770(1,0)

Product	LV55		
Test Item	Radiated Spurious Emissions		
Date of Test	2020/06/30	Test Site	CB2-H
Test Condition	ENDC n2		

BW5M_370500_PI/2_5G n2

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3705.000	-52.16	-13	-39.16	-60.25	12.61	4.51
	5557.500	-47.78	-13	-34.78	-55.23	13.12	5.67
	7410.000	-40.59	-13	-27.59	-45.30	11.31	6.60
V	3705.000	-53.34	-13	-40.34	-61.43	12.61	4.51
	5557.500	-47.17	-13	-34.17	-54.62	13.12	5.67
	7410.000	-40.57	-13	-27.57	-45.28	11.31	6.60

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW5M_376000_PI/2_5G n2

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3760.000	-53.13	-13	-40.13	-61.20	12.60	4.54
	5640.000	-48.28	-13	-35.28	-55.68	13.10	5.70
	7520.000	-40.42	-13	-27.42	-45.04	11.24	6.61
V	3760.000	-53.48	-13	-40.48	-61.55	12.60	4.54
	5640.000	-47.36	-13	-34.36	-54.76	13.10	5.70
	7520.000	-40.04	-13	-27.04	-44.66	11.24	6.61

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW5M_381500_PI/2_5G n2

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3815.000	-52.73	-13	-39.73	-60.77	12.60	4.57
	5722.500	-48.25	-13	-35.25	-55.60	13.08	5.73
	7630.000	-39.24	-13	-26.24	-43.88	11.24	6.60
V	3815.000	-52.68	-13	-39.68	-60.72	12.60	4.57
	5722.500	-48.55	-13	-35.55	-55.90	13.08	5.73
	7630.000	-39.79	-13	-26.79	-44.43	11.24	6.60

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW10M_371000_PI/2_5G n2

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3710.000	-52.33	-13	-39.33	-60.42	12.61	4.51
	5565.000	-46.38	-13	-33.38	-53.83	13.12	5.67
	7420.000	-39.71	-13	-26.71	-44.41	11.30	6.60
V	3710.000	-52.23	-13	-39.23	-60.32	12.61	4.51
	5565.000	-46.43	-13	-33.43	-53.88	13.12	5.67
	7420.000	-40.41	-13	-27.41	-45.11	11.30	6.60

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW10M_376000_PI/2_5G n2

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3760.000	-53.14	-13	-40.14	-61.21	12.60	4.54
	5640.000	-48.01	-13	-35.01	-55.41	13.10	5.70
	7520.000	-39.86	-13	-26.86	-44.48	11.24	6.61
V	3760.000	-53.39	-13	-40.39	-61.46	12.60	4.54
	5640.000	-47.90	-13	-34.90	-55.30	13.10	5.70
	7520.000	-39.81	-13	-26.81	-44.43	11.24	6.61

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW10M_381000_PI/2_5G n2

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3810.000	-51.93	-13	-38.93	-59.97	12.60	4.56
	5715.000	-47.96	-13	-34.96	-55.32	13.08	5.72
	7620.000	-39.48	-13	-26.48	-44.12	11.24	6.60
V	3810.000	-52.49	-13	-39.49	-60.53	12.60	4.56
	5715.000	-47.05	-13	-34.05	-54.41	13.08	5.72
	7620.000	-38.93	-13	-25.93	-43.57	11.24	6.60

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW15M_371500_PI/2_5G n2

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3715.000	-53.03	-13	-40.03	-61.12	12.61	4.52
	5572.500	-46.57	-13	-33.57	-54.01	13.12	5.68
	7430.000	-40.25	-13	-27.25	-44.94	11.29	6.61
V	3715.000	-52.56	-13	-39.56	-60.65	12.61	4.52
	5572.500	-46.85	-13	-33.85	-54.29	13.12	5.68
	7430.000	-40.36	-13	-27.36	-45.05	11.29	6.61

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW15M_376000_PI/2_5G n2

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3760.000	-52.73	-13	-39.73	-60.80	12.60	4.54
	5640.000	-47.84	-13	-34.84	-55.24	13.10	5.70
	7520.000	-39.56	-13	-26.56	-44.18	11.24	6.61
V	3760.000	-52.82	-13	-39.82	-60.89	12.60	4.54
	5640.000	-47.99	-13	-34.99	-55.39	13.10	5.70
	7520.000	-39.04	-13	-26.04	-43.66	11.24	6.61

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW15M_380500_PI/2_5G n2

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3805.000	-52.55	-13	-39.55	-60.59	12.60	4.56
	5707.500	-47.25	-13	-34.25	-54.61	13.08	5.72
	7610.000	-39.70	-13	-26.70	-44.34	11.24	6.60
V	3805.000	-52.66	-13	-39.66	-60.70	12.60	4.56
	5707.500	-47.85	-13	-34.85	-55.21	13.08	5.72
	7610.000	-39.59	-13	-26.59	-44.23	11.24	6.60

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW20M_372000_PI/2_5G n2

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3720.000	-53.15	-13	-40.15	-61.24	12.61	4.52
	5580.000	-47.07	-13	-34.07	-54.51	13.12	5.68
	7440.000	-40.67	-13	-27.67	-45.35	11.28	6.61
V	3720.000	-52.55	-13	-39.55	-60.64	12.61	4.52
	5580.000	-46.97	-13	-33.97	-54.41	13.12	5.68
	7440.000	-40.54	-13	-27.54	-45.22	11.28	6.61

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW20M_376000_PI/2_5G n2

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3760.000	-53.26	-13	-40.26	-61.33	12.60	4.54
	5640.000	-48.78	-13	-35.78	-56.18	13.10	5.70
	7520.000	-39.34	-13	-26.34	-43.96	11.24	6.61
V	3760.000	-53.20	-13	-40.20	-61.27	12.60	4.54
	5640.000	-48.36	-13	-35.36	-55.76	13.10	5.70
	7520.000	-39.73	-13	-26.73	-44.35	11.24	6.61

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW20M_380000_PI/2_5G n2

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3800.000	-52.37	-13	-39.37	-60.42	12.60	4.56
	5700.000	-47.46	-13	-34.46	-54.83	13.08	5.72
	7600.000	-39.66	-13	-26.66	-44.30	11.24	6.60
V	3800.000	-52.64	-13	-39.64	-60.69	12.60	4.56
	5700.000	-47.55	-13	-34.55	-54.92	13.08	5.72
	7600.000	-39.47	-13	-26.47	-44.11	11.24	6.60

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

Product	LV55		
Test Item	Radiated Spurious Emissions		
Date of Test	2020/06/29	Test Site	CB2-H
Test Condition	ENDC n5		

BW5M_165300_PI/2_5G n5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1653.000	-56.67	-13	-43.67	-62.98	9.30	2.99
	2479.500	-52.09	-13	-39.09	-58.99	10.59	3.69
	3306.000	-52.56	-13	-39.56	-60.48	12.19	4.27
V	1653.000	-56.72	-13	-43.72	-63.03	9.30	2.99
	2479.500	-52.79	-13	-39.79	-59.69	10.59	3.69
	3306.000	-52.77	-13	-39.77	-60.69	12.19	4.27

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW5M_167300_PI/2_5G n5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1673.000	-57.62	-13	-44.62	-63.97	9.36	3.01
	2509.500	-54.46	-13	-41.46	-61.37	10.62	3.71
	3346.000	-52.98	-13	-39.98	-60.96	12.27	4.30
V	1673.000	-57.33	-13	-44.33	-63.68	9.36	3.01
	2509.500	-54.56	-13	-41.56	-61.47	10.62	3.71
	3346.000	-53.08	-13	-40.08	-61.06	12.27	4.30

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW5M_169300_PI/2_5G n5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1693.000	-57.06	-13	-44.06	-63.45	9.42	3.03
	2539.500	-54.07	-13	-41.07	-61.01	10.67	3.73
	3386.000	-52.59	-13	-39.59	-60.62	12.36	4.33
V	1693.000	-57.02	-13	-44.02	-63.41	9.42	3.03
	2539.500	-54.66	-13	-41.66	-61.60	10.67	3.73
	3386.000	-52.93	-13	-39.93	-60.96	12.36	4.33

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW10M_165800_PI/2_5G n5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1658.000	-56.37	-13	-43.37	-62.69	9.32	3.00
	2487.000	-54.35	-13	-41.35	-61.25	10.59	3.69
	3316.000	-53.22	-13	-40.22	-61.15	12.21	4.28
V	1658.000	-57.02	-13	-44.02	-63.34	9.32	3.00
	2487.000	-54.74	-13	-41.74	-61.64	10.59	3.69
	3316.000	-52.81	-13	-39.81	-60.74	12.21	4.28

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW10M_167300_PI/2_5G n5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1673.000	-57.35	-13	-44.35	-63.70	9.36	3.01
	2509.500	-53.76	-13	-40.76	-60.67	10.62	3.71
	3346.000	-52.26	-13	-39.26	-60.24	12.27	4.30
V	1673.000	-57.33	-13	-44.33	-63.68	9.36	3.01
	2509.500	-54.54	-13	-41.54	-61.45	10.62	3.71
	3346.000	-52.55	-13	-39.55	-60.53	12.27	4.30

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW10M_168800_PI/2_5G n5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1688.000	-57.13	-13	-44.13	-63.51	9.41	3.02
	2532.000	-53.85	-13	-40.85	-60.78	10.66	3.73
	3376.000	-52.04	-13	-39.04	-60.06	12.34	4.32
V	1688.000	-56.83	-13	-43.83	-63.21	9.41	3.02
	2532.000	-54.51	-13	-41.51	-61.44	10.66	3.73
	3376.000	-51.79	-13	-38.79	-59.81	12.34	4.32

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW15M_166300_PI/2_5G n5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1663.000	-56.96	-13	-43.96	-63.29	9.33	3.00
	2494.500	-54.27	-13	-41.27	-61.17	10.60	3.70
	3326.000	-51.74	-13	-38.74	-59.69	12.23	4.28
V	1663.000	-55.84	-13	-42.84	-62.17	9.33	3.00
	2494.500	-54.17	-13	-41.17	-61.07	10.60	3.70
	3326.000	-53.17	-13	-40.17	-61.12	12.23	4.28

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW15M_167300_PI/2_5G n5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1673.000	-56.91	-13	-43.91	-63.26	9.36	3.01
	2509.500	-52.96	-13	-39.96	-59.87	10.62	3.71
	3346.000	-52.00	-13	-39.00	-59.98	12.27	4.30
V	1673.000	-57.00	-13	-44.00	-63.35	9.36	3.01
	2509.500	-53.76	-13	-40.76	-60.67	10.62	3.71
	3346.000	-52.11	-13	-39.11	-60.09	12.27	4.30

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW15M_168300_PI/2_5G n5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1683.000	-55.51	-13	-42.51	-61.88	9.39	3.02
	2524.500	-53.99	-13	-40.99	-60.91	10.65	3.72
	3366.000	-52.35	-13	-39.35	-60.36	12.32	4.31
V	1683.000	-57.36	-13	-44.36	-63.73	9.39	3.02
	2524.500	-53.85	-13	-40.85	-60.77	10.65	3.72
	3366.000	-52.38	-13	-39.38	-60.39	12.32	4.31

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW20M_166800_PI/2_5G n5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1668.000	-56.19	-13	-43.19	-62.53	9.35	3.01
	2502.000	-54.01	-13	-41.01	-60.91	10.60	3.71
	3336.000	-52.48	-13	-39.48	-60.44	12.25	4.29
V	1668.000	-57.43	-13	-44.43	-63.77	9.35	3.01
	2502.000	-54.16	-13	-41.16	-61.06	10.60	3.71
	3336.000	-52.49	-13	-39.49	-60.45	12.25	4.29

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW20M_167300_PI/2_5G n5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1673.000	-57.31	-13	-44.31	-63.66	9.36	3.01
	2509.500	-54.45	-13	-41.45	-61.36	10.62	3.71
	3346.000	-52.16	-13	-39.16	-60.14	12.27	4.30
V	1673.000	-57.00	-13	-44.00	-63.35	9.36	3.01
	2509.500	-54.78	-13	-41.78	-61.69	10.62	3.71
	3346.000	-52.58	-13	-39.58	-60.56	12.27	4.30

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW20M_167800_PI/2_5G n5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1678.000	-57.53	-13	-44.53	-63.89	9.38	3.02
	2517.000	-54.85	-13	-41.85	-61.77	10.63	3.72
	3356.000	-52.81	-13	-39.81	-60.80	12.30	4.30
V	1678.000	-56.53	-13	-43.53	-62.89	9.38	3.02
	2517.000	-54.86	-13	-41.86	-61.78	10.63	3.72
	3356.000	-52.58	-13	-39.58	-60.57	12.30	4.30

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

Product	LV55		
Test Item	Radiated Spurious Emissions		
Date of Test	2020/07/01	Test Site	CB2-H
Test Condition	ENDC n66		

BW5M_342500_PI/2_5G n66

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3425.000	-51.91	-13	-38.91	-60.00	12.45	4.36
	5137.500	-48.68	-13	-35.68	-56.07	12.78	5.39
	6850.000	-44.16	-13	-31.16	-49.62	11.83	6.37
V	3425.000	-51.42	-13	-38.42	-59.51	12.45	4.36
	5137.500	-48.24	-13	-35.24	-55.63	12.78	5.39
	6850.000	-43.93	-13	-30.93	-49.39	11.83	6.37

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW5M_349000_PI/2_5G n66

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3490.000	-53.33	-13	-40.33	-61.52	12.59	4.40
	5235.000	-44.56	-13	-31.56	-51.98	12.88	5.46
	6980.000	-42.33	-13	-29.33	-47.49	11.67	6.51
V	3490.000	-53.58	-13	-40.58	-61.77	12.59	4.40
	5235.000	-48.09	-13	-35.09	-55.51	12.88	5.46
	6980.000	-43.11	-13	-30.11	-48.27	11.67	6.51

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW5M_355500_PI/2_5G n66

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3555.000	-52.61	-13	-39.61	-60.78	12.61	4.44
	5332.500	-47.52	-13	-34.52	-54.97	12.98	5.53
	7110.000	-42.26	-13	-29.26	-47.26	11.56	6.55
V	3555.000	-52.04	-13	-39.04	-60.21	12.61	4.44
	5332.500	-47.39	-13	-34.39	-54.84	12.98	5.53
	7110.000	-42.34	-13	-29.34	-47.34	11.56	6.55

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW10M_343000_PI/2_5G n66

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3430.000	-51.22	-13	-38.22	-59.32	12.46	4.36
	5145.000	-48.98	-13	-35.98	-56.38	12.79	5.40
	6860.000	-44.22	-13	-31.22	-49.66	11.82	6.38
V	3430.000	-51.65	-13	-38.65	-59.75	12.46	4.36
	5145.000	-48.44	-13	-35.44	-55.84	12.79	5.40
	6860.000	-43.77	-13	-30.77	-49.21	11.82	6.38

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW10M_349000_PI/2_5G n66

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3490.000	-53.67	-13	-40.67	-61.86	12.59	4.40
	5235.000	-48.37	-13	-35.37	-55.79	12.88	5.46
	6980.000	-42.75	-13	-29.75	-47.91	11.67	6.51
V	3490.000	-53.28	-13	-40.28	-61.47	12.59	4.40
	5235.000	-47.67	-13	-34.67	-55.09	12.88	5.46
	6980.000	-43.23	-13	-30.23	-48.39	11.67	6.51

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW10M_355000_PI/2_5G n66

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3550.000	-52.86	-13	-39.86	-61.03	12.61	4.44
	5325.000	-46.95	-13	-33.95	-54.39	12.97	5.53
	7100.000	-42.44	-13	-29.44	-47.45	11.57	6.55
V	3550.000	-52.70	-13	-39.70	-60.87	12.61	4.44
	5325.000	-47.85	-13	-34.85	-55.29	12.97	5.53
	7100.000	-42.37	-13	-29.37	-47.38	11.57	6.55

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW15M_343500_PI/2_5G n66

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3435.000	-52.43	-13	-39.43	-60.54	12.47	4.36
	5152.500	-47.86	-13	-34.86	-55.26	12.80	5.40
	6870.000	-44.16	-13	-31.16	-49.57	11.81	6.39
V	3435.000	-52.13	-13	-39.13	-60.24	12.47	4.36
	5152.500	-48.46	-13	-35.46	-55.86	12.80	5.40
	6870.000	-43.60	-13	-30.60	-49.01	11.81	6.39

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW15M_349000_PI/2_5G n66

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3490.000	-53.17	-13	-40.17	-61.36	12.59	4.40
	5235.000	-48.29	-13	-35.29	-55.71	12.88	5.46
	6980.000	-42.86	-13	-29.86	-48.02	11.67	6.51
V	3490.000	-53.65	-13	-40.65	-61.84	12.59	4.40
	5235.000	-47.95	-13	-34.95	-55.37	12.88	5.46
	6980.000	-43.16	-13	-30.16	-48.32	11.67	6.51

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW15M_354500_PI/2_5G n66

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3545.000	-52.73	-13	-39.73	-60.91	12.61	4.43
	5317.500	-47.25	-13	-34.25	-54.69	12.96	5.52
	7090.000	-41.54	-13	-28.54	-46.56	11.58	6.55
V	3545.000	-52.29	-13	-39.29	-60.47	12.61	4.43
	5317.500	-47.18	-13	-34.18	-54.62	12.96	5.52
	7090.000	-42.58	-13	-29.58	-47.60	11.58	6.55

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW20M_344000_PI/2_5G n66

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3440.000	-52.88	-13	-39.88	-60.99	12.48	4.37
	5160.000	-48.52	-13	-35.52	-55.92	12.81	5.41
	6880.000	-44.67	-13	-31.67	-50.06	11.79	6.40
V	3440.000	-52.65	-13	-39.65	-60.76	12.48	4.37
	5160.000	-48.33	-13	-35.33	-55.73	12.81	5.41
	6880.000	-43.98	-13	-30.98	-49.37	11.79	6.40

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW20M_349000_PI/2_5G n66

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3490.000	-53.29	-13	-40.29	-61.48	12.59	4.40
	5235.000	-48.05	-13	-35.05	-55.47	12.88	5.46
	6980.000	-43.36	-13	-30.36	-48.52	11.67	6.51
V	3490.000	-53.26	-13	-40.26	-61.45	12.59	4.40
	5235.000	-48.55	-13	-35.55	-55.97	12.88	5.46
	6980.000	-43.10	-13	-30.10	-48.26	11.67	6.51

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW20M_354000_PI/2_5G n66

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3540.000	-52.30	-13	-39.30	-60.48	12.61	4.43
	5310.000	-46.39	-13	-33.39	-53.83	12.95	5.51
	7080.000	-42.88	-13	-29.88	-47.91	11.58	6.55
V	3540.000	-53.10	-13	-40.10	-61.28	12.61	4.43
	5310.000	-47.51	-13	-34.51	-54.95	12.95	5.51
	7080.000	-43.04	-13	-30.04	-48.07	11.58	6.55

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

Product	LV55		
Test Item	Radiated Spurious Emissions		
Date of Test	2020/06/29	Test Site	CB2-H
Test Condition	ENDC LTE Band 2 (n5)		

BW15M_18675_16QAM_LTE Band2

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3715.000	-52.67	-13	-39.67	-60.76	12.61	4.52
	5572.500	-46.41	-13	-33.41	-53.85	13.12	5.68
	7430.000	-46.41	-13	-33.41	-51.10	11.29	6.61
V	3715.000	-52.89	-13	-39.89	-60.98	12.61	4.52
	5572.500	-46.58	-13	-33.58	-54.02	13.12	5.68
	7430.000	-40.49	-13	-27.49	-45.18	11.29	6.61

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW15M_18900_16QAM_LTE Band2

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3760.000	-53.14	-13	-40.14	-61.21	12.60	4.54
	5640.000	-48.12	-13	-35.12	-55.52	13.10	5.70
	7520.000	-40.12	-13	-27.12	-44.74	11.24	6.61
V	3760.000	-53.50	-13	-40.50	-61.57	12.60	4.54
	5640.000	-48.59	-13	-35.59	-55.99	13.10	5.70
	7520.000	-40.05	-13	-27.05	-44.67	11.24	6.61

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW15M_19125_16QAM_LTE Band2

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3805.000	-53.51	-13	-40.51	-61.55	12.60	4.56
	5707.500	-48.47	-13	-35.47	-55.83	13.08	5.72
	7610.000	-40.14	-13	-27.14	-44.78	11.24	6.60
V	3805.000	-53.19	-13	-40.19	-61.23	12.60	4.56
	5707.500	-48.84	-13	-35.84	-56.20	13.08	5.72
	7610.000	-39.98	-13	-26.98	-44.62	11.24	6.60

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

Product	LV55		
Test Item	Radiated Spurious Emissions		
Date of Test	2020/06/30	Test Site	CB2-H
Test Condition	ENDC LTE Band 2 (n66)		

BW15M_18675_16QAM_LTE Band2

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3715.000	-52.45	-13	-39.45	-60.54	12.61	4.52
	5572.500	-47.02	-13	-34.02	-54.46	13.12	5.68
	7430.000	-40.63	-13	-27.63	-45.32	11.29	6.61
V	3715.000	-52.33	-13	-39.33	-60.42	12.61	4.52
	5572.500	-47.05	-13	-34.05	-54.49	13.12	5.68
	7430.000	-40.98	-13	-27.98	-45.67	11.29	6.61

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW15M_18900_16QAM_LTE Band2

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3760.000	-52.38	-13	-39.38	-60.45	12.60	4.54
	5640.000	-48.02	-13	-35.02	-55.42	13.10	5.70
	7520.000	-41.09	-13	-28.09	-45.71	11.24	6.61
V	3760.000	-53.05	-13	-40.05	-61.12	12.60	4.54
	5640.000	-47.86	-13	-34.86	-55.26	13.10	5.70
	7520.000	-41.90	-13	-28.90	-46.52	11.24	6.61

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW15M_19125_16QAM_LTE Band2

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3805.000	-51.36	-13	-38.36	-59.40	12.60	4.56
	5707.500	-45.95	-13	-32.95	-53.31	13.08	5.72
	7610.000	-39.81	-13	-26.81	-44.45	11.24	6.60
V	3805.000	-51.47	-13	-38.47	-59.51	12.60	4.56
	5707.500	-46.81	-13	-33.81	-54.17	13.08	5.72
	7610.000	-40.01	-13	-27.01	-44.65	11.24	6.60

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

Product	LV55		
Test Item	Radiated Spurious Emissions		
Date of Test	2020/06/30	Test Site	CB2-H
Test Condition	ENDC LTE Band 5 (n2)		

BW10M_20450_16QAM_LTE Band5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1658.000	-57.15	-13	-44.15	-63.47	9.32	3.00
	2487.000	-54.09	-13	-41.09	-60.99	10.59	3.69
	3316.000	-52.52	-13	-39.52	-60.45	12.21	4.28
V	1658.000	-54.71	-13	-41.71	-61.03	9.32	3.00
	2487.000	-53.74	-13	-40.74	-60.64	10.59	3.69
	3316.000	-53.28	-13	-40.28	-61.21	12.21	4.28

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW10M_20525_16QAM_LTE Band5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1673.000	-57.30	-13	-44.30	-63.65	9.36	3.01
	2509.500	-54.61	-13	-41.61	-61.52	10.62	3.71
	3346.000	-52.77	-13	-39.77	-60.75	12.27	4.30
V	1673.000	-56.06	-13	-43.06	-62.41	9.36	3.01
	2509.500	-54.43	-13	-41.43	-61.34	10.62	3.71
	3346.000	-52.51	-13	-39.51	-60.49	12.27	4.30

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW10M_20600_16QAM_LTE Band5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1688.000	-56.70	-13	-43.70	-63.08	9.41	3.02
	2532.000	-54.27	-13	-41.27	-61.20	10.66	3.73
	3376.000	-51.91	-13	-38.91	-59.93	12.34	4.32
V	1688.000	-57.91	-13	-44.91	-64.29	9.41	3.02
	2532.000	-54.03	-13	-41.03	-60.96	10.66	3.73
	3376.000	-51.44	-13	-38.44	-59.46	12.34	4.32

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

Product	LV55		
Test Item	Radiated Spurious Emissions		
Date of Test	2020/07/01	Test Site	CB2-H
Test Condition	ENDC LTE Band 5 (n66)		

BW10M_20450_16QAM_LTE Band5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1658.000	-57.93	-13	-44.93	-64.25	9.32	3.00
	2487.000	-54.18	-13	-41.18	-61.08	10.59	3.69
	3316.000	-52.87	-13	-39.87	-60.80	12.21	4.28
V	1658.000	-58.01	-13	-45.01	-64.33	9.32	3.00
	2487.000	-54.59	-13	-41.59	-61.49	10.59	3.69
	3316.000	-52.34	-13	-39.34	-60.27	12.21	4.28

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW10M_20525_16QAM_LTE Band5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1673.000	-57.68	-13	-44.68	-64.03	9.36	3.01
	2509.500	-53.94	-13	-40.94	-60.85	10.62	3.71
	3346.000	-52.45	-13	-39.45	-60.43	12.27	4.30
V	1673.000	-58.22	-13	-45.22	-64.57	9.36	3.01
	2509.500	-54.02	-13	-41.02	-60.93	10.62	3.71
	3346.000	-52.54	-13	-39.54	-60.52	12.27	4.30

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW10M_20600_16QAM_LTE Band5

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1688.000	-57.62	-13	-44.62	-64.00	9.41	3.02
	2532.000	-54.65	-13	-41.65	-61.58	10.66	3.73
	3376.000	-52.38	-13	-39.38	-60.40	12.34	4.32
V	1688.000	-57.84	-13	-44.84	-64.22	9.41	3.02
	2532.000	-54.38	-13	-41.38	-61.31	10.66	3.73
	3376.000	-52.32	-13	-39.32	-60.34	12.34	4.32

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

Product	LV55		
Test Item	Radiated Spurious Emissions		
Date of Test	2020/06/30	Test Site	CB2-H
Test Condition	ENDC LTE Band 13 (n2)		

BW10M_23230_16QAM_LTE Band13

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1564.000	-54.16	-40	-14.16	-60.29	9.03	2.91
	2346.000	-55.14	-13	-42.14	-62.08	10.52	3.59
	3128.000	-52.30	-13	-39.30	-59.96	11.80	4.14
V	1564.000	-52.54	-40	-12.54	-58.67	9.03	2.91
	2346.000	-55.72	-13	-42.72	-62.66	10.52	3.59
	3128.000	-52.41	-13	-39.41	-60.07	11.80	4.14

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

Product	LV55		
Test Item	Radiated Spurious Emissions		
Date of Test	2020/07/01	Test Site	CB2-H
Test Condition	ENDC LTE Band 13 (n66)		

BW10M_23230_16QAM_LTE Band13

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	1564.000	-59.30	-40	-19.30	-65.43	9.03	2.91
	2346.000	-55.24	-13	-42.24	-62.18	10.52	3.59
	3128.000	-51.85	-13	-38.85	-59.51	11.80	4.14
V	1564.000	-59.25	-40	-19.25	-65.38	9.03	2.91
	2346.000	-55.45	-13	-42.45	-62.39	10.52	3.59
	3128.000	-52.03	-13	-39.03	-59.69	11.80	4.14

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

Product	LV55		
Test Item	Radiated Spurious Emissions		
Date of Test	2020/06/30	Test Site	CB2-H
Test Condition	ENDC LTE Band 66 (n2)		

BW20M_132072_16QAM_LTE Band66

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3440.000	-52.62	-13	-39.62	-60.73	12.48	4.37
	5160.000	-48.40	-13	-35.40	-55.80	12.81	5.41
	6880.000	-44.06	-13	-31.06	-49.45	11.79	6.40
V	3440.000	-53.51	-13	-40.51	-61.62	12.48	4.37
	5160.000	-48.46	-13	-35.46	-55.86	12.81	5.41
	6880.000	-44.79	-13	-31.79	-50.18	11.79	6.40

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW20M_132322_16QAM_LTE Band66

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3490.000	-53.65	-13	-40.65	-61.84	12.59	4.40
	5235.000	-48.53	-13	-35.53	-55.95	12.88	5.46
	6980.000	-43.00	-13	-30.00	-48.16	11.67	6.51
V	3490.000	-53.09	-13	-40.09	-61.28	12.59	4.40
	5235.000	-47.98	-13	-34.98	-55.40	12.88	5.46
	6980.000	-42.85	-13	-29.85	-48.01	11.67	6.51

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW20M_132572_16QAM_LTE Band66

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3540.000	-52.49	-13	-39.49	-60.67	12.61	4.43
	5310.000	-47.20	-13	-34.20	-54.64	12.95	5.51
	7080.000	-41.66	-13	-28.66	-46.69	11.58	6.55
V	3540.000	-52.58	-13	-39.58	-60.76	12.61	4.43
	5310.000	-46.89	-13	-33.89	-54.33	12.95	5.51
	7080.000	-42.00	-13	-29.00	-47.03	11.58	6.55

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

Product	LV55		
Test Item	Radiated Spurious Emissions		
Date of Test	2020/06/30	Test Site	CB2-H
Test Condition	ENDC LTE Band 66 (n5)		

BW20M_132072_16QAM_LTE Band66

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3440.000	-52.27	-13	-39.27	-60.38	12.48	4.37
	5160.000	-48.29	-13	-35.29	-55.69	12.81	5.41
	6880.000	-44.67	-13	-31.67	-50.06	11.79	6.40
V	3440.000	-52.66	-13	-39.66	-60.77	12.48	4.37
	5160.000	-48.98	-13	-35.98	-56.38	12.81	5.41
	6880.000	-44.55	-13	-31.55	-49.94	11.79	6.40

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW20M_132322_16QAM_LTE Band66

Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3490.000	-53.00	-13	-40.00	-61.19	12.59	4.40
	5235.000	-48.67	-13	-35.67	-56.09	12.88	5.46
	6980.000	-45.80	-13	-32.80	-50.96	11.67	6.51
V	3490.000	-53.92	-13	-40.92	-62.11	12.59	4.40
	5235.000	-48.01	-13	-35.01	-55.43	12.88	5.46
	6980.000	-45.47	-13	-32.47	-50.63	11.67	6.51

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

BW20M_132572_16QAM_LTE Band66


Antenna Polarity	Frequency (MHz)	Emission Level (dBm)	Limit (dBm)	Margin (dB)	SG Level (dBm)	Antenna Gain (dBi)	Cable Loss (dB)
H	3540.000	-53.22	-13	-40.22	-61.40	12.61	4.43
	5310.000	-46.98	-13	-33.98	-54.42	12.95	5.51
	7080.000	-43.96	-13	-30.96	-48.99	11.58	6.55
V	3540.000	-52.86	-13	-39.86	-61.04	12.61	4.43
	5310.000	-47.50	-13	-34.50	-54.94	12.95	5.51
	7080.000	-43.78	-13	-30.78	-48.81	11.58	6.55

Note:

1. Emission Level=SG(Signal Generator) Level+Antenna Gain-Cable Loss.
2. Sweep the whole frequency band through the range from 30MHz to the 10th harmonic of the carrier.
3. The spurious emissions within 30-1000MHz were found more than 20dB below the permissible value is not required to be report.

7. Spurious Emissions at Antenna Terminals

7.1. Test Setup



7.2. Test Procedure


- a) Place the EUT on a bench and set it in transmitting mode.
- b) Connect a low loss RF cable from the antenna port to a spectrum analyzer and CMW500 by a Directional Couple.
- c) EUT Communicate with CMW500, then select a channel for testing.
- d) Add a correction factor to the display of spectrum, and then test.
- e) All measurements were done at low and high operational frequency range.
- f) Record the max trace plot into the test report.

7.3. Test Method

KDB 971168 D01 Power Meas License Digital Systems v03 sub-clause 6.1
ANSI C63.26-2015 Sub-clause 5.7

7.4. Test Result

Product	LV55		
Test Item	Spurious Emissions at Antenna Terminals		
Date of Test	2020/07/01	Test Site	SR12-H
Test Condition	Block Edge Test (n2)		



EDGE-ENDC_5A_n2-PI2-BPSK_5M_(1,0)_CH370500_1852.5




EDGE-ENDC_5A_n2-PI2-BPSK_5M_(1,24)_CH381500_1907.5




EDGE-ENDC_5A_n2-PI2-BPSK_5M_(25,0)_CH370500_1852.5



EDGE-ENDC_5A_n2-PI2-BPSK_5M_(25,0)_CH381500_1907.5




EDGE-ENDC_5A_n2-PI2-BPSK_10M_(1,0)_CH371000_1855




EDGE-ENDC_5A_n2-PI2-BPSK_10M_(1,51)_CH381000_1905




EDGE-ENDC_5A_n2-PI2-BPSK_10M_(50,0)_CH371000_1855



EDGE-ENDC_5A_n2-PI2-BPSK_10M_(50,2)_CH381000_1905



EDGE-ENDC_5A_n2-PI2-BPSK_15M_(1,0)_CH371500_1857.5





EDGE-ENDC_5A_n2-PI2-BPSK_15M_(1,78)_CH380500_1902.5



EDGE-ENDC_5A_n2-PI2-BPSK_15M_(75,0)_CH371500_1857.5

EDGE-ENDC_5A_n2-PI2-BPSK_15M_(75,4)_CH380500_1902.5



EDGE-ENDC_5A_n2-PI2-BPSK_20M_(1,0)_CH372000_1860

EDGE-ENDC_5A_n2-PI2-BPSK_20M_(1,105)_CH380000_1900



EDGE-ENDC_5A_n2-PI2-BPSK_20M_(100,0)_CH372000_1860

EDGE-ENDC_5A_n2-PI2-BPSK_20M_(100,6)_CH380000_1900




EDGE-ENDC_5A_n2-QPSK_5M(1,0)_CH370500_1852.5




EDGE-ENDC_5A_n2-QPSK_5M(1,24)_CH381500_1907.5




EDGE-ENDC_5A_n2-QPSK_5M(25,0)_CH370500_1852.5



EDGE-ENDC_5A_n2-QPSK_5M(25,0)_CH381500_1907.5



EDGE-ENDC_5A_n2-QPSK_10M(1,0)_CH371000_1855




EDGE-ENDC_5A_n2-QPSK_10M(1,51)_CH381000_1905




EDGE-ENDC_5A_n2-QPSK_10M(50,0)_CH371000_1855




EDGE-ENDC_5A_n2-QPSK_10M(50,2)_CH381000_1905



EDGE-ENDC_5A_n2-QPSK_15M(1,0)_CH371500_1857.5




EDGE-ENDC_5A_n2-QPSK_15M(1,78)_CH380500_1902.5



EDGE-ENDC_5A_n2-QPSK_15M(75,0)_CH371500_1857.5



EDGE-ENDC_5A_n2-QPSK_15M(75,4)_CH380500_1902.5



EDGE-ENDC_5A_n2-QPSK_20M(1,0)_CH372000_1860




EDGE-ENDC_5A_n2-QPSK_20M(1,105)_CH380000_1900




EDGE-ENDC_5A_n2-QPSK_20M(100,0)_CH372000_1860



EDGE-ENDC_5A_n2-QPSK_20M(100,6)_CH380000_1900



EDGE-ENDC_5A_n2-16QAM_5M(1,0)_CH370500_1852.5



EDGE-ENDC_5A_n2-16QAM_5M(1,24)_CH381500_1907.5




EDGE-ENDC_5A_n2-16QAM_5M(25,0)_CH370500_1852.5



EDGE-ENDC_5A_n2-16QAM_5M(25,0)_CH381500_1907.5



EDGE-ENDC_5A_n2-16QAM_10M(1,0)_CH371000_1855




EDGE-ENDC_5A_n2-16QAM_10M(1,51)_CH381000_1905



EDGE-ENDC_5A_n2-16QAM_10M(50,0)_CH371000_1855




EDGE-ENDC_5A_n2-16QAM_10M(50,2)_CH381000_1905



EDGE-ENDC_5A_n2-16QAM_15M(1,0)_CH371500_1857.5




EDGE-ENDC_5A_n2-16QAM_15M(1,78)_CH380500_1902.5



EDGE-ENDC_5A_n2-16QAM_15M(75,0)_CH371500_1857.5




EDGE-ENDC_5A_n2-16QAM_15M(75,4)_CH380500_1902.5




EDGE-ENDC_5A_n2-16QAM_20M(1,0)_CH372000_1860




EDGE-ENDC_5A_n2-16QAM_20M(1,105)_CH380000_1900




EDGE-ENDC_5A_n2-16QAM_20M(100,0)_CH372000_1860



EDGE-ENDC_5A_n2-16QAM_20M(100,6)_CH380000_1900



EDGE-ENDC_5A_n2-64QAM_5M(1,0)_CH370500_1852.5




EDGE-ENDC_5A_n2-64QAM_5M(1,24)_CH381500_1907.5




EDGE-ENDC_5A_n2-64QAM_5M(25,0)_CH370500_1852.5



EDGE-ENDC_5A_n2-64QAM_5M(25,0)_CH381500_1907.5



EDGE-ENDC_5A_n2-64QAM_10M(1,0)_CH371000_1855




EDGE-ENDC_5A_n2-64QAM_10M(1,51)_CH381000_1905




EDGE-ENDC_5A_n2-64QAM_10M(50,0)_CH371000_1855




EDGE-ENDC_5A_n2-64QAM_10M(50,2)_CH381000_1905




EDGE-ENDC_5A_n2-64QAM_15M(1,0)_CH371500_1857.5



EDGE-ENDC_5A_n2-64QAM_15M(1,78)_CH380500_1902.5



EDGE-ENDC_5A_n2-64QAM_15M(75,0)_CH371500_1857.5




EDGE-ENDC_5A_n2-64QAM_15M(75,4)_CH380500_1902.5



EDGE-ENDC_5A_n2-64QAM_20M(1,0)_CH372000_1860




EDGE-ENDC_5A_n2-64QAM_20M(1,105)_CH380000_1900




EDGE-ENDC_5A_n2-64QAM_20M(100,0)_CH372000_1860



EDGE-ENDC_5A_n2-64QAM_20M(100,6)_CH380000_1900



EDGE-ENDC_5A_n2-256QAM_5M(1,0)_CH370500_1852.5




EDGE-ENDC_5A_n2-256QAM_5M(1,24)_CH381500_1907.5



EDGE-ENDC_5A_n2-256QAM_5M(25,0)_CH370500_1852.5



EDGE-ENDC_5A_n2-256QAM_5M(25,0)_CH381500_1907.5



EDGE-ENDC_5A_n2-256QAM_10M(1,0)_CH371000_1855



EDGE-ENDC_5A_n2-256QAM_10M(1,51)_CH381000_1905



EDGE-ENDC_5A_n2-256QAM_10M(50,0)_CH371000_1855




EDGE-ENDC_5A_n2-256QAM_10M(50,2)_CH381000_1905



EDGE-ENDC_5A_n2-256QAM_15M(1,0)_CH371500_1857.5



EDGE-ENDC_5A_n2-256QAM_15M(1,78)_CH380500_1902.5



EDGE-ENDC_5A_n2-256QAM_15M(75,0)_CH371500_1857.5



EDGE-ENDC_5A_n2-256QAM_15M(75,4)_CH380500_1902.5



EDGE-ENDC_5A_n2-256QAM_20M(1,0)_CH372000_1860



EDGE-ENDC_5A_n2-256QAM_20M(1,105)_CH380000_1900




EDGE-ENDC_5A_n2-256QAM_20M(100,0)_CH372000_1860




EDGE-ENDC_5A_n2-256QAM_20M(100,6)_CH380000_1900


Product	LV55		
Test Item	Spurious Emissions at Antenna Terminals		
Date of Test	2020/07/01	Test Site	SR12-H
Test Condition	Block Edge Test (n5)		




EDGE-ENDC_2A_n5-PI2-BPSK_5M(1,0)_CH165300_826.5




EDGE-ENDC_2A_n5-PI2-BPSK_5M(1,24)_CH169300_846.5




EDGE-ENDC_2A_n5-PI2-BPSK_5M(25,0)_CH165300_826.5




EDGE-ENDC_2A_n5-PI2-BPSK_5M(25,0)_CH169300_846.5



EDGE-ENDC_2A_n5-PI2-BPSK_10M(1,0)_CH165800_829




EDGE-ENDC_2A_n5-PI2-BPSK_10M(1,51)_CH168800_844



EDGE-ENDC_2A_n5-PI2-BPSK_10M(50,0)_CH165800_829




EDGE-ENDC_2A_n5-PI2-BPSK_10M(50,2)_CH168800_844



EDGE-ENDC_2A_n5-PI2-BPSK_15M(1,0)_CH166300_831.5




EDGE-ENDC_2A_n5-PI2-BPSK_15M(1,78)_CH168300_841.5




EDGE-ENDC_2A_n5-PI2-BPSK_15M(75,0)_CH166300_831.5

EDGE-ENDC_2A_n5-PI2-BPSK_15M(75,4)_CH168300_841.5



EDGE-ENDC_2A_n5-PI2-BPSK_20M(1,0)_CH166800_834

EDGE-ENDC_2A_n5-PI2-BPSK_20M(1,105)_CH167800_839



EDGE-ENDC_2A_n5-PI2-BPSK_20M(100,0)_CH166800_834

EDGE-ENDC_2A_n5-PI2-BPSK_20M(100,6)_CH167800_839