



### Channel 106 (Chain C)




Date: 5.AUG.2020 02:48:30

### Channel 106 (Chain D)




Date: 4.AUG.2020 18:53:55

### Channel 122 (Chain A)




Date: 5.AUG.2020 06:52:58

### Channel 122 (Chain B)




Date: 5.AUG.2020 02:52:46

### Channel 122 (Chain C)



Date: 5.AUG.2020 02:49:46

### Channel 122 (Chain D)



Date: 4.AUG.2020 18:55:13

Product : LV55  
 Test Item : Maximum conducted output power  
 Test Mode : Mode 7: Transmit (802.11ax-20MBW-CDD) (RU Config-edges mode)  
 Test Date : 2020/08/13

**Chain A**

Cable loss=1.0dB		Maximum conducted output power											
Channel No.	Frequency (MHz)	For different Data Rate (MCS index)											
		0	1	2	3	4	5	6	7	8	9	10	11
64	5320	14.96	14.93	14.87	14.81	14.76	14.71	14.66	14.59	14.56	14.49	14.46	14.4
100	5500	14.64	--	--	--	--	--	--	--	--	--	--	--
140	5700	15.05	14.98	14.94	14.88	14.82	14.76	14.7	14.66	14.59	14.55	14.48	14.44

**Chain B**

Cable loss=1.0dB		Maximum conducted output power											
Channel No.	Frequency (MHz)	For different Data Rate (MCS index)											
		0	1	2	3	4	5	6	7	8	9	10	11
64	5320	14.93	14.88	14.83	14.78	14.74	14.7	14.66	14.61	14.57	14.53	14.49	14.42
100	5500	14.87	--	--	--	--	--	--	--	--	--	--	--
140	5700	14.67	14.62	14.55	14.5	14.44	14.4	14.36	14.32	14.25	14.21	14.18	14.11

**Chain C**

Cable loss=1.0dB		Maximum conducted output power											
Channel No.	Frequency (MHz)	For different Data Rate (MCS index)											
		0	1	2	3	4	5	6	7	8	9	10	11
64	5320	14.57	14.53	14.48	14.43	14.38	14.33	14.26	14.23	14.18	14.13	14.08	14.02
100	5500	14.67	--	--	--	--	--	--	--	--	--	--	--
140	5700	14.76	14.72	14.69	14.64	14.57	14.54	14.48	14.44	14.37	14.32	14.25	14.21

**Chain D**

Cable loss=1.0dB		Maximum conducted output power											
Channel No.	Frequency (MHz)	For different Data Rate (MCS index)											
		0	1	2	3	4	5	6	7	8	9	10	11
64	5320	14.87	14.8	14.76	14.7	14.66	14.61	14.54	14.48	14.42	14.38	14.31	14.25
100	5500	14.74	--	--	--	--	--	--	--	--	--	--	--
140	5700	15.11	15.07	15.04	14.99	14.94	14.88	14.81	14.77	14.71	14.67	14.62	14.58

**Maximum conducted output power Measurement:**


Channel No	Frequency Range (MHz)	26dB Bandwidth (MHz)	Chain A Power (dBm)	Chain B Power (dBm)	Chain C Power (dBm)	Chain D Power (dBm)	Output Power (dBm)	Output Power Limit		Result
								(dBm)	dBm+10log(BW)	
64	5320	21.900	14.96	14.93	14.57	14.87	20.86	24	24.40	Pass
100	5500	21.850	14.64	14.87	14.67	14.74	20.75	24	24.39	Pass
140	5700	21.750	15.05	14.67	14.76	15.11	20.92	24	24.37	Pass

Note:

1. Output Power Value (dBm) =  $10 \cdot \text{LOG} (\text{Chain A(mW)} + \text{Chain B(mW)} + \text{Chain C(mW)} + \text{Chain D(mW)})$
2. 26dB Bandwidth is the bandwidth of chain A or B or C or D whichever is less bandwidth, output power limitation is more stringent.


### 26dB Occupied Bandwidth:

#### Channel 64 (Chain A)




Date: 5.AUG.2020 06:27:24

#### Channel 64 (Chain B)




Date: 5.AUG.2020 02:27:12

### Channel 64 (Chain C)




Date: 5.AUG.2020 02:24:13

### Channel 64 (Chain D)




Date: 4.AUG.2020 18:29:39

### Channel 100 (Chain A)



Date: 5.AUG.2020 06:29:02


### Channel 100 (Chain B)




Date: 5.AUG.2020 02:28:50




### Channel 100 (Chain C)



### Channel 100 (Chain D)




### Channel 140 (Chain A)




Date: 5.AUG.2020 06:30:17

### Channel 140 (Chain B)




Date: 5.AUG.2020 02:30:05

### Channel 140 (Chain C)



Date: 5.AUG.2020 02:27:05

### Channel 140 (Chain D)



Date: 4.AUG.2020 18:32:32

Product : LV55  
 Test Item : Maximum conducted output power  
 Test Mode : Mode 8: Transmit (802.11ax-40MBW-CDD) (RU Config-edges mode)  
 Test Date : 2020/08/13

**Chain A**

Cable loss=1.0dB		Maximum conducted output power											
Channel No.	Frequency (MHz)	For different Data Rate (MCS index)											
		0	1	2	3	4	5	6	7	8	9	10	11
62	5310	14.74	14.69	14.64	14.60	14.55	14.50	14.47	14.41	14.38	14.32	14.28	14.25
102	5510	14.91	--	--	--	--	--	--	--	--	--	--	--
134	5670	14.99	14.95	14.91	14.85	14.8	14.77	14.7	14.67	14.6	14.55	14.52	14.45

**Chain B**

Cable loss=1.0dB		Maximum conducted output power											
Channel No.	Frequency (MHz)	For different Data Rate (MCS index)											
		0	1	2	3	4	5	6	7	8	9	10	11
62	5310	15.08	15.02	14.95	14.92	14.86	14.81	14.78	14.74	14.68	14.62	14.56	14.52
102	5510	14.48	--	--	--	--	--	--	--	--	--	--	--
134	5670	14.97	14.9	14.86	14.8	14.74	14.67	14.61	14.57	14.51	14.47	14.41	14.35

**Chain C**

Cable loss=1.0dB		Maximum conducted output power											
Channel No.	Frequency (MHz)	For different Data Rate (MCS index)											
		0	1	2	3	4	5	6	7	8	9	10	11
62	5310	14.77	14.73	14.7	14.64	14.61	14.56	14.50	14.47	14.40	14.34	14.29	14.26
102	5510	14.76	--	--	--	--	--	--	--	--	--	--	--
134	5670	14.41	14.38	14.31	14.25	14.18	14.13	14.09	14.03	13.99	13.95	13.9	13.83

**Chain D**

Cable loss=1.0dB		Maximum conducted output power											
Channel No.	Frequency (MHz)	For different Data Rate (MCS index)											
		0	1	2	3	4	5	6	7	8	9	10	11
62	5310	14.71	14.67	14.6	14.54	14.48	14.42	14.37	14.33	14.27	14.20	14.16	14.10
102	5510	14.67	--	--	--	--	--	--	--	--	--	--	--
134	5670	15.07	15.02	14.98	14.92	14.88	14.84	14.77	14.74	14.7	14.64	14.59	14.55

**Maximum conducted output power Measurement:**


Channel No	Frequency Range (MHz)	26dB Bandwidth (MHz)	Chain A Power (dBm)	Chain B Power (dBm)	Chain C Power (dBm)	Chain D Power (dBm)	Output Power (dBm)	Output Power Limit		Result
								(dBm)	dBm+10log(BW)	
62	5310	44.500	14.74	15.08	14.77	14.71	20.85	24	27.48	Pass
102	5510	43.800	14.91	14.48	14.76	14.67	20.73	24	27.41	Pass
134	5670	44.000	14.99	14.97	14.41	15.07	20.89	24	27.43	Pass

Note:

1. Output Power Value (dBm) = 10\*LOG (Chain A(mW)+ Chain B(mW)+ Chain C(mW)+ Chain D(mW))
2. 26dB Bandwidth is the bandwidth of chain A or B or C or D whichever is less bandwidth, output power limitation is more stringent.


### 26dB Occupied Bandwidth:

#### Channel 62 (Chain A)




Date: 5.AUG.2020 06:32:12

#### Channel 62 (Chain B)




Date: 5.AUG.2020 02:32:00

### Channel 62 (Chain C)




Date: 5.AUG.2020 02:29:00

### Channel 62 (Chain D)




Date: 4.AUG.2020 18:34:27

### Channel 102 (Chain A)



Date: 5.AUG.2020 06:33:22


### Channel 102 (Chain B)



Date: 5.AUG.2020 02:33:10




### Channel 102 (Chain C)




Date: 5.AUG.2020 02:30:10

### Channel 102 (Chain D)




Date: 4.AUG.2020 18:35:37

### Channel 134 (Chain A)




Date: 5.AUG.2020 06:34:38

### Channel 134 (Chain B)




Date: 5.AUG.2020 02:34:25

### Channel 134 (Chain C)



Date: 5.AUG.2020 02:31:26

### Channel 134 (Chain D)



Date: 4.AUG.2020 18:36:53

Product : LV55  
 Test Item : Maximum conducted output power  
 Test Mode : Mode 9: Transmit (802.11ax-80MBW-CDD) (RU Config-edges mode)  
 Test Date : 2020/08/13

**Chain A**

Cable loss=1.0dB		Maximum conducted output power											
Channel No	Frequency (MHz)	For different Data Rate (MCS index)											
		0	1	2	3	4	5	6	7	8	9	10	11
58	5290	14.79	14.75	14.71	14.68	14.64	14.59	14.54	14.51	14.46	14.42	14.39	14.34
106	5530	14.69	--	--	--	--	--	--	--	--	--	--	--
122	5610	15.41	15.37	15.32	15.27	15.23	15.17	15.14	15.09	15.03	14.97	14.93	14.88

**Chain B**

Cable loss=1.0dB		Maximum conducted output power											
Channel No	Frequency (MHz)	For different Data Rate (VHT index)											
		0	1	2	3	4	5	6	7	8	9	10	11
58	5290	14.82	14.75	14.68	14.63	14.59	14.54	14.49	14.44	14.41	14.36	14.30	14.24
106	5530	14.58	--	--	--	--	--	--	--	--	--	--	--
122	5610	15.74	15.71	15.65	15.59	15.55	15.49	15.43	15.36	15.30	15.26	15.23	15.19

**Chain C**

Cable loss=1.0dB		Maximum conducted output power											
Channel No	Frequency (MHz)	For different Data Rate (MCS index)											
		0	1	2	3	4	5	6	7	8	9	10	11
58	5290	14.77	14.72	14.66	14.63	14.58	14.53	14.49	14.43	14.37	14.32	14.29	14.25
106	5530	14.75	--	--	--	--	--	--	--	--	--	--	--
122	5610	15.34	15.3	15.25	15.19	15.12	15.06	15.01	14.97	14.93	14.87	14.83	14.76

**Chain D**

Cable loss=1.0dB		Maximum conducted output power											
Channel No	Frequency (MHz)	For different Data Rate (MCS index)											
		0	1	2	3	4	5	6	7	8	9	10	11
58	5290	14.95	14.9	14.85	14.80	14.74	14.68	14.63	14.58	14.55	14.49	14.46	14.41
106	5530	14.59	--	--	--	--	--	--	--	--	--	--	--
122	5610	15.52	15.48	15.45	15.39	15.34	15.30	15.27	15.21	15.18	15.13	15.07	15.02

**Maximum conducted output power Measurement**


Channel No	Frequency Range (MHz)	26dB Bandwidth (MHz)	Chain A Power (dBm)	Chain B Power (dBm)	Chain C Power (dBm)	Chain D Power (dBm)	Output Power (dBm)	Output Power Limit		Result
								(dBm)	dBm+10log(BW)	
58	5290	88.800	14.79	14.82	14.77	14.95	20.85	24	30.48	Pass
106	5530	87.600	14.69	14.58	14.75	14.59	20.67	24	30.43	Pass
122	5610	87.000	15.41	15.74	15.34	15.52	21.53	24	30.40	Pass

Note:

1. Output Power Value (dBm) = 10\*LOG (Chain A(mW)+ Chain B(mW)+ Chain C(mW)+ Chain D(mW))
2. 26dB Bandwidth is the bandwidth of chain A or B or C or D whichever is less bandwidth, output power limitation is more stringent.


### 26dB Occupied Bandwidth:

#### Channel 58 (Chain A)




Date: 5.AUG.2020 06:22:38

#### Channel 58 (Chain B)




Date: 5.AUG.2020 01:59:25

### Channel 58 (Chain C)




Date: 5.AUG.2020 01:56:26

### Channel 58 (Chain D)




Date: 4.AUG.2020 18:01:53

### Channel 106 (Chain A)



Date: 5.AUG.2020 06:24:13


### Channel 106 (Chain B)



Date: 5.AUG.2020 02:07:37




### Channel 106 (Chain C)




Date: 5.AUG.2020 02:04:38

### Channel 106 (Chain D)




Date: 4.AUG.2020 18:10:04

### Channel 122 (Chain A)




Date: 5.AUG.2020 06:25:15

### Channel 122 (Chain B)




Date: 5.AUG.2020 02:25:03

### Channel 122 (Chain C)



Date: 5.AUG.2020 02:22:04

### Channel 122 (Chain D)



Date: 4.AUG.2020 18:27:31

Product : LV55  
 Test Item : Maximum conducted output power  
 Test Mode : Mode 10: Transmit (802.11n-20MBW-Beamforming)  
 Test Date : 2020/08/13

**Chain A**

Cable loss=1.0dB		Maximum conducted output power							
Channel No.	Frequency (MHz)	For different Data Rate (MCS index)							
		0	1	2	3	4	5	6	7
		Measurement Level (dBm)							
52	5260	17.36	--	--	--	--	--	--	--
60	5300	17.75	17.71	17.66	17.63	17.57	17.53	17.49	17.43
64	5320	17.85	--	--	--	--	--	--	--
100	5500	17.89	--	--	--	--	--	--	--
116	5580	17.55	17.5	17.44	17.41	17.37	17.3	17.27	17.2
140	5700	17.83	--	--	--	--	--	--	--

**Chain B**

Cable loss=1.0dB		Maximum conducted output power							
Channel No.	Frequency (MHz)	For different Data Rate (MCS index)							
		0	1	2	3	4	5	6	7
		Measurement Level (dBm)							
52	5260	17.63	--	--	--	--	--	--	--
60	5300	17.82	17.77	17.73	17.69	17.65	17.58	17.51	17.48
64	5320	17.85	--	--	--	--	--	--	--
100	5500	17.89	--	--	--	--	--	--	--
116	5580	17.64	17.59	17.54	17.5	17.45	17.42	17.35	17.29
140	5700	17.74	--	--	--	--	--	--	--

**Chain C**

Cable loss=1.0dB		Maximum conducted output power							
Channel No.	Frequency (MHz)	For different Data Rate (MCS index)							
		0	1	2	3	4	5	6	7
		Measurement Level (dBm)							
52	5260	17.52	--	--	--	--	--	--	--
60	5300	17.57	17.54	17.51	17.47	17.42	17.38	17.33	17.28
64	5320	17.63	--	--	--	--	--	--	--
100	5500	17.59	--	--	--	--	--	--	--
116	5580	16.93	16.89	16.83	16.77	16.72	16.68	16.64	16.58
140	5700	17.44	--	--	--	--	--	--	--

**Chain D**

Cable loss=1.0dB		Maximum conducted output power							
Channel No.	Frequency (MHz)	For different Data Rate (MCS index)							
		0	1	2	3	4	5	6	7
		Measurement Level (dBm)							
52	5260	18.02	--	--	--	--	--	--	--
60	5300	18.02	17.98	17.94	17.87	17.8	17.77	17.72	17.67
64	5320	17.73	--	--	--	--	--	--	--
100	5500	17.66	--	--	--	--	--	--	--
116	5580	17.72	17.67	17.62	17.56	17.49	17.43	17.39	17.33
140	5700	17.89	--	--	--	--	--	--	--

**Maximum conducted output power Measurement:**


Channel No	Frequency Range (MHz)	26dB Bandwidth (MHz)	Chain A Power (dBm)	Chain B Power (dBm)	Chain C Power (dBm)	Chain D Power (dBm)	Output Power (dBm)	Output Power Limit		Result
								(dBm)	dBm+10log(BW)	
52	5260	22.050	17.36	17.63	17.52	18.02	23.66	24	24.43	Pass
60	5300	21.750	17.75	17.82	17.57	18.02	23.81	24	24.37	Pass
64	5320	21.750	17.85	17.85	17.63	17.73	23.79	24	24.37	Pass
100	5500	21.900	17.89	17.89	17.59	17.66	23.78	24	24.40	Pass
116	5580	21.750	17.55	17.64	16.93	17.72	23.49	24	24.37	Pass
140	5700	21.800	17.83	17.74	17.44	17.89	23.75	24	24.38	Pass

Note:

- Output Power Value (dBm) = 10\*LOG (Chain A(mW)+ Chain B(mW)+ Chain C(mW)+ Chain D(mW))
- 26dB Bandwidth is the bandwidth of chain A or B or C or D whichever is less bandwidth, output power limitation is more stringent.


### 26dB Occupied Bandwidth:

#### Channel 52 (Chain A)




Date: 6.AUG.2020 01:09:05

#### Channel 52 (Chain B)




Date: 6.AUG.2020 01:12:10

### Channel 52 (Chain C)




Date: 6.AUG.2020 05:12:28

### Channel 52 (Chain D)




Date: 5.AUG.2020 17:14:38

### Channel 60 (Chain A)



Date: 6.AUG.2020 01:11:46


### Channel 60 (Chain B)



Date: 6.AUG.2020 01:14:52




### Channel 60 (Chain C)




Date: 6.AUG.2020 05:15:25

### Channel 60 (Chain D)




Date: 5.AUG.2020 17:17:18

### Channel 64 (Chain A)




Date: 6.AUG.2020 01:14:42

### Channel 64 (Chain B)




Date: 6.AUG.2020 01:17:47

### Channel 64 (Chain C)




Date: 6.AUG.2020 05:18:04

### Channel 64 (Chain D)




Date: 5.AUG.2020 17:20:15

### Channel 100 (Chain A)




Date: 6.AUG.2020 01:17:57

### Channel 100 (Chain B)




Date: 6.AUG.2020 01:21:02

### Channel 100 (Chain C)




Date: 6.AUG.2020 05:21:20

### Channel 100 (Chain D)




Date: 5.AUG.2020 17:23:30

### Channel 116 (Chain A)




Date: 6.AUG.2020 01:21:23

### Channel 116 (Chain B)




Date: 6.AUG.2020 01:24:28

### Channel 116 (Chain C)




Date: 6.AUG.2020 05:24:46

### Channel 116 (Chain D)




Date: 5.AUG.2020 17:26:56

### Channel 140 (Chain A)



Date: 6.AUG.2020 01:24:23


### Channel 140 (Chain B)



Date: 6.AUG.2020 01:27:29




### Channel 140 (Chain C)



Date: 6.AUG.2020 05:27:46

### Channel 140 (Chain D)



Date: 5.AUG.2020 17:29:56

Product : LV55  
 Test Item : Maximum conducted output power  
 Test Mode : Mode 11: Transmit (802.11n-40MBW-Beamforming)  
 Test Date : 2020/08/13

**Chain A**

Cable loss=1.0dB		Maximum conducted output power							
Channel No.	Frequency (MHz)	For different Data Rate (MCS index)							
		0	1	2	3	4	5	6	7
		Measurement Level (dBm)							
54	5270	17.53	--	--	--	--	--	--	--
62	5310	17.81	17.76	17.71	17.66	17.61	17.57	17.52	17.49
102	5510	17.77	--	--	--	--	--	--	--
110	5550	17.68	17.63	17.56	17.51	17.45	17.41	17.38	17.32
134	5670	17.83	--	--	--	--	--	--	--

**Chain B**

Cable loss=1.0dB		Maximum conducted output power							
Channel No.	Frequency (MHz)	For different Data Rate (MCS index)							
		0	1	2	3	4	5	6	7
		Measurement Level (dBm)							
54	5270	17.82	--	--	--	--	--	--	--
62	5310	17.66	17.62	17.59	17.53	17.47	17.43	17.37	17.3
102	5510	17.58	--	--	--	--	--	--	--
110	5550	17.49	17.42	17.38	17.31	17.27	17.21	17.14	17.08
134	5670	18.03	--	--	--	--	--	--	--

**Chain C**

Cable loss=1.0dB		Maximum conducted output power							
Channel No.	Frequency (MHz)	For different Data Rate (MCS index)							
		0	1	2	3	4	5	6	7
		Measurement Level (dBm)							
54	5270	17.63	--	--	--	--	--	--	--
62	5310	17.79	17.75	17.69	17.64	17.61	17.55	17.51	17.45
102	5510	17.85	--	--	--	--	--	--	--
110	5550	17.74	17.69	17.64	17.6	17.57	17.5	17.43	17.37
134	5670	17.47	--	--	--	--	--	--	--

**Chain D**

Cable loss=1.0dB		Maximum conducted output power							
Channel No.	Frequency (MHz)	For different Data Rate (MCS index)							
		0	1	2	3	4	5	6	7
		Measurement Level (dBm)							
54	5270	17.81	--	--	--	--	--	--	--
62	5310	17.92	17.89	17.84	17.79	17.75	17.71	17.64	17.58
102	5510	17.58	--	--	--	--	--	--	--
110	5550	17.54	17.5	17.46	17.42	17.35	17.3	17.25	17.19
134	5670	17.88	--	--	--	--	--	--	--

**Maximum conducted output power Measurement:**


Channel No	Frequency Range (MHz)	26dB Bandwidth (MHz)	Chain A Power (dBm)	Chain B Power (dBm)	Chain C Power (dBm)	Chain D Power (dBm)	Output Power (dBm)	Output Power Limit		Result
								(dBm)	dBm+10log(BW)	
54	5270	43.100	17.53	17.82	17.63	17.81	23.72	24	27.34	Pass
62	5310	43.200	17.81	17.66	17.79	17.92	23.82	24	27.35	Pass
102	5510	43.200	17.77	17.58	17.85	17.58	23.72	24	27.35	Pass
110	5550	42.500	17.68	17.49	17.74	17.54	23.63	24	27.28	Pass
134	5670	43.600	17.83	18.03	17.47	17.88	23.83	24	27.39	Pass

Note:

- Output Power Value (dBm) = 10\*LOG (Chain A(mW)+ Chain B(mW)+ Chain C(mW)+ Chain D(mW))
- 26dB Bandwidth is the bandwidth of chain A or B or C or D whichever is less bandwidth, output power limitation is more stringent.


**26dB Occupied Bandwidth:**

**Channel 54 (Chain A)**




Date: 6.AUG.2020 01:29:07

**Channel 54 (Chain B)**




Date: 6.AUG.2020 01:32:12

### Channel 54 (Chain C)




Date: 6.AUG.2020 05:32:30

### Channel 54 (Chain D)




Date: 5.AUG.2020 17:34:40

### Channel 62 (Chain A)




Date: 6.AUG.2020 01:32:07

### Channel 62 (Chain B)




Date: 6.AUG.2020 01:35:13

### Channel 62 (Chain C)




Date: 6.AUG.2020 05:35:29

### Channel 62 (Chain D)




Date: 5.AUG.2020 17:37:40

### Channel 102 (Chain A)



Date: 6.AUG.2020 01:35:03


### Channel 102 (Chain B)



Date: 6.AUG.2020 01:38:08




### Channel 102 (Chain C)




Date: 6.AUG.2020 05:38:26

### Channel 102 (Chain D)




Date: 5.AUG.2020 17:40:36

### Channel 110 (Chain A)




Date: 6.AUG.2020 01:37:54

### Channel 110 (Chain B)




Date: 6.AUG.2020 01:41:00

### Channel 110 (Chain C)




Date: 6.AUG.2020 05:41:18

### Channel 110 (Chain D)




Date: 5.AUG.2020 17:43:25

### Channel 134 (Chain A)




Date: 6.AUG.2020 01:46:52

### Channel 134 (Chain B)




Date: 6.AUG.2020 01:49:57

### Channel 134 (Chain C)



Date: 6.AUG.2020 05:50:15

### Channel 134 (Chain D)



Date: 5.AUG.2020 17:52:25

Product : LV55  
 Test Item : Maximum conducted output power  
 Test Mode : Mode 12: Transmit (802.11ac-20MBW-Beamforming)  
 Test Date : 2020/09/04

**Chain A**

Cable loss=1.0dB		Maximum conducted output power									
Channel No.	Frequency (MHz)	For different Data Rate (MCS index)									
		0	1	2	3	4	5	6	7	8	9
		Measurement Level (dBm)									
52	5260	17.32	--	--	--	--	--	--	--	--	--
60	5300	17.85	17.8	17.73	17.67	17.63	17.58	17.55	17.50	17.38	17.33
64	5320	17.92	--	--	--	--	--	--	--	--	--
100	5500	17.93	--	--	--	--	--	--	--	--	--
116	5580	17.36	17.29	17.23	17.19	17.13	17.07	17.02	16.95	16.92	16.87
140	5700	17.84	--	--	--	--	--	--	--	--	--
144(U-NII-2C)	5720	16.86	--	--	--	--	--	--	--	--	--
144(U-NII-3)	5720	11.95	--	--	--	--	--	--	--	--	--

**Chain B**

Cable loss=1.0dB		Maximum conducted output power									
Channel No.	Frequency (MHz)	For different Data Rate (MCS index)									
		0	1	2	3	4	5	6	7	8	9
		Measurement Level (dBm)									
52	5260	17.52	--	--	--	--	--	--	--	--	--
60	5300	17.81	17.75	17.69	17.64	17.58	17.53	17.46	17.40	17.33	17.28
64	5320	17.93	--	--	--	--	--	--	--	--	--
100	5500	17.79	--	--	--	--	--	--	--	--	--
116	5580	17.74	17.7	17.64	17.59	17.54	17.47	17.43	17.40	17.29	17.24
140	5700	17.82	--	--	--	--	--	--	--	--	--
144(U-NII-2C)	5720	17.01	--	--	--	--	--	--	--	--	--
144(U-NII-3)	5720	11.96	--	--	--	--	--	--	--	--	--

**Chain C**

Cable loss=1.0dB		Maximum conducted output power									
Channel No.	Frequency (MHz)	For different Data Rate (MCS index)									
		0	1	2	3	4	5	6	7	8	9
		Measurement Level (dBm)									
52	5260	17.55	--	--	--	--	--	--	--	--	--
60	5300	17.53	17.49	17.42	17.39	17.33	17.26	17.21	17.18	17.14	17.10
64	5320	17.64	--	--	--	--	--	--	--	--	--
100	5500	17.53	--	--	--	--	--	--	--	--	--
116	5580	16.97	16.91	16.87	16.83	16.77	16.73	16.68	16.64	16.59	16.55
140	5700	17.44	--	--	--	--	--	--	--	--	--
144(U-NII-2C)	5720	17.08	--	--	--	--	--	--	--	--	--
144(U-NII-3)	5720	11.98	--	--	--	--	--	--	--	--	--

**Chain D**

Cable loss=1.0dB		Maximum conducted output power									
Channel No.	Frequency (MHz)	For different Data Rate (MCS index)									
		0	1	2	3	4	5	6	7	8	9
		Measurement Level (dBm)									
52	5260	18.03	--	--	--	--	--	--	--	--	--
60	5300	18.01	17.98	17.93	17.89	17.86	17.82	17.77	17.74	17.70	17.66
64	5320	17.77	--	--	--	--	--	--	--	--	--
100	5500	17.63	--	--	--	--	--	--	--	--	--
116	5580	17.55	17.5	17.46	17.42	17.36	17.31	17.26	17.21	17.16	17.11
140	5700	17.82	--	--	--	--	--	--	--	--	--
144(U-NII-2C)	5720	17.06	--	--	--	--	--	--	--	--	--
144(U-NII-3)	5720	12.02	--	--	--	--	--	--	--	--	--

**Maximum conducted output power Measurement:**

Channel No	Frequency Range (MHz)	26dB Bandwidth (MHz)	Chain A Power (dBm)	Chain B Power (dBm)	Chain C Power (dBm)	Chain D Power (dBm)	Output Power (dBm)	Output Power Limit		Result
								(dBm)	dBm+10log(BW)	
52	5260	20.600	17.32	17.52	17.55	18.03	23.63	24	24.14	Pass
60	5300	20.300	17.85	17.81	17.53	18.01	23.82	24	24.07	Pass
64	5320	20.250	17.92	17.93	17.64	17.77	23.84	24	24.06	Pass
100	5500	20.850	17.93	17.79	17.53	17.63	23.74	24	24.19	Pass
116	5580	20.500	17.36	17.74	16.97	17.55	23.43	24	24.12	Pass
140	5700	20.400	17.84	17.82	17.44	17.82	23.75	24	24.10	Pass
144(U-NII-2C)	5720	15.950	16.86	17.01	17.08	17.06	23.02	24	23.03	Pass
144(U-NII-3)	5720	--	11.95	11.96	11.98	12.02	18.00	30	--	Pass


Note:

1. Output Power Value (dBm) = 10\*LOG (Chain A(mW)+ Chain B(mW)+ Chain C(mW)+ Chain D(mW))
2. 26dB Bandwidth is the bandwidth of chain A or B or C or D whichever is less bandwidth, output power limitation is more stringent.




### 26dB Occupied Bandwidth:

#### Channel 52 (Chain A)




Date: 5.AUG.2020 10:30:38

#### Channel 52 (Chain B)




Date: 5.AUG.2020 06:30:26

### Channel 52 (Chain C)




Date: 5.AUG.2020 06:27:26

### Channel 52 (Chain D)




Date: 4.AUG.2020 22:33:26

### Channel 60 (Chain A)




Date: 5.AUG.2020 10:34:00

### Channel 60 (Chain B)




Date: 5.AUG.2020 06:33:48

### Channel 60 (Chain C)




Date: 5.AUG.2020 06:30:47

### Channel 60 (Chain D)




Date: 4.AUG.2020 22:36:15

### Channel 64 (Chain A)




Date: 5.AUG.2020 10:36:28

### Channel 64 (Chain B)




Date: 5.AUG.2020 06:36:16

### Channel 64 (Chain C)




Date: 5.AUG.2020 06:33:16

### Channel 64 (Chain D)




Date: 4.AUG.2020 22:38:44

### Channel 100 (Chain A)




Date: 5.AUG.2020 10:39:05

### Channel 100 (Chain B)




Date: 5.AUG.2020 06:38:52

### Channel 100 (Chain C)



Date: 5.AUG.2020 06:35:52


### Channel 100 (Chain D)



Date: 4.AUG.2020 22:41:20




### Channel 116 (Chain A)




Date: 5.AUG.2020 10:41:31

### Channel 116 (Chain B)




Date: 5.AUG.2020 06:41:18

### Channel 116 (Chain C)




Date: 5.AUG.2020 06:38:18

### Channel 116 (Chain D)




Date: 4.AUG.2020 22:43:46

### Channel 140 (Chain A)




Date: 5.AUG.2020 10:44:05

### Channel 140 (Chain B)




Date: 5.AUG.2020 06:43:52

### Channel 140 (Chain C)




Date: 5.AUG.2020 06:40:52

### Channel 140 (Chain D)




Date: 4.AUG.2020 22:46:21

### Channel 144 (Chain A)




Date: 13.AUG.2020 07:06:16

### Channel 144 (Chain B)




Date: 12.AUG.2020 19:08:22

### Channel 144 (Chain C)




### Channel 144 (Chain D)




99% Occupied Bandwidth:

Channel 144 (Chain A)




Date: 6.AUG.2020 02:26:20

Channel 144 (Chain B)




Date: 6.AUG.2020 02:29:25

### Channel 144 (Chain C)



Date: 6.AUG.2020 06:29:43


### Channel 144 (Chain D)



Date: 5.AUG.2020 18:31:53




**Maximum conducted output power:  
Channel 144 (U-NII-2C) (Chain A)**




Date: 4.SEP.2020 16:25:35

**Maximum conducted output power:  
Channel 144 (U-NII-3) (Chain A)**




Date: 4.SEP.2020 14:32:05

**Maximum conducted output power:  
Channel 144 (U-NII-2C) (Chain B)**




Date: 4.SEP.2020 14:27:16

**Maximum conducted output power:  
Channel 144 (U-NII-3) (Chain B)**




Date: 4.SEP.2020 14:33:08

**Maximum conducted output power:  
Channel 144 (U-NII-2C) (Chain C)**




Date: 4.SEP.2020 14:28:39

**Maximum conducted output power:  
Channel 144 (U-NII-3) (Chain C)**




Date: 4.SEP.2020 14:34:05

**Maximum conducted output power:  
Channel 144 (U-NII-2C) (Chain D)**



Date: 4.SEP.2020 14:29:50

**Maximum conducted output power:  
Channel 144 (U-NII-3) (Chain D)**



Date: 4.SEP.2020 14:35:06

Product : LV55  
 Test Item : Maximum conducted output power  
 Test Mode : Mode 13: Transmit (802.11ac-40MBW-Beamforming)  
 Test Date : 2020/09/04

**Chain A**

Cable loss=1.0dB		Maximum conducted output power									
Channel No	Frequency (MHz)	For different Data Rate (MCS index)									
		0	1	2	3	4	5	6	7	8	9
54	5270	17.52	--	--	--	--	--	--	--	--	--
62	5310	17.87	17.82	17.75	17.70	17.66	17.61	17.55	17.49	17.43	17.37
102	5510	17.63	--	--	--	--	--	--	--	--	--
110	5550	17.58	17.53	17.5	17.45	17.40	17.36	17.31	17.28	17.24	17.20
134	5670	17.87	--	--	--	--	--	--	--	--	--
142(U-NII-2C)	5710	17.52	--	--	--	--	--	--	--	--	--
142(U-NII-3)	5710	6.94	--	--	--	--	--	--	--	--	--

**Chain B**

Cable loss=1.0dB		Maximum conducted output power									
Channel No	Frequency (MHz)	For different Data Rate (MCS index)									
		0	1	2	3	4	5	6	7	8	9
54	5270	17.86	--	--	--	--	--	--	--	--	--
62	5310	17.57	17.51	17.46	17.40	17.37	17.33	17.28	17.21	17.15	17.09
102	5510	17.51	--	--	--	--	--	--	--	--	--
110	5550	17.39	17.36	17.3	17.23	17.18	17.14	17.10	17.05	17.01	16.96
134	5670	18.02	--	--	--	--	--	--	--	--	--
142(U-NII-2C)	5710	17.28	--	--	--	--	--	--	--	--	--
142(U-NII-3)	5710	7.64	--	--	--	--	--	--	--	--	--

**Chain C**

Cable loss=1.0dB		Maximum conducted output power									
Channel No	Frequency (MHz)	For different Data Rate (MCS index)									
		0	1	2	3	4	5	6	7	8	9
54	5270	17.61	--	--	--	--	--	--	--	--	--
62	5310	17.59	17.53	17.47	17.41	17.34	17.31	17.27	17.22	17.18	17.13
102	5510	17.83	--	--	--	--	--	--	--	--	--
110	5550	17.73	17.67	17.63	17.60	17.56	17.51	17.47	17.43	17.39	17.35
134	5670	17.52	--	--	--	--	--	--	--	--	--
142(U-NII-2C)	5710	17.24	--	--	--	--	--	--	--	--	--
142(U-NII-3)	5710	6.77	--	--	--	--	--	--	--	--	--

**Chain D**

Cable loss=1.0dB		Maximum conducted output power									
Channel No	Frequency (MHz)	For different Data Rate (MCS index)									
		0	1	2	3	4	5	6	7	8	9
54	5270	17.83	--	--	--	--	--	--	--	--	--
62	5310	17.95	17.91	17.87	17.83	17.79	17.75	17.71	17.66	17.62	17.57
102	5510	17.55	--	--	--	--	--	--	--	--	--
110	5550	17.57	17.51	17.45	17.38	17.34	17.27	17.24	17.20	17.17	17.13
134	5670	17.79	--	--	--	--	--	--	--	--	--
142(U-NII-2C)	5710	17.82	--	--	--	--	--	--	--	--	--
142(U-NII-3)	5710	7.07	--	--	--	--	--	--	--	--	--

**Maximum conducted output power Measurement:**


Channel No	Frequency Range (MHz)	26dB Bandwidth (MHz)	Chain A Power (dBm)	Chain B Power (dBm)	Chain C Power (dBm)	Chain D Power (dBm)	Output Power (dBm)	Output Power Limit		Result
								(dBm)	dBm+10log(BW)	
54	5270	42.200	17.52	17.86	17.61	17.83	23.73	24	27.25	Pass
62	5310	42.000	17.87	17.57	17.59	17.95	23.77	24	27.23	Pass
102	5510	41.400	17.63	17.51	17.83	17.55	23.65	24	27.17	Pass
110	5550	42.300	17.58	17.39	17.73	17.57	23.59	24	27.26	Pass
134	5670	41.400	17.87	18.02	17.52	17.79	23.82	24	27.17	Pass
142(U-NII-2C)	5710	37.900	17.52	17.28	17.24	17.82	23.49	24	26.79	Pass
142(U-NII-3)	5710	--	6.94	7.64	6.77	7.07	13.14	30	--	Pass

Note:

1. Output Power Value (dBm) = 10\*LOG (Chain A(mW)+ Chain B(mW)+ Chain C(mW)+ Chain D(mW))
2. 26dB Bandwidth is the bandwidth of chain A or B or C or D whichever is less bandwidth, output power limitation is more stringent.


**26dB Occupied Bandwidth:**

**Channel 54 (Chain A)**



Date: 5.AUG.2020 10:46:45


**Channel 54 (Chain B)**



Date: 5.AUG.2020 06:46:32




### Channel 54 (Chain C)




Date: 5.AUG.2020 06:43:32

### Channel 54 (Chain D)




Date: 4.AUG.2020 22:49:00

### Channel 62 (Chain A)




Date: 5.AUG.2020 10:49:18

### Channel 62 (Chain B)




Date: 5.AUG.2020 06:49:06

### Channel 62 (Chain C)




Date: 5.AUG.2020 06:46:05

### Channel 62 (Chain D)




Date: 4.AUG.2020 22:51:33

### Channel 102 (Chain A)




Date: 5.AUG.2020 10:51:46

### Channel 102 (Chain B)




Date: 5.AUG.2020 06:51:34

### Channel 102 (Chain C)




Date: 5.AUG.2020 06:48:34

### Channel 102 (Chain D)




Date: 4.AUG.2020 22:54:01

### Channel 110 (Chain A)




Date: 5.AUG.2020 10:54:21

### Channel 110 (Chain B)




Date: 5.AUG.2020 06:54:09

### Channel 110 (Chain C)




Date: 5.AUG.2020 06:51:08

### Channel 110 (Chain D)




Date: 4.AUG.2020 22:56:36

### Channel 134 (Chain A)



Date: 5.AUG.2020 10:56:53


### Channel 134 (Chain B)



Date: 5.AUG.2020 06:56:41




### Channel 134 (Chain C)




Date: 5.AUG.2020 06:53:41

### Channel 134 (Chain D)




Date: 4.AUG.2020 22:59:09

### Channel 142 (Chain A)




Date: 13.AUG.2020 07:10:03

### Channel 142 (Chain B)




Date: 12.AUG.2020 19:12:10

### Channel 142 (Chain C)



Date: 13.AUG.2020 07:23:45


### Channel 142 (Chain D)



Date: 12.AUG.2020 19:25:53


99% Occupied Bandwidth:

Channel 142 (Chain A)




Date: 6.AUG.2020 02:32:13

Channel 142 (Chain B)




Date: 6.AUG.2020 02:35:18

### Channel 142 (Chain C)



Date: 6.AUG.2020 06:35:36

### Channel 142 (Chain D)



Date: 5.AUG.2020 18:37:46