


Channel 140: (Chain A)




Date: 2.SEP.2020 17:19:55

Channel 140: (Chain B)




Date: 2.SEP.2020 09:25:30

Channel 140: (Chain C)




Date: 2.SEP.2020 17:22:13

Channel 140: (Chain D)




Date: 2.SEP.2020 09:27:48

Channel 144 (U-NII-2C): (Chain A)




Date: 13.AUG.2020 08:16:45

Channel 144 (U-NII-3): (Chain A)




Date: 13.AUG.2020 08:17:06

Channel 144 (U-NII-2C): (Chain B)




Date: 12.AUG.2020 20:18:53

Channel 144 (U-NII-3): (Chain B)




Date: 12.AUG.2020 20:19:13

Channel 144 (U-NII-2C): (Chain C)




Date: 13.AUG.2020 08:19:05

Channel 144 (U-NII-3): (Chain C)




Date: 13.AUG.2020 08:19:26

Channel 144 (U-NII-2C): (Chain D)



Date: 12.AUG.2020 20:21:13

Channel 144 (U-NII-3): (Chain D)



Date: 12.AUG.2020 20:21:33

Product : LV55
 Test Item : Peak Power Spectral Density
 Test Mode : Mode 8: Transmit (802.11ax-40MBW-CDD) (RU Config-Full)
 Test Date : 2020/09/04


Channel Number	Frequency (MHz)	Chain	PPSD (dBm/MHz)	Duty Factor (dB)	Total PPSD (dBm/MHz)	Required Limit (dBm/MHz)	Result
54	5270	A	1.46	0.18	7.66	11	Pass
		B	2.51	0.18	8.71		Pass
		C	1.90	0.18	8.10		Pass
		D	2.25	0.18	8.45		Pass
62	5310	A	1.30	0.18	7.50	11	Pass
		B	1.76	0.18	7.96		Pass
		C	1.79	0.18	7.99		Pass
		D	1.86	0.18	8.06		Pass
102	5510	A	1.91	0.18	8.11	11	Pass
		B	1.55	0.18	7.75		Pass
		C	2.27	0.18	8.47		Pass
		D	1.49	0.18	7.69		Pass
110	5550	A	1.49	0.18	7.69	11	Pass
		B	1.61	0.18	7.81		Pass
		C	2.02	0.18	8.22		Pass
		D	1.74	0.18	7.94		Pass
134	5670	A	1.53	0.18	7.73	11	Pass
		B	2.30	0.18	8.50		Pass
		C	1.97	0.18	8.17		Pass
		D	2.44	0.18	8.64		Pass
142(U-NII-2C)	5710	A	3.39	0.18	9.59	11	Pass
		B	4.26	0.18	10.46		Pass
		C	3.99	0.18	10.19		Pass
		D	4.36	0.18	10.56		Pass

Note: The quantity $10 \cdot \log 4$ (four antennas) is added to the spectrum peak value according to document 662911 D01.

Channel Number	Frequency (MHz)	Chain	PPSD (dBm/100kHz)	BWCF (dB)	Duty Factor (dB)	Total PPSD (dBm/500kHz)	Required Limit (dBm/500kHz)	Result
142(U-NII-3)	5710	A	-7.43	6.98	0.18	5.75	30	Pass
		B	-6.84	6.98	0.18	6.34		Pass
		C	-6.71	6.98	0.18	6.47		Pass
		D	-6.99	6.98	0.18	6.19		Pass


Note: The quantity $10 \cdot \log 4$ (four antennas) is added to the spectrum peak value according to document 662911 D01.

Channel 54: (Chain A)




Date: 29.JUL.2020 05:12:10

Channel 54: (Chain B)




Date: 28.JUL.2020 17:14:20

Channel 54: (Chain C)




Date: 29 JUL 2020 01:08:59

Channel 54: (Chain D)




Date: 29 JUL 2020 01:12:02

Channel 62: (Chain A)




Date: 29.JUL.2020 05:16:11

Channel 62: (Chain B)




Date: 28.JUL.2020 17:18:21

Channel 62: (Chain C)




Date: 29.JUL.2020 01:12:59

Channel 62: (Chain D)




Date: 29.JUL.2020 01:16:03

Channel 102: (Chain A)




Date: 29.JUL.2020 05:18:36

Channel 102: (Chain B)




Date: 28.JUL.2020 17:20:46

Channel 102: (Chain C)




Date: 29.JUL.2020 01:15:24

Channel 102: (Chain D)




Date: 29.JUL.2020 01:18:28

Channel 110: (Chain A)




Date: 29.JUL.2020 05:20:51

Channel 110: (Chain B)




Date: 28.JUL.2020 17:23:01

Channel 110: (Chain C)



Date: 29.JUL.2020 01:17:39

Channel 110: (Chain D)



Date: 29.JUL.2020 01:20:43

Channel 134: (Chain A)




Date: 29.JUL.2020 05:25:33

Channel 134: (Chain B)




Date: 28.JUL.2020 17:27:43

Channel 134: (Chain C)




Date: 29.JUL.2020 01:22:22

Channel 134: (Chain D)




Date: 29.JUL.2020 01:25:25

Channel 142 (U-NII-2C): (Chain A)




Date: 29.JUL.2020 04:27:21

Channel 142 (U-NII-3): (Chain A)




Date: 29.JUL.2020 04:27:41

Channel 142 (U-NII-2C): (Chain B)




Date: 28.JUL.2020 16:29:31

Channel 142 (U-NII-3): (Chain B)




Date: 28.JUL.2020 16:29:51

Channel 142 (U-NII-2C): (Chain C)




Date: 29.JUL.2020 00:24:09

Channel 142 (U-NII-3): (Chain C)




Date: 29.JUL.2020 00:24:30

Channel 142 (U-NII-2C): (Chain D)



Date: 29.JUL.2020 00:27:13

Channel 142 (U-NII-3): (Chain D)



Date: 29.JUL.2020 00:27:34

Product : LV55
 Test Item : Peak Power Spectral Density
 Test Mode : Mode 9: Transmit (802.11ax-80MBW-CDD) (RU Config-Full)
 Test Date : 2020/09/04


Channel Number	Frequency (MHz)	Chain	PPSD (dBm/MHz)	Duty Factor (dB)	Total PPSD (dBm/MHz)	Required Limit (dBm/MHz)	Result
58	5290	A	0.02	0.13	6.17	11	Pass
		B	0.21	0.13	6.36		Pass
		C	0.34	0.13	6.49		Pass
		D	0.44	0.13	6.59		Pass
106	5530	A	-0.32	0.13	5.83	11	Pass
		B	-0.54	0.13	5.61		Pass
		C	0.09	0.13	6.24		Pass
		D	-0.32	0.13	5.83		Pass
122	5610	A	0.33	0.13	6.48	11	Pass
		B	0.75	0.13	6.90		Pass
		C	1.18	0.13	7.33		Pass
		D	0.90	0.13	7.05		Pass
138(U-NII-2C)	5690	A	0.41	0.13	6.56	11	Pass
		B	0.88	0.13	7.03		Pass
		C	0.65	0.13	6.80		Pass
		D	1.00	0.13	7.15		Pass

Note: The quantity $10 \cdot \log 4$ (four antennas) is added to the spectrum peak value according to document 662911 D01.

Channel Number	Frequency (MHz)	Chain	PPSD (dBm/100kHz)	BWCF (dB)	Duty Factor (dB)	Total PPSD (dBm/500kHz)	Required Limit (dBm/500kHz)	Result
138(U-NII-3)	5690	A	-11.70	6.98	0.13	1.43	30	Pass
		B	-10.65	6.98	0.13	2.48		Pass
		C	-11.05	6.98	0.13	2.08		Pass
		D	-10.45	6.98	0.13	2.68		Pass


Note: The quantity $10 \cdot \log 4$ (four antennas) is added to the spectrum peak value according to document 662911 D01.

Channel 58: (Chain A)




Date: 29.JUL.2020 04:31:37

Channel 58: (Chain B)




Date: 28.JUL.2020 16:33:47

Channel 58: (Chain C)




Date: 29 JUL 2020 00:28:25

Channel 58: (Chain D)




Date: 29 JUL 2020 00:31:29

Channel 106: (Chain A)




Date: 29.JUL.2020 04:34:57

Channel 106: (Chain B)




Date: 28.JUL.2020 16:37:07

Channel 106: (Chain C)




Date: 29 JUL 2020 00:31:46

Channel 106: (Chain D)




Date: 29 JUL 2020 00:34:49

Channel 122: (Chain A)




Date: 29.JUL.2020 04:38:15

Channel 122: (Chain B)




Date: 28.JUL.2020 16:40:25

Channel 122: (Chain C)




Date: 29 JUL 2020 00:35:03

Channel 122: (Chain D)




Date: 29 JUL 2020 00:38:07

Channel 138 (U-NII-2C): (Chain A)




Date: 29.JUL.2020 04:40:32

Channel 138 (U-NII-3): (Chain A)




Date: 29.JUL.2020 04:40:52

Channel 138 (U-NII-2C): (Chain B)




Date: 28.JUL.2020 16:42:42

Channel 138 (U-NII-3): (Chain B)




Date: 28.JUL.2020 16:43:02

Channel 138 (U-NII-2C): (Chain C)




Date: 29.JUL.2020 00:37:20

Channel 138 (U-NII-3): (Chain C)




Date: 29.JUL.2020 00:37:41

Channel 138 (U-NII-2C): (Chain D)



Date: 29.JUL.2020 00:40:24

Channel 138 (U-NII-3): (Chain D)




Date: 29.JUL.2020 00:40:44

Product : LV55
 Test Item : Peak Power Spectral Density
 Test Mode : Mode 7: Transmit (802.11ax-20MBW-CDD) (RU Config-center mode)
 Test Date : 2020/09/04

Channel Number	Frequency (MHz)	Chain	PPSD (dBm/MHz)	Duty Factor (dB)	Total PPSD (dBm/MHz)	Required Limit (dBm/MHz)	Result
64	5320	A	3.57	0.42	10.01	11	Pass
		B	3.84	0.42	10.28		Pass
		C	3.70	0.42	10.14		Pass
		D	3.86	0.42	10.30		Pass
100	5500	A	3.99	0.42	10.43	11	Pass
		B	3.57	0.42	10.01		Pass
		C	3.87	0.42	10.31		Pass
		D	3.58	0.42	10.02		Pass
140	5700	A	3.50	0.42	9.94	11	Pass
		B	3.57	0.42	10.01		Pass
		C	3.86	0.42	10.30		Pass
		D	4.35	0.42	10.79		Pass


Note: The quantity $10 \cdot \log 4$ (four antennas) is added to the spectrum peak value according to document 662911 D01.

Channel 64: (Chain A)




Date: 29.JUL.2020 08:54:52

Channel 64: (Chain B)




Date: 28.JUL.2020 20:57:02

Channel 64: (Chain C)




Date: 29.JUL.2020 04:51:42

Channel 64: (Chain D)




Date: 29.JUL.2020 04:54:48

Channel 100: (Chain A)




Date: 29.JUL.2020 08:55:47

Channel 100: (Chain B)




Date: 28.JUL.2020 20:57:57

Channel 100: (Chain C)




Date: 29.JUL.2020 04:52:40

Channel 100: (Chain D)




Date: 29.JUL.2020 04:55:46

Channel 140: (Chain A)




Date: 29.JUL.2020 08:57:41

Channel 140: (Chain B)




Date: 28.JUL.2020 20:59:52

Channel 140: (Chain C)



Date: 29.JUL.2020 04:54:32

Channel 140: (Chain D)




Date: 29.JUL.2020 04:57:37

Product : LV55
 Test Item : Peak Power Spectral Density
 Test Mode : Mode 8: Transmit (802.11ax-40MBW-CDD) (RU Config-center mode)
 Test Date : 2020/09/04

Channel Number	Frequency (MHz)	Chain	PPSD (dBm/MHz)	Duty Factor (dB)	Total PPSD (dBm/MHz)	Required Limit (dBm/MHz)	Result
62	5310	A	0.71	0.31	7.04	11	Pass
		B	1.55	0.31	7.88		Pass
		C	0.88	0.31	7.21		Pass
		D	1.08	0.31	7.41		Pass
102	5510	A	1.12	0.31	7.45	11	Pass
		B	0.33	0.31	6.66		Pass
		C	0.91	0.31	7.24		Pass
		D	0.49	0.31	6.82		Pass
134	5670	A	0.64	0.31	6.97	11	Pass
		B	0.96	0.31	7.29		Pass
		C	0.86	0.31	7.19		Pass
		D	1.17	0.31	7.50		Pass


Note: The quantity $10 \cdot \log 4$ (four antennas) is added to the spectrum peak value according to document 662911 D01.

Channel 62: (Chain A)




Date: 29 JUL 2020 08:59:56

Channel 62: (Chain B)




Date: 28 JUL 2020 21:02:06

Channel 62: (Chain C)




Date: 29 JUL 2020 04:56:46

Channel 62: (Chain D)




Date: 29 JUL 2020 04:59:52

Channel 102: (Chain A)




Date: 29.JUL.2020 09:00:48

Channel 102: (Chain B)




Date: 28.JUL.2020 21:02:58

Channel 102: (Chain C)




Date: 29.JUL.2020 04:57:38

Channel 102: (Chain D)




Date: 29.JUL.2020 05:00:43

Channel 134: (Chain A)




Date: 29.JUL.2020 09:02:44

Channel 134: (Chain B)




Date: 28.JUL.2020 21:04:54

Channel 134: (Chain C)



Date: 29.JUL.2020 04:59:32

Channel 134: (Chain D)




Date: 29.JUL.2020 05:02:36

Product : LV55
 Test Item : Peak Power Spectral Density
 Test Mode : Mode 9: Transmit (802.11ax-80MBW-CDD) (RU Config-center mode)
 Test Date : 2020/09/04

Channel Number	Frequency (MHz)	Chain	PPSD (dBm/MHz)	Duty Factor (dB)	Total PPSD (dBm/MHz)	Required Limit (dBm/MHz)	Result
58	5290	A	-3.68	0.44	2.78	11	Pass
		B	-2.87	0.44	3.59		Pass
		C	-3.62	0.44	2.84		Pass
		D	-3.29	0.44	3.17		Pass
106	5530	A	-3.98	0.44	2.48	11	Pass
		B	-3.58	0.44	2.88		Pass
		C	-3.70	0.44	2.76		Pass
		D	-3.26	0.44	3.20		Pass
122	5610	A	-3.39	0.44	3.07	11	Pass
		B	-2.26	0.44	4.20		Pass
		C	-2.67	0.44	3.79		Pass
		D	-2.02	0.44	4.44		Pass


Note: The quantity $10 \cdot \log 4$ (four antennas) is added to the spectrum peak value according to document 662911 D01.

Channel 58: (Chain A)




Date: 29.JUL.2020 08:44:24

Channel 58: (Chain B)




Date: 28.JUL.2020 20:46:34

Channel 58: (Chain C)




Date: 29 JUL 2020 04:41:14

Channel 58: (Chain D)




Date: 29 JUL 2020 04:44:20

Channel 106: (Chain A)




Date: 29.JUL.2020 08:45:48

Channel 106: (Chain B)




Date: 28.JUL.2020 20:47:58

Channel 106: (Chain C)




Date: 29 JUL 2020 04:42:38

Channel 106: (Chain D)




Date: 29 JUL 2020 04:45:44

Channel 122: (Chain A)




Date: 29.JUL.2020 08:48:42

Channel 122: (Chain B)




Date: 28.JUL.2020 20:50:52

Channel 122: (Chain C)



Date: 29 JUL 2020 04:45:32

Channel 122: (Chain D)




Date: 29 JUL 2020 04:48:37

Product : LV55
 Test Item : Peak Power Spectral Density
 Test Mode : Mode 7: Transmit (802.11ax-20MBW-CDD) (RU Config-edges mode)
 Test Date : 2020/09/04

Channel Number	Frequency (MHz)	Chain	PPSD (dBm/MHz)	Duty Factor (dB)	Total PPSD (dBm/MHz)	Required Limit (dBm/MHz)	Result
64	5320	A	2.78	0.81	9.61	11	Pass
		B	3.25	0.81	10.08		Pass
		C	2.76	0.81	9.59		Pass
		D	2.94	0.81	9.77		Pass
100	5500	A	3.06	0.81	9.89	11	Pass
		B	3.20	0.81	10.03		Pass
		C	3.31	0.81	10.14		Pass
		D	3.28	0.81	10.11		Pass
140	5700	A	3.03	0.81	9.86	11	Pass
		B	2.54	0.81	9.37		Pass
		C	3.61	0.81	10.44		Pass
		D	3.63	0.81	10.46		Pass


Note: The quantity $10 \cdot \log 4$ (four antennas) is added to the spectrum peak value according to document 662911 D01.

Channel 64: (Chain A)




Date: 29.JUL.2020 08:13:29

Channel 64: (Chain B)




Date: 28.JUL.2020 20:15:39

Channel 64: (Chain C)




Date: 29.JUL.2020 04:10:19

Channel 64: (Chain D)




Date: 29.JUL.2020 04:13:24

Channel 100: (Chain A)




Date: 29.JUL.2020 08:14:18

Channel 100: (Chain B)




Date: 28.JUL.2020 20:16:28

Channel 100: (Chain C)




Date: 29.JUL.2020 04:11:07

Channel 100: (Chain D)




Date: 29.JUL.2020 04:14:13

Channel 140: (Chain A)




Date: 29.JUL.2020 08:17:04

Channel 140: (Chain B)




Date: 28.JUL.2020 20:19:14

Channel 140: (Chain C)



Date: 29.JUL.2020 04:13:54

Channel 140: (Chain D)




Date: 29.JUL.2020 04:17:00

Product : LV55
 Test Item : Peak Power Spectral Density
 Test Mode : Mode 8: Transmit (802.11ax-40MBW-CDD) (RU Config-edges mode)
 Test Date : 2020/09/04

Channel Number	Frequency (MHz)	Chain	PPSD (dBm/MHz)	Duty Factor (dB)	Total PPSD (dBm/MHz)	Required Limit (dBm/MHz)	Result
62	5310	A	0.21	0.63	6.86	11	Pass
		B	1.02	0.63	7.67		Pass
		C	1.16	0.63	7.81		Pass
		D	1.36	0.63	8.01		Pass
102	5510	A	1.44	0.63	8.09	11	Pass
		B	0.40	0.63	7.05		Pass
		C	1.00	0.63	7.65		Pass
		D	0.90	0.63	7.55		Pass
134	5670	A	0.46	0.63	7.11	11	Pass
		B	0.68	0.63	7.33		Pass
		C	0.93	0.63	7.58		Pass
		D	1.14	0.63	7.79		Pass


Note: The quantity $10 \cdot \log 4$ (four antennas) is added to the spectrum peak value according to document 662911 D01.

Channel 62: (Chain A)




Date: 29.JUL.2020 08:20:16

Channel 62: (Chain B)




Date: 28.JUL.2020 20:22:27

Channel 62: (Chain C)




Date: 29 JUL 2020 04:17:06

Channel 62: (Chain D)




Date: 29 JUL 2020 04:20:12

Channel 102: (Chain A)




Date: 29.JUL.2020 08:21:45

Channel 102: (Chain B)




Date: 28.JUL.2020 20:23:55

Channel 102: (Chain C)




Date: 29.JUL.2020 04:18:35

Channel 102: (Chain D)




Date: 29.JUL.2020 04:21:41

Channel 134: (Chain A)




Date: 29.JUL.2020 08:24:27

Channel 134: (Chain B)




Date: 28.JUL.2020 20:26:37

Channel 134: (Chain C)



Date: 29.JUL.2020 04:21:17

Channel 134: (Chain D)




Date: 29.JUL.2020 04:24:21

Product : LV55
 Test Item : Peak Power Spectral Density
 Test Mode : Mode 9: Transmit (802.11ax-80MBW-CDD) (RU Config-edges mode)
 Test Date : 2020/09/04

Channel Number	Frequency (MHz)	Chain	PPSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Required Limit (dBm/MHz)	Result
58	5290	A	-3.58	2.35	4.79	11	Pass
		B	-3.18	2.35	5.19		Pass
		C	-3.48	2.35	4.89		Pass
		D	-3.41	2.35	4.96		Pass
106	5530	A	-3.77	2.35	4.60	11	Pass
		B	-3.67	2.35	4.70		Pass
		C	-3.20	2.35	5.17		Pass
		D	-3.42	2.35	4.95		Pass
122	5610	A	-2.81	2.35	5.56	11	Pass
		B	-2.15	2.35	6.22		Pass
		C	-3.05	2.35	5.32		Pass
		D	-2.32	2.35	6.05		Pass


Note: The quantity $10 \cdot \log 4$ (four antennas) is added to the spectrum peak value according to document 662911 D01.

Channel 58: (Chain A)




Date: 29.JUL.2020 08:03:04

Channel 58: (Chain B)




Date: 28.JUL.2020 20:05:14

Channel 58: (Chain C)




Date: 29 JUL 2020 03:59:54

Channel 58: (Chain D)




Date: 29 JUL 2020 04:03:00

Channel 106: (Chain A)




Date: 29.JUL.2020 08:04:24

Channel 106: (Chain B)




Date: 28.JUL.2020 20:06:34

Channel 106: (Chain C)




Date: 29 JUL 2020 04:01:14

Channel 106: (Chain D)




Date: 29 JUL 2020 04:04:20

Channel 122: (Chain A)




Date: 29 JUL 2020 08:06:29

Channel 122: (Chain B)




Date: 28 JUL 2020 20:08:39

Channel 122: (Chain C)



Date: 29 JUL 2020 04:03:19

Channel 122: (Chain D)



Date: 29 JUL 2020 04:06:24

Product : LV55
 Test Item : Peak Power Spectral Density
 Test Mode : Mode 15: Transmit (802.11ax-20MBW-Beamforming)
 Test Date : 2020/09/04


Channel Number	Frequency (MHz)	Chain	PPSD (dBm/MHz)	Total PPSD (dBm/MHz)	Required Limit (dBm/MHz)	Result
52	5260	A	4.88	10.90	11	Pass
		B	4.82	10.84		Pass
		C	4.96	10.98		Pass
		D	4.91	10.93		Pass
60	5300	A	4.96	10.98	11	Pass
		B	4.94	10.96		Pass
		C	4.92	10.94		Pass
		D	4.94	10.96		Pass
64	5320	A	4.94	10.96	11	Pass
		B	4.94	10.96		Pass
		C	4.91	10.93		Pass
		D	4.95	10.97		Pass
100	5500	A	4.83	10.85	11	Pass
		B	4.87	10.89		Pass
		C	4.85	10.87		Pass
		D	4.96	10.98		Pass
116	5580	A	4.91	10.93	11	Pass
		B	4.81	10.83		Pass
		C	4.86	10.88		Pass
		D	4.86	10.88		Pass
140	5700	A	4.91	10.93	11	Pass
		B	4.91	10.93		Pass
		C	4.82	10.84		Pass
		D	4.87	10.89		Pass
144(U-NII-2C)	5720	A	4.91	10.93	11	Pass
		B	4.89	10.91		Pass
		C	4.84	10.86		Pass
		D	4.95	10.97		Pass

Note: The quantity $10 \cdot \log 4$ (four antennas) is added to the spectrum peak value according to document 662911 D01.

Channel Number	Frequency (MHz)	Chain	PPSD (dBm/100kHz)	BWCF (dB)	Total PSD (dBm/500kHz)	Required Limit (dBm/500kHz)	Result
144(U-NII-3)	5720	A	-4.80	6.98	8.20	30	Pass
		B	-4.77	6.98	8.23		Pass
		C	-4.29	6.98	8.71		Pass
		D	-4.59	6.98	8.41		Pass


Note: The quantity $10 \cdot \log 4$ (four antennas) is added to the spectrum peak value according to document 662911 D01.

Channel 52: (Chain A)




Date: 3.SEP.2020 19:05:20

Channel 52: (Chain B)




Date: 3.SEP.2020 19:07:20

Channel 52: (Chain C)




Date: 3.SEP.2020 19:09:02

Channel 52: (Chain D)




Date: 3.SEP.2020 19:09:32

Channel 60: (Chain A)



Date: 3.SEP.2020 19:13:26

Channel 60: (Chain B)




Date: 3.SEP.2020 19:13:53

Channel 60: (Chain C)




Date: 3.SEP.2020 19:14:33

Channel 60: (Chain D)




Date: 3.SEP.2020 19:15:02

Channel 64: (Chain A)




Date: 3.SEP.2020 19:21:13

Channel 64: (Chain B)




Date: 3.SEP.2020 19:21:52

Channel 64: (Chain C)




Date: 3.SEP.2020 19:22:17

Channel 64: (Chain D)




Date: 3.SEP.2020 19:22:48

Channel 100: (Chain A)




Date: 3.SEP.2020 19:27:45

Channel 100: (Chain B)




Date: 3.SEP.2020 19:28:26

Channel 100: (Chain C)




Date: 3.SEP.2020 19:29:04

Channel 100: (Chain D)




Date: 3.SEP.2020 19:29:27

Channel 116: (Chain A)



Date: 3.SEP.2020 19:33:35

Channel 116: (Chain B)




Date: 3.SEP.2020 19:34:05

Channel 116: (Chain C)




Date: 3.SEP.2020 19:34:30

Channel 116: (Chain D)




Date: 3.SEP.2020 19:34:49

Channel 140: (Chain A)




Date: 3.SEP.2020 19:37:17

Channel 140: (Chain B)




Date: 3.SEP.2020 19:37:43

Channel 140: (Chain C)




Date: 3.SEP.2020 19:38:06

Channel 140: (Chain D)




Date: 3.SEP.2020 19:38:25

Channel 144 (U-NII-2C): (Chain A)




Date: 3.SEP.2020 19:46:29

Channel 144 (U-NII-3): (Chain A)




Date: 3.SEP.2020 19:54:29

Channel 144 (U-NII-2C): (Chain B)




Date: 3.SEP.2020 19:47:31

Channel 144 (U-NII-3): (Chain B)




Date: 3.SEP.2020 21:50:12

Channel 144 (U-NII-2C): (Chain C)




Date: 3.SEP.2020 19:48:03

Channel 144 (U-NII-3): (Chain C)




Date: 3.SEP.2020 19:56:29

Channel 144 (U-NII-2C): (Chain D)



Date: 3.SEP.2020 19:48:29

Channel 144 (U-NII-3): (Chain D)



Date: 3.SEP.2020 21:51:42

Product : LV55
 Test Item : Peak Power Spectral Density
 Test Mode : Mode 16: Transmit (802.11ax-40MBW-Beamforming)
 Test Date : 2020/09/04


Channel Number	Frequency (MHz)	Chain	PPSD (dBm/MHz)	Total PPSD (dBm/MHz)	Required Limit (dBm/MHz)	Result
54	5270	A	1.99	8.01	11	Pass
		B	1.79	7.81		Pass
		C	2.03	8.05		Pass
		D	2.08	8.10		Pass
62	5310	A	2.28	8.30	11	Pass
		B	2.23	8.25		Pass
		C	2.12	8.14		Pass
		D	2.08	8.10		Pass
102	5510	A	1.51	7.53	11	Pass
		B	1.95	7.97		Pass
		C	1.57	7.59		Pass
		D	1.64	7.66		Pass
110	5550	A	1.24	7.26	11	Pass
		B	1.47	7.49		Pass
		C	1.41	7.43		Pass
		D	1.97	7.99		Pass
134	5670	A	2.08	8.10	11	Pass
		B	2.15	8.17		Pass
		C	2.08	8.10		Pass
		D	2.10	8.12		Pass
142(U-NII-2C)	5710	A	2.09	8.11	11	Pass
		B	2.18	8.20		Pass
		C	2.09	8.11		Pass
		D	2.09	8.11		Pass

Note: The quantity $10 \cdot \log 4$ (four antennas) is added to the spectrum peak value according to document 662911 D01.

Channel Number	Frequency (MHz)	Chain	PPSD (dBm/100kHz)	BWCF (dB)	Total PPSD (dBm/500kHz)	Required Limit (dBm/500kHz)	Result
142(U-NII-3)	5710	A	-5.97	6.98	7.03	30	Pass
		B	-5.89	6.98	7.11		Pass
		C	-5.98	6.98	7.02		Pass
		D	-5.90	6.98	7.10		Pass


Note: The quantity $10 \cdot \log 4$ (four antennas) is added to the spectrum peak value according to document 662911 D01.

Channel 54: (Chain A)




Date: 3.SEP.2020 20:09:36

Channel 54: (Chain B)




Date: 3.SEP.2020 20:11:53

Channel 54: (Chain C)




Date: 3.SEP.2020 20:12:29

Channel 54: (Chain D)




Date: 3.SEP.2020 20:13:01

Channel 62: (Chain A)




Date: 3.SEP.2020 20:17:51

Channel 62: (Chain B)




Date: 3.SEP.2020 20:18:22

Channel 62: (Chain C)




Date: 3.SEP.2020 20:18:46

Channel 62: (Chain D)




Date: 3.SEP.2020 20:19:12

Channel 102: (Chain A)




Date: 3.SEP.2020 20:30:14

Channel 102: (Chain B)




Date: 3.SEP.2020 20:31:44

Channel 102: (Chain C)




Date: 3.SEP.2020 20:32:05

Channel 102: (Chain D)




Date: 3.SEP.2020 20:32:27

Channel 110: (Chain A)




Date: 3.SEP.2020 20:35:02

Channel 110: (Chain B)




Date: 3.SEP.2020 20:35:51

Channel 110: (Chain C)




Date: 3.SEP.2020 20:36:10

Channel 110: (Chain D)




Date: 3.SEP.2020 20:36:33

Channel 134: (Chain A)




Date: 3.SEP.2020 20:38:59

Channel 134: (Chain B)




Date: 3.SEP.2020 20:40:14

Channel 134: (Chain C)




Date: 3.SEP.2020 20:41:05

Channel 134: (Chain D)




Date: 3.SEP.2020 20:41:27

Channel 142 (U-NII-2C): (Chain A)




Date: 3.SEP.2020 20:44:45

Channel 142 (U-NII-3): (Chain A)




Date: 3.SEP.2020 21:43:59

Channel 142 (U-NII-2C): (Chain B)




Date: 3.SEP.2020 21:40:15

Channel 142 (U-NII-3): (Chain B)




Date: 3.SEP.2020 21:44:39

Channel 142 (U-NII-2C): (Chain C)




Date: 3.SEP.2020 20:46:04

Channel 142 (U-NII-3): (Chain C)




Date: 3.SEP.2020 21:45:31

Channel 142 (U-NII-2C): (Chain D)



Channel 142 (U-NII-3): (Chain D)



Product : LV55
 Test Item : Peak Power Spectral Density
 Test Mode : Mode 17: Transmit (802.11ax-80MBW-Beamforming)
 Test Date : 2020/09/04


Channel Number	Frequency (MHz)	Chain	PPSD (dBm/MHz)	Total PPSD (dBm/MHz)	Required Limit (dBm/MHz)	Result
58	5290	A	0.39	6.41	11	Pass
		B	0.50	6.52		Pass
		C	0.28	6.30		Pass
		D	0.12	6.14		Pass
106	5530	A	-1.11	4.91	11	Pass
		B	-0.43	5.59		Pass
		C	-0.47	5.55		Pass
		D	-0.95	5.07		Pass
122	5610	A	0.60	6.62	11	Pass
		B	0.58	6.60		Pass
		C	0.54	6.56		Pass
		D	0.53	6.55		Pass
138(U-NII-2C)	5690	A	0.10	6.12	11	Pass
		B	0.75	6.77		Pass
		C	-0.23	5.79		Pass
		D	0.55	6.57		Pass

Note: The quantity $10 \cdot \log 4$ (four antennas) is added to the spectrum peak value according to document 662911 D01.

Channel Number	Frequency (MHz)	Chain	PPSD (dBm/100kHz)	BWCF (dB)	Total PPSD (dBm/500kHz)	Required Limit (dBm/500kHz)	Result
138(U-NII-3)	5690	A	-11.07	6.98	1.93	30	Pass
		B	-10.97	6.98	2.03		Pass
		C	-11.11	6.98	1.89		Pass
		D	-11.23	6.98	1.77		Pass


Note: The quantity $10 \cdot \log 4$ (four antennas) is added to the spectrum peak value according to document 662911 D01.

Channel 58: (Chain A)




Date: 3.SEP.2020 20:55:13

Channel 58: (Chain B)




Date: 3.SEP.2020 20:55:53

Channel 58: (Chain C)




Date: 3.SEP.2020 20:56:12

Channel 58: (Chain D)




Date: 3.SEP.2020 20:56:29

Channel 106: (Chain A)




Date: 3.SEP.2020 20:58:59

Channel 106: (Chain B)




Date: 3.SEP.2020 20:59:34

Channel 106: (Chain C)




Date: 3.SEP.2020 21:00:13

Channel 106: (Chain D)




Date: 3.SEP.2020 21:00:44

Channel 122: (Chain A)




Date: 3.SEP.2020 21:03:43

Channel 122: (Chain B)




Date: 3.SEP.2020 21:28:42

Channel 122: (Chain C)




Date: 3.SEP.2020 21:29:41

Channel 122: (Chain D)




Date: 3.SEP.2020 21:30:16

Channel 138 (U-NII-2C): (Chain A)




Date: 3.SEP.2020 21:08:42

Channel 138 (U-NII-3): (Chain A)




Date: 3.SEP.2020 21:33:28

Channel 138 (U-NII-2C): (Chain B)




Date: 3.SEP.2020 21:09:01

Channel 138 (U-NII-3): (Chain B)




Date: 3.SEP.2020 21:34:11

Channel 138 (U-NII-2C): (Chain C)



Date: 3.SEP.2020 21:09:26

Channel 138 (U-NII-3): (Chain C)



Date: 3.SEP.2020 21:34:33