

Car Connection OBDII

User Manual



Introduction

Car Connection OBDII device complies with OBDII standard, which has been adopted for most vehicles on the road. It integrates multiples applications such as Usage Based Insurance (UBI), data mining, driver assistance, roadside assistance, and fleet management that allow you to manage those features using one device. Users can easily install the Car Connection OBDII product on their own by simply plugging the device in. Enable your service in the air with Car Connection OBDII device now!




Key Features

- Flexible antenna and housing design
- Compact device size meeting OBD Industry requirement
- Over-the-Air update capability
- Simple plug-in installation

Specifications

Physical	60mm (w) x 48mm (H) x 24mm (D) Weight: <60g
Operating Voltage	9V ~ 18V (13.5V nominal)
Power Consumption	150mA @ 12V

Installation



Note! Keep the distance at least 20cm from all persons.

Federal Communication Commission Interference Statement

This device (Model Name: UOC-AVX1-S; FCC ID: NKRCCOBD2S) complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC Caution: Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.

Radiation Exposure Statement:

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.