


Highest-edge

Band		n260		Component Carriers		1CC	
Modulation		QPSK		RB		1RB65	
Beam ID	Frequency (GHz)	EIRP Value (dBm)	Array Gain (dBi)	Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
164	40.00005	-0.298	8.88	-9.178	-5	-4.178	Pass
	40.01395	-12.094	8.88	-20.974	-13	-7.974	Pass
184	40.00020	-0.587	8.88	-9.467	-5	-4.467	Pass
	40.01395	-14.687	8.88	-23.567	-13	-10.567	Pass
189	40.00005	-4.045	8.88	-12.925	-5	-7.925	Pass
	40.01605	-13.302	8.88	-22.182	-13	-9.182	Pass
40+164	40.00010	-2.683	8.88	-11.563	-5	-6.563	Pass
	40.00730	-12.273	8.88	-21.153	-13	-8.153	Pass
58+184	40.00030	-0.107	8.88	-8.987	-5	-3.987	Pass
	40.01395	-12.860	8.88	-21.740	-13	-8.740	Pass
61+189	40.00015	0.737	8.88	-8.143	-5	-3.143	Pass
	40.00920	-13.661	8.88	-22.541	-13	-9.541	Pass

Note: The Conducted Power = EIRP-Array Gain




Highest-edge


Band		n260		Component Carriers		2CC	
Modulation		QPSK		RB		1RB65	
Beam ID	Frequency (GHz)	EIRP Value (dBm)	Array Gain (dBi)	Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
164	40.00335	-12.115	8.88	-20.995	-5	-15.995	Pass
	40.01755	-11.810	8.88	-20.690	-13	-7.690	Pass
184	40.00160	-11.782	8.88	-20.662	-5	-15.662	Pass
	40.00930	-12.975	8.88	-21.855	-13	-8.855	Pass
189	40.00040	-10.501	8.88	-19.381	-5	-14.381	Pass
	40.02215	-10.534	8.88	-19.414	-13	-6.414	Pass
40+164	40.00005	-11.476	8.88	-20.356	-5	-15.356	Pass
	40.01680	-12.646	8.88	-21.526	-13	-8.526	Pass
58+184	40.00010	-11.728	8.88	-20.608	-5	-15.608	Pass
	40.00975	-12.499	8.88	-21.379	-13	-8.379	Pass
61+189	40.00340	-12.654	8.88	-21.534	-5	-16.534	Pass
	40.01265	-12.101	8.88	-20.981	-13	-7.981	Pass

Note: The Conducted Power = EIRP-Array Gain


Beam 164




Beam 184




Beam 189




Beam 40+164



Beam 58+184




Beam 61+189



Highest-edge

Band		n260		Component Carriers		4CC	
Modulation		QPSK		RB		1RB65	
Beam ID	Frequency (GHz)	EIRP Value (dBm)	Array Gain (dBi)	Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
164	40.00045	-13.369	8.88	-22.249	-5	-17.249	Pass
	40.01060	-13.300	8.88	-22.180	-13	-9.180	Pass
184	40.00160	-12.039	8.88	-20.919	-5	-15.919	Pass
	40.00735	-13.193	8.88	-22.073	-13	-9.073	Pass
189	40.00225	-12.982	8.88	-21.862	-5	-16.862	Pass
	40.01140	-12.930	8.88	-21.810	-13	-8.810	Pass

Note: The Conducted Power = EIRP-Array Gain



Highest-edge


BAND		n260		Component Carriers		1CC	
MODULATION		QPSK		RB		66RB	
Beam ID	Frequency (GHz)	EIRP Value (dBm)	Array Gain (dBi)	Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
164	40.00075	-12.718	8.88	-21.598	-5	-16.598	Pass
	40.00965	-12.863	8.88	-21.743	-13	-8.743	Pass
184	40.00025	-11.474	8.88	-20.354	-5	-15.354	Pass
	40.01355	-11.641	8.88	-20.521	-13	-7.521	Pass
189	40.00435	-12.720	8.88	-21.600	-5	-16.600	Pass
	40.01600	-12.031	8.88	-20.911	-13	-7.911	Pass
40+164	40.00035	-12.053	8.88	-20.933	-5	-15.933	Pass
	40.10170	-13.249	8.88	-22.129	-13	-9.129	Pass
58+184	40.00070	-12.278	8.88	-21.158	-5	-16.158	Pass
	40.01195	-11.943	8.88	-20.823	-13	-7.823	Pass
61+189	40.00040	-12.605	8.88	-21.485	-5	-16.485	Pass
	40.02110	-11.668	8.88	-20.548	-13	-7.548	Pass

Note: The Conducted Power = EIRP-Array Gain

Beam 164




Beam 184




Beam 189



Beam 40+164



Beam 58+184



Beam 61+189



Highest-edge


BAND		n260		Component Carriers		2CC	
MODULATION		QPSK		RB		66RB	
Beam ID	Frequency (GHz)	EIRP Value (dBm)	Array Gain (dBi)	Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
164	40.00330	-12.711	8.88	-21.591	-5	-16.591	Pass
	40.02150	-12.614	8.88	-21.494	-13	-8.494	Pass
184	40.00050	-14.900	8.88	-23.780	-5	-18.780	Pass
	40.01330	-11.891	8.88	-20.771	-13	-7.771	Pass
189	40.00405	-13.606	8.88	-22.486	-5	-17.486	Pass
	40.00870	-10.893	8.88	-19.773	-13	-6.773	Pass
40+164	40.00330	-11.576	8.88	-20.456	-5	-15.456	Pass
	40.01755	-12.412	8.88	-21.292	-13	-8.292	Pass
58+184	40.00275	-12.804	8.88	-21.684	-5	-16.684	Pass
	40.01395	-11.618	8.88	-20.498	-13	-7.498	Pass
61+189	40.00245	-11.918	8.88	-20.798	-5	-15.798	Pass
	40.00800	-11.513	8.88	-20.393	-13	-7.393	Pass

Note: The Conducted Power = EIRP-Array Gain


Beam 164




Beam 184




Beam 189



Beam 40+164



Beam 58+184




Beam 61+189



Highest-edge

BAND		n260		Component Carriers		4CC	
MODULATION		QPSK		RB		66RB	
Beam ID	Frequency (GHz)	EIRP Value (dBm)	Array Gain (dBi)	Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
164	40.00040	-13.879	8.88	-22.759	-5	-17.759	Pass
	40.00825	-11.870	8.88	-20.750	-13	-7.750	Pass
184	40.00165	-13.634	8.88	-22.514	-5	-17.514	Pass
	40.01135	-12.648	8.88	-21.528	-13	-8.528	Pass
189	40.00400	-13.259	8.88	-22.139	-5	-17.139	Pass
	40.00795	-13.349	8.88	-22.229	-13	-9.229	Pass


Note: The Conducted Power = EIRP-Array Gain



Lowest-edge

Band		n261		Component Carriers		1CC	
Modulation		QPSK		RB		1RB0	
Beam ID	Frequency (GHz)	EIRP Value (dBm)	Array Gain (dBi)	Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
39	27.49580	-17.27100	10.33	-27.6010	-5	-22.601	Pass
	27.49165	-16.36300	10.33	-26.6930	-13	-13.693	Pass
47	27.49585	-16.15800	10.33	-26.4880	-5	-21.488	Pass
	27.48875	-16.16800	10.33	-26.4980	-13	-13.498	Pass
56	27.49835	-16.27900	10.33	-26.6090	-5	-21.609	Pass
	27.49055	-16.28000	10.33	-26.6100	-13	-13.610	Pass
39+167	27.49830	-19.44900	10.33	-29.7790	-5	-24.779	Pass
	27.48440	-19.10800	10.33	-29.4380	-13	-16.438	Pass
47+176	27.49540	-19.79200	10.33	-30.1220	-5	-25.122	Pass
	27.49145	-19.14600	10.33	-29.4760	-13	-16.476	Pass
56+184	27.49985	-19.15100	10.33	-29.4810	-5	-24.481	Pass
	27.48120	-18.76800	10.33	-29.0980	-13	-16.098	Pass

Note: The Conducted Power = EIRP-Array Gain



Lowest-edge

Band		n261		Component Carriers		2CC	
Modulation		QPSK		RB		1RB0	
Beam ID	Frequency (GHz)	EIRP Value (dBm)	Array Gain (dBi)	Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
39	27.49660	-20.586	10.33	-30.916	-5	-25.916	Pass
	27.49220	-19.546	10.33	-29.876	-13	-16.876	Pass
47	27.49595	-20.577	10.33	-30.907	-5	-25.907	Pass
	27.49130	-20.082	10.33	-30.412	-13	-17.412	Pass
56	27.49630	-20.109	10.33	-30.439	-5	-25.439	Pass
	27.48850	-19.299	10.33	-29.629	-13	-16.629	Pass
39+167	27.49940	-19.773	10.33	-30.103	-5	-25.103	Pass
	27.48265	-19.997	10.33	-30.327	-13	-17.327	Pass
47+176	27.49970	-20.324	10.33	-30.654	-5	-25.654	Pass
	27.48775	-19.714	10.33	-30.044	-13	-17.044	Pass
56+184	27.49510	-19.251	10.33	-29.581	-5	-24.581	Pass
	27.48710	-19.266	10.33	-29.596	-13	-16.596	Pass

Note: The Conducted Power = EIRP-Array Gain


Beam 39




Beam 47




Beam 56




Beam 39+167



Beam 47+176




Beam 56+184



Lowest-edge

Band		n261		Component Carriers		4CC	
Modulation		QPSK		RB		1RB0	
Beam ID	Frequency (GHz)	EIRP Value (dBm)	Array Gain (dBi)	Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
39	27.49650	-19.688	10.33	-30.018	-5	-25.018	Pass
	27.48205	-19.901	10.33	-30.231	-13	-17.231	Pass
47	27.49750	-19.465	10.33	-29.795	-5	-24.795	Pass
	27.48455	-21.315	10.33	-31.645	-13	-18.645	Pass
56	27.49715	-18.989	10.33	-29.319	-5	-24.319	Pass
	27.48180	-19.827	10.33	-30.157	-13	-17.157	Pass


Note: The Conducted Power = EIRP-Array Gain



Lowest-edge

BAND		n261		Component Carriers		1CC	
MODULATION		QPSK		RB		66RB	
Beam ID	Frequency (GHz)	EIRP Value (dBm)	Array Gain (dBi)	Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
39	27.499350	-20.859	10.33	-31.189	-5	-26.189	Pass
	27.491700	-22.154	10.33	-32.484	-13	-19.484	Pass
47	27.495450	-18.612	10.33	-28.942	-5	-23.942	Pass
	27.477450	-18.336	10.33	-28.666	-13	-15.666	Pass
56	27.499050	-17.932	10.33	-28.262	-5	-23.262	Pass
	27.483150	-18.607	10.33	-28.937	-13	-15.937	Pass
39+167	27.496400	-16.731	10.33	-27.061	-5	-22.061	Pass
	27.488900	-17.627	10.33	-27.957	-13	-14.957	Pass
47+176	27.498850	-17.067	10.33	-27.397	-5	-22.397	Pass
	27.494550	-16.969	10.33	-27.299	-13	-14.299	Pass
56+184	27.497600	-16.702	10.33	-27.032	-5	-22.032	Pass
	27.479850	-14.681	10.33	-25.011	-13	-12.011	Pass


Note: The Conducted Power = EIRP-Array Gain



Lowest-edge

BAND		n261		Component Carriers		2CC	
MODULATION		QPSK		RB		66RB	
Beam ID	Frequency (GHz)	EIRP Value (dBm)	Array Gain (dBi)	Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
39	27.49605	-16.799	10.33	-27.129	-5	-22.129	Pass
	27.48920	-16.942	10.33	-27.272	-13	-14.272	Pass
47	27.49585	-17.913	10.33	-28.243	-5	-23.243	Pass
	27.48525	-18.471	10.33	-28.801	-13	-15.801	Pass
56	27.49605	-18.626	10.33	-28.956	-5	-23.956	Pass
	27.49415	-17.391	10.33	-27.721	-13	-14.721	Pass
39+167	27.49980	-17.834	10.33	-28.164	-5	-23.164	Pass
	27.49380	-17.181	10.33	-27.511	-13	-14.511	Pass
47+176	27.49595	-17.947	10.33	-28.277	-5	-23.277	Pass
	27.49230	-17.398	10.33	-27.728	-13	-14.728	Pass
56+184	27.49820	-17.823	10.33	-28.153	-5	-23.153	Pass
	27.49480	-17.157	10.33	-27.487	-13	-14.487	Pass

Note: The Conducted Power = EIRP-Array Gain



Lowest-edge

BAND		n261		Component Carriers		4CC	
MODULATION		QPSK		RB		66RB	
Beam ID	Frequency (GHz)	EIRP Value (dBm)	Array Gain (dBi)	Conducted Power (dBm)	Limit (dBm)	Margin (dB)	Result
39	27.49855	-16.904	10.33	-27.234	-5	-22.234	Pass
	27.47985	-17.262	10.33	-27.592	-13	-14.592	Pass
47	27.49755	-17.136	10.33	-27.466	-5	-22.466	Pass
	27.49460	-16.632	10.33	-26.962	-13	-13.962	Pass
56	27.49630	-16.152	10.33	-26.482	-5	-21.482	Pass
	27.48755	-16.770	10.33	-27.100	-13	-14.100	Pass

Note: The Conducted Power = EIRP-Array Gain

