



American Telecommunications Certification Body Inc.
6731 Whittier Ave, McLean, VA 22101

September 2, 2003

RE: Winstron Ne Web

FCC ID: NKRRT200G

I have a few comments on this Application.

- 1.) The Manual seems to indicate that this device can be programmed according to differing regulatory requirements and begin transmission. This is not permitted. Access to channels outside of the 11 channel US 802.11b/g allocation is not permitted. Describe precautions that will prevent this device being set to an illegal channel and begin transmission. Please be advised that the use of Channels 12 and 13 will be a violation of the sensitive Restricted Bands of 15.205.
- 2.) The Block Diagram does not address specifically the 802.11g radio. Please submit additional material.
- 3.) The Schematics do not include the 802.11g radio. Please submit additional material.
- 4.) The RF Pout seems to wildly fluctuate depending on the data rate and channel. This appears unusually large. Could you please confirm the Pout using either a peak power meter with video bandwidth larger than the 6dB points of the emission under measurement, or using the diode detector/signal generator substitution method?

William H. Graff
President and Examining Engineer

[mailto: whgraff@AmericanTCB.com](mailto:whgraff@AmericanTCB.com)

The items indicated above must be submitted before processing can continue on the above referenced application. Failure to provide the requested information may result in application termination. Correspondence should be considered part of the permanent submission and may be viewed from the Internet after a Grant of Equipment Authorization is issued.

Please do not respond to this correspondence using the email reply button. In order for your response to be processed expeditiously, you must submit your documents through the AmericanTCB.com website. Also, please note that partial responses increase processing time and should not be submitted.

Any questions about the content of this correspondence should be directed to the sender.