


Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 45度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	378.230	27.01	-18.99	46.00	35.70	4.16	15.00	27.85	Peak	---	---
2	598.420	28.88	-17.12	46.00	32.00	5.25	20.03	28.40	Peak	---	---
3	858.380	28.28	-17.72	46.00	30.14	5.91	20.00	27.77	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 90° / Mode 4		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 90度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	590.660	26.51	-19.49	46.00	29.88	5.22	19.81	28.40	Peak	---	---
2	807.940	27.32	-18.68	46.00	29.60	5.54	20.15	27.97	Peak	---	---
3	987.390	30.68	-23.32	54.00	29.60	6.14	22.19	27.25	Peak	---	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 90度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	273.470	24.22	-21.78	46.00	34.72	3.62	13.26	27.38	Peak	---	---
2	634.310	26.88	-19.12	46.00	30.31	5.24	19.69	28.36	Peak	---	---
3	925.310	28.99	-17.01	46.00	29.90	6.04	20.55	27.50	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/135° / Mode 4		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 135度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	598.420	26.51	-19.49	46.00	29.63	5.25	20.03	28.40	Peak	---	---
2	805.030	27.61	-18.39	46.00	29.91	5.52	20.16	27.98	Peak	---	---
3	963.140	30.16	-23.84	54.00	29.90	6.06	21.55	27.35	Peak	---	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 135度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	378.230	25.52	-20.48	46.00	34.21	4.16	15.00	27.85	Peak	---	---
2	598.420	27.66	-18.34	46.00	30.78	5.25	20.03	28.40	Peak	---	---
3	991.270	30.72	-23.28	54.00	29.52	6.15	22.29	27.24	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 180° / Mode 4		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 180度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	598.420	26.36	-19.64	46.00	29.48	5.25	20.03	28.40	Peak	---	---
2	893.300	28.26	-17.74	46.00	29.95	6.04	19.90	27.63	Peak	---	---
3	987.390	31.83	-22.17	54.00	30.75	6.14	22.19	27.25	Peak	---	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 180度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	378.230	27.58	-18.42	46.00	36.27	4.16	15.00	27.85	Peak	---	---
2	598.420	29.32	-16.68	46.00	32.44	5.25	20.03	28.40	Peak	---	---
3	967.020	29.92	-24.08	54.00	29.52	6.08	21.65	27.33	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 225° / Mode 4		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 225度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	462.620	26.01	-19.99	46.00	33.13	4.54	16.59	28.25	Peak	---	---
2	838.980	28.07	-17.93	46.00	30.06	5.79	20.06	27.84	Peak	---	---
3	987.390	31.40	-22.60	54.00	30.32	6.14	22.19	27.25	Peak	---	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 225度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		cm	deg
1	378.230	26.96	-19.04	46.00	35.65	4.16	15.00	27.85	Peak	---	---
2	598.420	29.02	-16.98	46.00	32.14	5.25	20.03	28.40	Peak	---	---
3	986.420	30.72	-23.28	54.00	29.67	6.14	22.16	27.25	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 270° / Mode 4		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 270度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	595.510	27.03	-18.97	46.00	30.24	5.24	19.95	28.40	Peak	---	---
2	842.860	27.29	-18.71	46.00	29.24	5.83	20.05	27.83	Peak	---	---
3	991.270	30.71	-23.29	54.00	29.51	6.15	22.29	27.24	Peak	---	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 270度

Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	245.340	25.02	-20.98	46.00	36.54	3.38	12.56	27.46 Peak	---	---
2	378.230	26.16	-19.84	46.00	34.85	4.16	15.00	27.85 Peak	---	---
3	626.550	28.18	-17.82	46.00	31.53	5.24	19.78	28.37 Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 315° / Mode 4		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 315度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	474.260	25.99	-20.01	46.00	32.90	4.57	16.82	28.30	Peak	---	---
2	644.980	26.77	-19.23	46.00	30.32	5.23	19.57	28.35	Peak	---	---
3	940.830	30.27	-15.73	46.00	30.71	6.03	20.96	27.43	Peak	---	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 315度

Peak	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	378.230	25.40	-20.60	46.00	34.09	4.16	15.00	27.85	Peak	---	---
2	645.950	27.04	-18.96	46.00	30.60	5.23	19.56	28.35	Peak	---	---
3	991.270	30.25	-23.75	54.00	29.05	6.15	22.29	27.24	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 0° / Mode 5		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 0度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	413.150	26.42	-19.58	46.00	34.53	4.35	15.59	28.05	Peak	---	---
2	610.060	29.59	-16.41	46.00	32.76	5.25	19.97	28.39	Peak	---	---
3	801.150	28.53	-17.47	46.00	30.87	5.48	20.17	27.99	Peak	---	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 0度

Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	299.660	26.12	-19.88	46.00	35.77	3.85	13.80	27.30 Peak	---	---
2	474.260	26.82	-19.18	46.00	33.73	4.57	16.82	28.30 Peak	---	---
3	586.780	28.12	-17.88	46.00	31.61	5.20	19.71	28.40 Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 45° / Mode 5		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 45度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	71.710	28.91	-11.09	40.00	48.01	1.96	7.10	28.16	Peak	---	---
2	502.390	27.59	-18.41	46.00	33.94	4.65	17.40	28.40	Peak	---	---
3	610.060	28.74	-17.26	46.00	31.91	5.25	19.97	28.39	Peak	---	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 45度

Peak	Freq MHz	Level dBuV/m	Over Limit dB	Limit Line dBuV/m	Read Level dBuV	Cable Loss dB	Probe Factor dB	Preamp Factor dB	Remark	Ant Pos cm	Table Pos deg
1	214.300	23.93	-19.57	43.50	37.08	3.25	11.16	27.56	Peak	---	---
2	358.830	25.20	-20.80	46.00	34.16	4.05	14.70	27.71	Peak	---	---
3	575.140	29.66	-16.34	46.00	33.53	5.14	19.39	28.40	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 90° / Mode 5		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 90度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBUV/m	dB	dBUV/m	dBUV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	78.500	27.55	-12.45	40.00	46.09	2.03	7.57	28.14	Peak	---	---
2	586.780	31.62	-14.38	46.00	35.11	5.20	19.71	28.40	Peak	---	---
3	801.150	30.41	-15.59	46.00	32.75	5.48	20.17	27.99	Peak	---	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 90度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		cm	deg
1	334.580	24.71	-21.29	46.00	33.96	3.96	14.33	27.54	Peak	---	---
2	466.500	26.62	-19.38	46.00	33.66	4.55	16.67	28.26	Peak	---	---
3	598.420	30.51	-15.49	46.00	33.63	5.25	20.03	28.40	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 135° / Mode 5		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 135度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	44.550	27.55	-12.45	40.00	41.91	1.55	12.30	28.21	Peak	---	---
2	423.820	26.66	-19.34	46.00	34.55	4.39	15.81	28.09	Peak	---	---
3	563.500	27.61	-18.39	46.00	31.85	5.09	19.07	28.40	Peak	---	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 135度

Peak	Freq MHz	Level dBuV/m	Over Limit dB	Limit Line dBuV/m	Read Level dBuV	Cable Loss dB	Probe Factor dB	Preamp Factor dB	Remark	Ant Pos cm	Table Pos deg
1	44.550	28.85	-11.15	40.00	43.21	1.55	12.30	28.21	Peak	---	---
2	326.820	24.25	-21.75	46.00	33.59	3.93	14.21	27.48	Peak	---	---
3	610.060	29.78	-16.22	46.00	32.95	5.25	19.97	28.39	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 180° / Mode 5		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 180度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	607.150	26.61	-19.39	46.00	29.74	5.26	20.00	28.39	Peak	---	---
2	792.420	27.54	-18.46	46.00	29.97	5.52	20.07	28.02	Peak	---	---
3	991.270	31.29	-22.71	54.00	30.09	6.15	22.29	27.24	Peak	---	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 180度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	323.910	24.37	-21.63	46.00	33.73	3.93	14.17	27.46	Peak	---	---
2	431.580	27.58	-18.42	46.00	35.31	4.43	15.96	28.12	Peak	---	---
3	610.060	30.38	-15.62	46.00	33.55	5.25	19.97	28.39	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 225° / Mode 5		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 225度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	74.620	29.96	-10.04	40.00	48.81	2.00	7.30	28.15	Peak	---	---
2	575.140	26.43	-19.57	46.00	30.30	5.14	19.39	28.40	Peak	---	---
3	823.460	27.85	-18.15	46.00	29.99	5.67	20.10	27.91	Peak	---	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 225度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	323.910	24.39	-21.61	46.00	33.75	3.93	14.17	27.46	Peak	---	---
2	502.390	26.92	-19.08	46.00	33.27	4.65	17.40	28.40	Peak	---	---
3	598.420	28.04	-17.96	46.00	31.16	5.25	20.03	28.40	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 270° / Mode 5		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 270度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	75.590	24.29	-15.71	40.00	43.06	2.01	7.37	28.15	Peak	---	---
2	575.140	31.59	-14.41	46.00	35.46	5.14	19.39	28.40	Peak	---	---
3	815.700	30.33	-15.67	46.00	32.55	5.60	20.12	27.94	Peak	---	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 270度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		cm	deg
1	214.300	26.16	-17.34	43.50	39.31	3.25	11.16	27.56	Peak	---	---
2	330.700	26.72	-19.28	46.00	36.01	3.95	14.27	27.51	Peak	---	---
3	610.060	29.22	-16.78	46.00	32.39	5.25	19.97	28.39	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 315° / Mode 5		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 315度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	338.460	24.52	-21.48	46.00	33.72	3.97	14.39	27.56	Peak	---	---
2	586.780	30.17	-15.83	46.00	33.66	5.20	19.71	28.40	Peak	---	---
3	827.340	29.56	-16.44	46.00	31.66	5.70	20.09	27.89	Peak	---	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 315度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	311.300	27.53	-18.47	46.00	37.03	3.89	13.98	27.37	Peak	---	---
2	413.150	28.36	-17.64	46.00	36.47	4.35	15.59	28.05	Peak	---	---
3	575.140	34.47	-11.53	46.00	38.34	5.14	19.39	28.40	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 0° / Mode 6		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 0度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	296.750	29.05	-16.95	46.00	38.79	3.83	13.74	27.31	Peak	---	---
2	595.510	28.48	-17.52	46.00	31.69	5.24	19.95	28.40	Peak	---	---
3	902.030	35.16	-10.84	46.00	36.76	6.06	19.93	27.59	Peak	---	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD EXION
 Memo : Large CAR
 Memo : 0度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	59.100	29.79	-10.21	40.00	48.73	1.84	7.40	28.18	Peak	---	---
2	308.390	26.73	-19.27	46.00	36.27	3.88	13.93	27.35	Peak	---	---
3	598.420	31.18	-14.82	46.00	34.30	5.25	20.03	28.40	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 45° / Mode 6		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 45度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	62.980	35.62	-4.38	40.00	54.78	1.93	7.08	28.17	Peak	---	---
2	598.420	30.61	-15.39	46.00	33.73	5.25	20.03	28.40	Peak	---	---
3	885.540	32.97	-13.03	46.00	34.70	6.01	19.92	27.66	Peak	---	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD EXION
 Memo : Large CAR
 Memo : 45度

Peak	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	277.350	27.94	-18.06	46.00	38.32	3.65	13.34	27.37	Peak	---	---
2	598.420	30.37	-15.63	46.00	33.49	5.25	20.03	28.40	Peak	---	---
3	881.660	32.55	-13.45	46.00	34.29	6.00	19.93	27.67	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 90° / Mode 6		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 90度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	295.780	30.02	-15.98	46.00	39.80	3.82	13.72	27.32	Peak	---	---
2	586.780	30.24	-15.76	46.00	33.73	5.20	19.71	28.40	Peak	---	---
3	890.390	33.57	-12.43	46.00	35.27	6.03	19.91	27.64	Peak	---	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 90度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	35.820	31.33	-8.67	40.00	43.81	1.33	14.43	28.24	Peak	---	---
2	295.780	30.40	-15.60	46.00	40.18	3.82	13.72	27.32	Peak	---	---
3	885.540	32.95	-13.05	46.00	34.68	6.01	19.92	27.66	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 135° / Mode 6		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD EXION
 Memo : Large CAR
 Memo : 135度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	59.100	28.96	-11.04	40.00	47.90	1.84	7.40	28.18	Peak	---	---
2	300.630	31.28	-14.72	46.00	40.91	3.86	13.81	27.30	Peak	---	---
3	587.750	30.53	-15.47	46.00	33.99	5.20	19.74	28.40	Peak	---	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 135度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	59.100	28.13	-11.87	40.00	47.07	1.84	7.40	28.18	Peak	---	---
2	296.750	31.78	-14.22	46.00	41.52	3.83	13.74	27.31	Peak	---	---
3	622.670	27.88	-18.12	46.00	31.19	5.25	19.82	28.38	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 180° / Mode 6		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 180度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		cm	deg
1	303.540	26.40	-19.60	46.00	35.99	3.87	13.86	27.32	Peak	---	---
2	607.150	26.65	-19.35	46.00	29.78	5.26	20.00	28.39	Peak	---	---
3	901.060	31.08	-14.92	46.00	32.70	6.06	19.91	27.59	Peak	---	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID: NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 180度

Peak	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	284.140	28.02	-17.98	46.00	38.18	3.71	13.48	27.35	Peak	---	---
2	598.420	27.10	-18.90	46.00	30.22	5.25	20.03	28.40	Peak	---	---
3	881.660	30.02	-15.98	46.00	31.76	6.00	19.93	27.67	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 225° / Mode 6		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 225度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	59.100	28.65	-11.35	40.00	47.59	1.84	7.40	28.18	Peak	---	---
2	307.420	28.32	-17.68	46.00	37.87	3.88	13.92	27.35	Peak	---	---
3	587.750	28.69	-17.31	46.00	32.15	5.20	19.74	28.40	Peak	---	---

Vertical




Site : 10CH01-HY
Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
Model : ST4TK1
Memo : FCC ID:NKRUPAST410
Memo : FM 96.9M
Memo : FORD IXION
Memo : Large CAR
Memo : 225度

Peak	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	288.020	29.34	-16.66	46.00	39.37	3.75	13.56	27.34	Peak	---	---
2	591.630	28.24	-17.76	46.00	31.58	5.22	19.84	28.40	Peak	---	---
3	898.150	31.67	-14.33	46.00	33.33	6.06	19.89	27.61	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 270° / Mode 6		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 270度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		cm	deg
1	296.750	29.92	-16.08	46.00	39.66	3.83	13.74	27.31	Peak	---	---
2	610.060	29.38	-16.62	46.00	32.55	5.25	19.97	28.39	Peak	---	---
3	897.180	34.05	-11.95	46.00	35.72	6.05	19.89	27.61	Peak	---	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD EXION
 Memo : Large CAR
 Memo : 270度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	47.460	33.61	-6.39	40.00	49.17	1.60	11.05	28.21	Peak	---	---
2	315.180	31.74	-14.26	46.00	41.20	3.90	14.04	27.40	Peak	---	---
3	590.660	29.12	-16.88	46.00	32.49	5.22	19.81	28.40	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 315° / Mode 6		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 315度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	295.780	30.88	-15.12	46.00	40.66	3.82	13.72	27.32	Peak	---	---
2	427.700	27.76	-18.24	46.00	35.57	4.41	15.89	28.11	Peak	---	---
3	598.420	30.31	-15.69	46.00	33.43	5.25	20.03	28.40	Peak	---	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 315度

Peak	Freq MHz	Level dBuV/m	Over Limit dB	Limit Line dBuV/m	Read Level dBuV	Cable Loss dB	Probe Factor dB	Preamp Factor dB	Remark	Ant Pos cm	Table Pos deg
1	55.220	30.50	-9.50	40.00	48.48	1.74	8.47	28.19	Peak	---	---
2	300.630	32.94	-13.06	46.00	42.57	3.86	13.81	27.30	Peak	---	---
3	590.660	29.15	-16.85	46.00	32.52	5.22	19.81	28.40	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 0° / Mode 7		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 107.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 0度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	607.150	26.58	-19.42	46.00	29.71	5.26	20.00	28.39	Peak	---	---
2	676.020	25.79	-20.21	46.00	29.51	5.39	19.21	28.32	Peak	---	---
3	839.950	28.53	-17.47	46.00	30.52	5.80	20.05	27.84	Peak	---	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 107.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 0度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	378.230	27.38	-18.62	46.00	36.07	4.16	15.00	27.85	Peak	---	---
2	598.420	29.52	-16.48	46.00	32.64	5.25	20.03	28.40	Peak	---	---
3	644.980	28.72	-17.28	46.00	32.27	5.23	19.57	28.35	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 45° / Mode 7		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 107.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 45度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	603.270	26.43	-19.57	46.00	29.52	5.26	20.05	28.40	Peak	---	---
2	815.700	28.39	-17.61	46.00	30.61	5.60	20.12	27.94	Peak	---	---
3	983.510	30.73	-23.27	54.00	29.78	6.13	22.08	27.26	Peak	---	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 107.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 45度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	378.230	27.88	-18.12	46.00	36.57	4.16	15.00	27.85	Peak	---	---
2	598.420	28.68	-17.32	46.00	31.80	5.25	20.03	28.40	Peak	---	---
3	990.300	31.09	-22.91	54.00	29.92	6.15	22.26	27.24	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 90° / Mode 7		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 107.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 90度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Ant	Table
	MHz	dBuV/m	Limit	Line	Level	Loss	Factor	Factor	Pos	Pos
			dB	dBuV/m	dBuV	dB	dB	dB	cm	deg
1	722.580	27.38	-18.62	46.00	30.78	5.62	19.21	28.23	Peak	---
2	828.310	29.28	-16.72	46.00	31.37	5.71	20.09	27.89	Peak	---
3	970.900	30.76	-23.24	54.00	30.23	6.09	21.75	27.31	Peak	---

Vertical



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 107.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 90度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	595.510	26.71	-19.29	46.00	29.92	5.24	19.95	28.40	Peak	---	---
2	832.190	27.82	-18.18	46.00	29.88	5.73	20.08	27.87	Peak	---	---
3	995.150	30.62	-23.38	54.00	29.28	6.17	22.39	27.22	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.