


Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 135° / Mode 7		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 107.9M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 135度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	603.270	27.03	-18.97	46.00	30.12	5.26	20.05	28.40	Peak	---	---
2	749.740	26.95	-19.05	46.00	29.83	5.73	19.54	28.15	Peak	---	---
3	873.900	28.73	-17.27	46.00	30.50	5.97	19.96	27.70	Peak	---	---

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 107.9M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 135度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	378.230	24.79	-21.21	46.00	33.48	4.16	15.00	27.85	Peak	---	---
2	547.980	25.90	-20.10	46.00	30.64	5.01	18.65	28.40	Peak	---	---
3	598.420	26.43	-19.57	46.00	29.55	5.25	20.03	28.40	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 180° / Mode 7		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 107.9M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 180度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	609.090	26.06	-19.94	46.00	29.22	5.25	19.98	28.39	Peak	---	---
2	816.670	27.78	-18.22	46.00	29.98	5.61	20.12	27.93	Peak	---	---
3	970.900	30.44	-23.56	54.00	29.91	6.09	21.75	27.31	Peak	---	---

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 107.9M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 180度

Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	55.220	25.54	-14.46	40.00	43.52	1.74	8.47	28.19 Peak	---	---
2	378.230	26.99	-19.01	46.00	35.68	4.16	15.00	27.85 Peak	---	---
3	598.420	27.21	-18.79	46.00	30.33	5.25	20.03	28.40 Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 225° / Mode 7		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 107.9M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 225度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	599.390	26.17	-19.83	46.00	29.27	5.25	20.05	28.40	Peak	---	---
2	824.430	27.38	-18.62	46.00	29.50	5.68	20.10	27.90	Peak	---	---
3	948.590	29.82	-16.18	46.00	30.04	6.02	21.16	27.40	Peak	---	---

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 107.9M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 225度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	378.230	27.10	-18.90	46.00	35.79	4.16	15.00	27.85	Peak	---	---
2	598.420	28.10	-17.90	46.00	31.22	5.25	20.03	28.40	Peak	---	---
3	987.390	30.49	-23.51	54.00	29.41	6.14	22.19	27.25	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 270° / Mode 7		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 107.9M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 270度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp		Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor	Remark	Pos	Pos
						dB	dB	dB		cm	deg
1	590.660	27.02	-18.98	46.00	30.39	5.22	19.81	28.40	Peak	---	---
2	715.790	27.54	-18.46	46.00	31.07	5.60	19.12	28.25	Peak	---	---
3	979.630	30.99	-23.01	54.00	30.17	6.12	21.98	27.28	Peak	---	---

Vertical



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 107.9M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 270度


Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	55.220	27.29	-12.71	40.00	45.27	1.74	8.47	28.19 Peak	---	---
2	245.340	24.75	-21.25	46.00	36.27	3.38	12.56	27.46 Peak	---	---
3	378.230	26.25	-19.75	46.00	34.94	4.16	15.00	27.85 Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.



Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 315° / Mode 7		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST4TK1  
 Memo : FCC ID: NKRUPAST410  
 Memo : FM 107.9M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 315度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	611.030	27.32	-18.68	46.00	30.50	5.25	19.96	28.39	Peak	---	---
2	770.110	27.80	-18.20	46.00	30.46	5.63	19.80	28.09	Peak	---	---
3	866.140	28.31	-17.69	46.00	30.13	5.94	19.98	27.74	Peak	---	---

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 107.9M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 315度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	43.580	25.52	-14.48	40.00	39.65	1.52	12.57	28.22	Peak	---	---
2	378.230	25.64	-20.36	46.00	34.33	4.16	15.00	27.85	Peak	---	---
3	595.510	26.37	-19.63	46.00	29.58	5.24	19.95	28.40	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 0° / Mode 8		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 107.9M  
 Memo : Mitsubishi (LANCER GLXi)  
 Memo : Small CAR  
 Memo : 0度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		cm	deg
1	420.910	25.08	-20.92	46.00	33.03	4.38	15.75	28.08	Peak	---	---
2	598.420	30.48	-15.52	46.00	33.60	5.25	20.03	28.40	Peak	---	---
3	801.150	28.68	-17.32	46.00	31.02	5.48	20.17	27.99	Peak	---	---

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 107.9M  
 Memo : Mitsubishi ( LANCER GLXi )  
 Memo : Small CAR  
 Memo : 0度

Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	299.660	26.43	-19.57	46.00	36.08	3.85	13.80	27.30 Peak	---	---
2	586.780	28.08	-17.92	46.00	31.57	5.20	19.71	28.40 Peak	---	---
3	815.700	29.47	-16.53	46.00	31.69	5.60	20.12	27.94 Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 45° / Mode 8		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 107.9M  
 Memo : Mitsubishi (LANCER GLXi)  
 Memo : Small CAR  
 Memo : 45度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		cm	deg
1	502.390	27.56	-18.44	46.00	33.91	4.65	17.40	28.40	Peak	---	---
2	575.140	29.27	-16.73	46.00	33.14	5.14	19.39	28.40	Peak	---	---
3	801.150	31.25	-14.75	46.00	33.59	5.48	20.17	27.99	Peak	---	---

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 107.9M  
 Memo : Mitsubishi ( LANCER GLXi )  
 Memo : Small CAR  
 Memo : 45度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	575.140	30.18	-15.82	46.00	34.05	5.14	19.39	28.40	Peak	---	---
2	777.870	28.19	-17.81	46.00	30.78	5.59	19.89	28.07	Peak	---	---
3	862.260	29.35	-16.65	46.00	31.18	5.93	19.99	27.75	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 90° / Mode 8		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 107.9M  
 Memo : Mitsubishi (LANCER GLXi)  
 Memo : Small CAR  
 Memo : 90度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	420.910	24.99	-21.01	46.00	32.94	4.38	15.75	28.08	Peak	---	---
2	586.780	30.72	-15.28	46.00	34.21	5.20	19.71	28.40	Peak	---	---
3	827.340	28.77	-17.23	46.00	30.87	5.70	20.09	27.89	Peak	---	---

Vertical



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 107.9M  
 Memo : Mitsubishi (LANCER GLXi)  
 Memo : Small CAR  
 Memo : 90度


Peak	Freq MHz	Level dBuV/m	Over Limit dB	Limit Line dBuV/m	Read Level dBuV	Cable Loss dB	Probe Factor dB	Preamp Factor dB	Remark	Ant Pos cm	Table Pos deg
1	202.660	23.70	-19.80	43.50	37.46	3.20	10.63	27.59	Peak	---	---
2	373.380	24.00	-22.00	46.00	32.75	4.14	14.92	27.81	Peak	---	---
3	598.420	29.90	-16.10	46.00	33.02	5.25	20.03	28.40	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.



Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 135° / Mode 8		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST4TK1  
 Memo : FCC ID: NKRUPAST410  
 Memo : FM 107.9M  
 Memo : Mitsubishi (LANCER GLXi)  
 Memo : Small CAR  
 Memo : 135度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		cm	deg
1	420.910	27.02	-18.98	46.00	34.97	4.38	15.75	28.08	Peak	---	---
2	586.780	27.33	-18.67	46.00	30.82	5.20	19.71	28.40	Peak	---	---
3	850.620	30.18	-15.82	46.00	32.07	5.89	20.02	27.80	Peak	---	---

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 107.9M  
 Memo : Mitsubishi (LANCER GLXi)  
 Memo : Small CAR  
 Memo : 135度

Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	326.820	24.13	-21.87	46.00	33.47	3.93	14.21	27.48 Peak	---	---
2	420.910	24.53	-21.47	46.00	32.48	4.38	15.75	28.08 Peak	---	---
3	598.420	29.83	-16.17	46.00	32.95	5.25	20.03	28.40 Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 180° / Mode 8		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 107.9M  
 Memo : Mitsubishi (LANCER GLXi)  
 Memo : Small CAR  
 Memo : 180度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		cm	deg
1	334.580	23.92	-22.08	46.00	33.17	3.96	14.33	27.54	Peak	---	---
2	598.420	26.96	-19.04	46.00	30.08	5.25	20.03	28.40	Peak	---	---
3	956.350	29.84	-16.16	46.00	29.80	6.04	21.37	27.37	Peak	---	---

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 107.9M  
 Memo : Mitsubishi (LANCER GLXi)  
 Memo : Small CAR  
 Memo : 180度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	327.790	24.44	-21.56	46.00	33.76	3.94	14.23	27.49	Peak	---	---
2	428.670	26.54	-19.46	46.00	34.33	4.41	15.91	28.11	Peak	---	---
3	610.060	30.62	-15.38	46.00	33.79	5.25	19.97	28.39	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 225° / Mode 8		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 107.9M  
 Memo : Mitsubishi (LANCER GLXi)  
 Memo : Small CAR  
 Memo : 225度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	72.680	26.78	-13.22	40.00	45.79	1.97	7.17	28.15	Peak	---	---
2	377.260	25.10	-20.90	46.00	33.81	4.15	14.98	27.84	Peak	---	---
3	575.140	27.10	-18.90	46.00	30.97	5.14	19.39	28.40	Peak	---	---

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 107.9M  
 Memo : Mitsubishi (LANCER GLXi)  
 Memo : Small CAR  
 Memo : 225度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	323.910	26.37	-19.63	46.00	35.73	3.93	14.17	27.46	Peak	---	---
2	598.420	28.19	-17.81	46.00	31.31	5.25	20.03	28.40	Peak	---	---
3	784.660	28.59	-17.41	46.00	31.10	5.55	19.98	28.04	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 270° / Mode 8		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST4TK1  
 Memo : FCC ID: NKRUPAST410  
 Memo : FM 107.9M  
 Memo : Mitsubishi (LANCER GLXi)  
 Memo : Small CAR  
 Memo : 270度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	575.140	27.44	-18.56	46.00	31.31	5.14	19.39	28.40	Peak	---	---
2	711.910	26.82	-19.18	46.00	30.42	5.59	19.07	28.26	Peak	---	---
3	815.700	29.17	-16.83	46.00	31.39	5.60	20.12	27.94	Peak	---	---

Vertical



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 107.9M  
 Memo : Mitsubishi (LANCER GLXi)  
 Memo : Small CAR  
 Memo : 270度


Peak	Freq MHz	Level dBuV/m	Over Limit dB	Limit Line dBuV/m	Read Level dBuV	Cable Loss dB	Probe Factor dB	Preamp Factor dB	Remark	Ant Pos cm	Table Pos deg
1	194.900	24.37	-19.13	43.50	38.52	3.14	10.34	27.63	Peak	---	---
2	416.060	25.19	-20.81	46.00	33.24	4.36	15.65	28.06	Peak	---	---
3	598.420	28.22	-17.78	46.00	31.34	5.25	20.03	28.40	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.



Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 315° / Mode 8		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 107.9M  
 Memo : Mitsubishi (LANCER GLXi)  
 Memo : Small CAR  
 Memo : 315度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	48.430	23.85	-16.15	40.00	39.81	1.61	10.63	28.20	Peak	---	---
2	326.820	25.63	-20.37	46.00	34.97	3.93	14.21	27.48	Peak	---	---
3	586.780	29.98	-16.02	46.00	33.47	5.20	19.71	28.40	Peak	---	---

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST4TK1  
 Memo : FCC ID: NKRUPAST410  
 Memo : FM 107.9M  
 Memo : Mitsubishi (LANCER GLXi)  
 Memo : Small CAR  
 Memo : 315度

Peak	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	334.580	28.14	-17.86	46.00	37.39	3.96	14.33	27.54	Peak	---	---
2	416.060	29.37	-16.63	46.00	37.42	4.36	15.65	28.06	Peak	---	---
3	563.500	33.96	-12.04	46.00	38.20	5.09	19.07	28.40	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 0° / Mode 9		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST4TK1  
 Memo : FCC ID: NKRUPAST410  
 Memo : FM 107.9M  
 Memo : FORD EXION  
 Memo : Large CAR  
 Memo : 0度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	304.510	29.06	-16.94	46.00	38.65	3.87	13.87	27.33	Peak	---	---
2	579.990	27.81	-18.19	46.00	31.52	5.17	19.52	28.40	Peak	---	---
3	893.300	34.41	-11.59	46.00	36.10	6.04	19.90	27.63	Peak	---	---

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 107.9M  
 Memo : FORD EXION  
 Memo : Large CAR  
 Memo : 0度

Peak	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	59.100	29.52	-10.48	40.00	48.46	1.84	7.40	28.18	Peak	---	---
2	296.750	29.73	-16.27	46.00	39.47	3.83	13.74	27.31	Peak	---	---
3	594.540	31.07	-14.93	46.00	34.32	5.23	19.92	28.40	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 45° / Mode 9		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 107.9M  
 Memo : FORD EXION  
 Memo : Large CAR  
 Memo : 45度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	304.510	29.44	-16.56	46.00	39.03	3.87	13.87	27.33	Peak	---	---
2	603.270	29.53	-16.47	46.00	32.62	5.26	20.05	28.40	Peak	---	---
3	891.360	31.47	-14.53	46.00	33.16	6.03	19.91	27.63	Peak	---	---

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 107.9M  
 Memo : FORD EXION  
 Memo : Large CAR  
 Memo : 45度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	280.260	28.80	-17.20	46.00	39.09	3.67	13.40	27.36	Peak	---	---
2	598.420	30.11	-15.89	46.00	33.23	5.25	20.03	28.40	Peak	---	---
3	882.630	33.27	-12.73	46.00	35.01	6.00	19.93	27.67	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 90° / Mode 9		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 107.9M  
 Memo : FORD EXION  
 Memo : Large CAR  
 Memo : 90度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	296.750	30.57	-15.43	46.00	40.31	3.83	13.74	27.31	Peak	---	---
2	587.750	30.04	-15.96	46.00	33.50	5.20	19.74	28.40	Peak	---	---
3	893.300	33.55	-12.45	46.00	35.24	6.04	19.90	27.63	Peak	---	---

Vertical



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 107.9M  
 Memo : FORD IXION  
 Memo : Large CAR  
 Memo : 90度


	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		cm	deg
1	35.820	31.40	-8.60	40.00	43.88	1.33	14.43	28.24	Peak	---	---
2	295.780	30.52	-15.48	46.00	40.30	3.82	13.72	27.32	Peak	---	---
3	877.780	33.99	-12.01	46.00	35.76	5.98	19.94	27.69	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.



Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 135° / Mode 9		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST4TK1  
 Memo : FCC ID: NKRUPAST410  
 Memo : FM 107.9M  
 Memo : FORD EXION  
 Memo : Large CAR  
 Memo : 135度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	59.100	29.51	-10.49	40.00	48.45	1.84	7.40	28.18	Peak	---	---
2	300.630	31.09	-14.91	46.00	40.72	3.86	13.81	27.30	Peak	---	---
3	587.750	31.02	-14.98	46.00	34.48	5.20	19.74	28.40	Peak	---	---

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 107.9M  
 Memo : FORD IXION  
 Memo : Large CAR  
 Memo : 135度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	62.980	33.98	-6.02	40.00	53.14	1.93	7.08	28.17	Peak	---	---
2	299.660	30.96	-15.04	46.00	40.61	3.85	13.80	27.30	Peak	---	---
3	591.630	29.10	-16.90	46.00	32.44	5.22	19.84	28.40	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 180° / Mode 9		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 107.9M  
 Memo : FORD IXION  
 Memo : Large CAR  
 Memo : 180度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		cm	deg
1	39.700	30.72	-9.28	40.00	43.87	1.43	13.65	28.23	Peak	---	---
2	300.630	26.32	-19.68	46.00	35.95	3.86	13.81	27.30	Peak	---	---
3	591.630	27.76	-18.24	46.00	31.10	5.22	19.84	28.40	Peak	---	---

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 107.9M  
 Memo : FORD IXION  
 Memo : Large CAR  
 Memo : 180度

Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	288.990	26.92	-19.08	46.00	36.92	3.76	13.58	27.34 Peak	---	---
2	598.420	28.27	-17.73	46.00	31.39	5.25	20.03	28.40 Peak	---	---
3	885.540	29.36	-16.64	46.00	31.09	6.01	19.92	27.66 Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 225° / Mode 9		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 107.9M  
 Memo : FORD IXION  
 Memo : Large CAR  
 Memo : 225度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	59.100	29.16	-10.84	40.00	48.10	1.84	7.40	28.18	Peak	---	---
2	288.020	28.84	-17.16	46.00	38.87	3.75	13.56	27.34	Peak	---	---
3	598.420	29.70	-16.30	46.00	32.82	5.25	20.03	28.40	Peak	---	---

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 107.9M  
 Memo : FORD IXION  
 Memo : Large CAR  
 Memo : 225度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	291.900	29.02	-16.98	46.00	38.92	3.79	13.64	27.33	Peak	---	---
2	641.100	28.97	-17.03	46.00	32.48	5.24	19.61	28.36	Peak	---	---
3	898.150	31.30	-14.70	46.00	32.96	6.06	19.89	27.61	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 270° / Mode 9		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 107.9M  
 Memo : FORD IXION  
 Memo : Large CAR  
 Memo : 270度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		cm	deg
1	315.180	31.18	-14.82	46.00	40.64	3.90	14.04	27.40	Peak	---	---
2	610.060	30.29	-15.71	46.00	33.46	5.25	19.97	28.39	Peak	---	---
3	878.750	32.63	-13.37	46.00	34.38	5.99	19.94	27.68	Peak	---	---

Vertical



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST4TK1  
 Memo : FCC ID: NKRUPAST410  
 Memo : FM 107.9M  
 Memo : FORD IXION  
 Memo : Large CAR  
 Memo : 270度


Peak	Freq MHz	Level dBuV/m	Over Limit dB	Limit Line dBuV/m	Read Level dBuV	Cable Loss dB	Probe Factor dB	Preamp Factor dB	Remark	Ant Pos cm	Table Pos deg
1	47.460	32.90	-7.10	40.00	48.46	1.60	11.05	28.21	Peak	---	---
2	295.780	32.19	-13.81	46.00	41.97	3.82	13.72	27.32	Peak	---	---
3	598.420	29.76	-16.24	46.00	32.88	5.25	20.03	28.40	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.



Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 315° / Mode 9		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST4TK1  
 Memo : FCC ID: NKRUPAST410  
 Memo : FM 107.9M  
 Memo : FORD IXION  
 Memo : Large CAR  
 Memo : 315度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	292.870	30.21	-15.79	46.00	40.08	3.79	13.66	27.32	Peak	---	---
2	595.510	30.83	-15.17	46.00	34.04	5.24	19.95	28.40	Peak	---	---
3	893.300	29.99	-16.01	46.00	31.68	6.04	19.90	27.63	Peak	---	---

Vertical



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 107.9M  
 Memo : FORD EXION  
 Memo : Large CAR  
 Memo : 315度


Peak	Freq MHz	Level dBuV/m	Over Limit dB	Limit Line dBuV/m	Read Level dBuV	Cable Loss dB	Probe Factor dB	Preamp Factor dB	Remark	Ant Pos cm	Table Pos deg
1	47.460	28.32	-11.68	40.00	43.88	1.60	11.05	28.21	Peak	---	---
2	303.540	32.76	-13.24	46.00	42.35	3.87	13.86	27.32	Peak	---	---
3	590.660	29.07	-16.93	46.00	32.44	5.22	19.81	28.40	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

### 3.2 Test Result of Field Strength of Fundamental Emissions

Temperature	20.3°C	Humidity	57.8%
Configurations	88.1 MHz/ 0° / Mode 1		


#### Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 88.1M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 0度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	88.080	33.00	-35.00	68.00	49.65	2.13	9.34	28.12	Peak	351	---
2	88.080	31.69	-16.31	48.00	48.34	2.13	9.34	28.12	Average	351	---

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 88.1M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 0度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	88.090	35.34	-32.66	68.00	51.99	2.13	9.34	28.12	Peak	100	---
2	88.090	34.24	-13.76	48.00	50.89	2.13	9.34	28.12	Average	100	---

Temperature	20.3°C	Humidity	57.8%
Configurations	88.1 MHz/ 45° / Mode 1		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 88.1M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 45度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	88.080	33.66	-34.34	68.00	50.31	2.13	9.34	28.12	Peak	388	---
2	88.080	32.81	-15.19	48.00	49.46	2.13	9.34	28.12	Average	388	---

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 88.1M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 45度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	88.080	32.91	-35.09	68.00	49.56	2.13	9.34	28.12	Peak	106	---
2	88.080	31.51	-16.49	48.00	48.16	2.13	9.34	28.12	Average	106	---

Temperature	20.3°C	Humidity	57.8%
Configurations	88.1 MHz/ 90° / Mode 1		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 88.1M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 90度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		cm	deg
1	88.090	30.02	-37.98	68.00	46.67	2.13	9.34	28.12	Peak	347	---
2	88.090	28.78	-19.22	48.00	45.43	2.13	9.34	28.12	Average	347	---

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 88.1M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 90度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	88.080	30.40	-37.60	68.00	47.05	2.13	9.34	28.12	Peak	106	---
2	88.080	29.37	-18.63	48.00	46.02	2.13	9.34	28.12	Average	106	---



Temperature	20.3°C	Humidity	57.8%
Configurations	88.1 MHz/ 135° / Mode 1		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 88.1M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 135度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	88.080	33.99	-34.01	68.00	50.64	2.13	9.34	28.12	Peak	344	135
2	88.080	33.23	-14.77	48.00	49.88	2.13	9.34	28.12	Average	344	135

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 88.1M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 135度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	88.080	32.79	-35.21	68.00	49.44	2.13	9.34	28.12	Peak	103	135
2	88.080	31.80	-16.20	48.00	48.45	2.13	9.34	28.12	Average	103	135

Temperature	20.3°C	Humidity	57.8%
Configurations	88.1 MHz/ 180° / Mode 1		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 88.1M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 180度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	88.080	27.38	-40.62	68.00	44.03	2.13	9.34	28.12	Peak	291	90
2	88.080	25.41	-22.59	48.00	42.06	2.13	9.34	28.12	Average	291	90

Vertical



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST4TK1  
 Memo : FCC ID:NKRUPAST410  
 Memo : FM 88.1M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 180度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	88.080	33.04	-34.96	68.00	49.69	2.13	9.34	28.12	Peak	105	90
2	88.080	32.23	-15.77	48.00	48.88	2.13	9.34	28.12	Average	105	90