


Temperature	20.3°C	Humidity	57.8%
Configurations	88.1 MHz/ 225° / Mode 1		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 88.1M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 225度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		cm	deg
1	88.090	33.58	-34.42	68.00	50.23	2.13	9.34	28.12	Peak	370	45
2	88.090	32.58	-15.42	48.00	49.23	2.13	9.34	28.12	Average	370	45

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 88.1M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 225度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	88.090	20.32	-47.68	68.00	36.97	2.13	9.34	28.12	Peak	100	45
2	88.090	16.80	-31.20	48.00	33.45	2.13	9.34	28.12	Average	100	45

Temperature	20.3°C	Humidity	57.8%
Configurations	88.1 MHz/ 270° / Mode 1		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 88.1M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 270度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		cm	deg
1	88.090	35.53	-32.47	68.00	52.18	2.13	9.34	28.12	Peak	354	0
2	88.090	34.48	-13.52	48.00	51.13	2.13	9.34	28.12	Average	354	0

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 88.1M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 270度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	88.080	36.69	-31.31	68.00	53.34	2.13	9.34	28.12	Peak	100	0
2	88.080	35.58	-12.42	48.00	52.23	2.13	9.34	28.12	Average	100	0

Temperature	20.3°C	Humidity	57.8%
Configurations	88.1 MHz/ 315° / Mode 1		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID: NKRUPAST410
 Memo : FM 88.1M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 315度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	88.090	33.38	-34.62	68.00	50.03	2.13	9.34	28.12	Peak	379	---
2	88.090	32.33	-15.67	48.00	48.98	2.13	9.34	28.12	Average	379	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 88.1M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 315度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	88.080	37.14	-30.86	68.00	53.79	2.13	9.34	28.12	Peak	114	---
2	88.080	36.24	-11.76	48.00	52.89	2.13	9.34	28.12	Average	114	---

Temperature	20.3°C	Humidity	57.8%
Configurations	88.1 MHz/ 0° / Mode 2		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 88.1M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 0度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	88.070	35.11	-32.89	68.00	51.76	2.13	9.34	28.12	Peak	350	---
2	88.070	33.81	-14.19	48.00	50.46	2.13	9.34	28.12	Average	350	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 88.1M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 0度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	88.070	36.47	-31.53	68.00	53.12	2.13	9.34	28.12	Peak	100	---
2	88.070	35.24	-12.76	48.00	51.89	2.13	9.34	28.12	Average	100	---

Temperature	20.3°C	Humidity	57.8%
Configurations	88.1 MHz/ 45° / Mode 2		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 88.1M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 45度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	88.070	27.13	-40.87	68.00	43.78	2.13	9.34	28.12	Peak	232	---
2	88.070	24.11	-23.89	48.00	40.76	2.13	9.34	28.12	Average	232	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 88.1M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 45度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	88.070	37.38	-30.62	68.00	54.03	2.13	9.34	28.12	Peak	100	---
2	88.070	35.81	-12.19	48.00	52.46	2.13	9.34	28.12	Average	100	---

Temperature	20.3°C	Humidity	57.8%
Configurations	88.1 MHz/ 90° / Mode 2		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 88.1M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 90度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	88.070	38.21	-29.79	68.00	54.86	2.13	9.34	28.12	Peak	219	---
2	88.070	36.59	-11.41	48.00	53.24	2.13	9.34	28.12	Average	219	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 88.1M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 90度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	88.070	42.49	-25.51	68.00	59.14	2.13	9.34	28.12	Peak	111	---
2	88.070	40.84	-7.16	48.00	57.49	2.13	9.34	28.12	Average	111	---

Temperature	20.3°C	Humidity	57.8%
Configurations	88.1 MHz/ 135° / Mode 2		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 88.1M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 135度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	88.070	38.51	-29.49	68.00	55.16	2.13	9.34	28.12	Peak	329	135
2	88.070	36.81	-11.19	48.00	53.46	2.13	9.34	28.12	Average	329	135

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 88.1M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 135度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	88.070	41.24	-26.76	68.00	57.89	2.13	9.34	28.12	Peak	107	135
2	88.070	39.50	-8.50	48.00	56.15	2.13	9.34	28.12	Average	107	135

Temperature	20.3°C	Humidity	57.8%
Configurations	88.1 MHz/ 180° / Mode 2		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 88.1M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 180度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		cm	deg
1	88.070	26.69	-41.31	68.00	43.34	2.13	9.34	28.12	Peak	363	90
2	88.070	24.41	-23.59	48.00	41.06	2.13	9.34	28.12	Average	363	90

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 88.1M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 180度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	88.070	37.32	-30.68	68.00	53.97	2.13	9.34	28.12	Peak	114	90
2	88.070	36.04	-11.96	48.00	52.69	2.13	9.34	28.12	Average	114	90

Temperature	20.3°C	Humidity	57.8%
Configurations	88.1 MHz/ 225° / Mode 2		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 88.1M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 225度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	88.070	35.02	-32.98	68.00	51.67	2.13	9.34	28.12	Peak	199	45
2	88.070	33.32	-14.68	48.00	49.97	2.13	9.34	28.12	Average	199	45

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 88.1M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 225度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	88.070	39.21	-28.79	68.00	55.86	2.13	9.34	28.12	Peak	104	45
2	88.070	37.78	-10.22	48.00	54.43	2.13	9.34	28.12	Average	104	45

Temperature	20.3°C	Humidity	57.8%
Configurations	88.1 MHz/ 270° / Mode 2		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 88.1M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 270度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		cm	deg
1	88.070	37.02	-30.98	68.00	53.67	2.13	9.34	28.12	Peak	338	0
2	88.070	35.36	-12.64	48.00	52.01	2.13	9.34	28.12	Average	338	0

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 88.1M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 270度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	88.070	36.81	-31.19	68.00	53.46	2.13	9.34	28.12	Peak	112	0
2	88.070	35.22	-12.78	48.00	51.87	2.13	9.34	28.12	Average	112	0

Temperature	20.3°C	Humidity	57.8%
Configurations	88.1 MHz/ 315° / Mode 2		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 88.1M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 315度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	88.070	34.84	-33.16	68.00	51.49	2.13	9.34	28.12	Peak	379	---
2	88.070	33.41	-14.59	48.00	50.06	2.13	9.34	28.12	Average	379	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 88.1M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 315度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	88.070	34.80	-33.20	68.00	51.45	2.13	9.34	28.12	Peak	100	---
2	88.070	33.23	-14.77	48.00	49.88	2.13	9.34	28.12	Average	100	---

Temperature	20.3°C	Humidity	57.8%
Configurations	88.1 MHz/ 0° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 88.1M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 0度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	88.100	31.78	-36.22	68.00	48.43	2.13	9.34	28.12	Peak	302	---
2	88.100	31.06	-16.94	48.00	47.71	2.13	9.34	28.12	Average	302	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 88.1M
 Memo : FORD EXION
 Memo : Large CAR
 Memo : 0.5

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	88.100	40.69	-27.31	68.00	57.34	2.13	9.34	28.12	Peak	125	---
2	88.100	40.28	-7.72	48.00	56.93	2.13	9.34	28.12	Average	125	---

Temperature	20.3°C	Humidity	57.8%
Configurations	88.1 MHz/ 45° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 88.1M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 45度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	88.100	37.72	-30.28	68.00	54.37	2.13	9.34	28.12	Peak	219	---
2	88.100	37.25	-10.75	48.00	53.90	2.13	9.34	28.12	Average	219	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 88.1M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 45度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	88.100	32.95	-35.05	68.00	49.60	2.13	9.34	28.12	Peak	100	---
2	88.100	32.22	-15.78	48.00	48.87	2.13	9.34	28.12	Average	100	---

Temperature	20.3°C	Humidity	57.8%
Configurations	88.1 MHz/ 90° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 88.1M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 90度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	88.100	37.74	-30.26	68.00	54.39	2.13	9.34	28.12	Peak	332	---
2	88.100	37.25	-10.75	48.00	53.90	2.13	9.34	28.12	Average	332	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 88.1M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 90度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	88.100	36.03	-31.97	68.00	52.68	2.13	9.34	28.12	Peak	100	---
2	88.100	35.51	-12.49	48.00	52.16	2.13	9.34	28.12	Average	100	---

Temperature	20.3°C	Humidity	57.8%
Configurations	88.1 MHz/ 135° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 88.1M
 Memo : FORD EXION
 Memo : Large CAR
 Memo : 135度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		cm	deg
1	88.100	40.81	-27.19	68.00	57.46	2.13	9.34	28.12	Peak	369	135
2	88.100	40.13	-7.87	48.00	56.78	2.13	9.34	28.12	Average	369	135

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 88.1M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 135度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	88.100	38.57	-29.43	68.00	55.22	2.13	9.34	28.12	Peak	100	135
2	88.100	38.12	-9.88	48.00	54.77	2.13	9.34	28.12	Average	100	135

Temperature	20.3°C	Humidity	57.8%
Configurations	88.1 MHz/ 180° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 88.1M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 180度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	88.100	24.80	-43.20	68.00	41.45	2.13	9.34	28.12	Peak	198	90
2	88.100	23.45	-24.55	48.00	40.10	2.13	9.34	28.12	Average	198	90

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 88.1M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 180度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	88.100	41.24	-26.76	68.00	57.89	2.13	9.34	28.12	Peak	100	90
2	88.100	33.38	-14.62	48.00	50.03	2.13	9.34	28.12	Average	100	90

Temperature	20.3°C	Humidity	57.8%
Configurations	88.1 MHz/ 225° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 88.1M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 225度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	88.100	40.55	-27.45	68.00	57.20	2.13	9.34	28.12	Peak	334	45
2	88.100	40.08	-7.92	48.00	56.73	2.13	9.34	28.12	Average	334	45

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 88.1M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 225度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	88.100	37.64	-30.36	68.00	54.29	2.13	9.34	28.12	Peak	177	45
2	88.100	36.35	-11.65	48.00	53.00	2.13	9.34	28.12	Average	177	45

Temperature	20.3°C	Humidity	57.8%
Configurations	88.1 MHz/ 270° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 88.1M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 270度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	88.100	39.59	-28.41	68.00	56.24	2.13	9.34	28.12	Peak	380	0
2	88.100	39.15	-8.85	48.00	55.80	2.13	9.34	28.12	Average	380	0

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 88.1M
 Memo : FORD EXION
 Memo : Large CAR
 Memo : 270度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	88.100	40.93	-27.07	68.00	57.58	2.13	9.34	28.12	Peak	105	0
2	88.100	40.58	-7.42	48.00	57.23	2.13	9.34	28.12	Average	105	0

Temperature	20.3°C	Humidity	57.8%
Configurations	88.1 MHz/ 315° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 88.1M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 315度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	Limit	Line	Level	Loss	Factor	Factor		Pos	Pos
			dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	88.100	38.85	-29.15	68.00	55.50	2.13	9.34	28.12	Peak	356	---
2	88.100	37.95	-10.05	48.00	54.60	2.13	9.34	28.12	Average	356	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 88.1M
 Memo : FORD EXION
 Memo : Large CAR
 Memo : 315度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	88.100	37.37	-30.63	68.00	54.02	2.13	9.34	28.12	Peak	100	---
2	88.100	36.95	-11.05	48.00	53.60	2.13	9.34	28.12	Average	100	---

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 0° / Mode 4		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID: NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 0度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.880	28.46	-39.54	68.00	43.35	2.26	10.96	28.11	Peak	317	---
2	96.880	27.14	-20.86	48.00	42.03	2.26	10.96	28.11	Average	317	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 0度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		cm	deg
1	96.880	44.09	-23.91	68.00	58.98	2.26	10.96	28.11	Peak	100	---
2	96.880	43.58	-4.42	48.00	58.47	2.26	10.96	28.11	Average	100	---

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 45° / Mode 4		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 45度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.890	37.46	-30.54	68.00	52.35	2.26	10.96	28.11	Peak	323	---
2	96.890	36.24	-11.76	48.00	51.13	2.26	10.96	28.11	Average	323	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 45度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	96.890	42.53	-25.47	68.00	57.42	2.26	10.96	28.11	Peak	100	---
2	96.890	42.07	-5.93	48.00	56.96	2.26	10.96	28.11	Average	100	---

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 90° / Mode 4		

Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 90度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.880	36.22	-31.78	68.00	51.11	2.26	10.96	28.11	Peak	400	---
2	96.880	35.46	-12.54	48.00	50.35	2.26	10.96	28.11	Average	400	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 90度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.880	33.20	-34.80	68.00	48.09	2.26	10.96	28.11	Peak	104	---
2	96.880	32.24	-15.76	48.00	47.13	2.26	10.96	28.11	Average	104	---

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/135° / Mode 4		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID: NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 135度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.890	32.08	-35.92	68.00	46.97	2.26	10.96	28.11	Peak	309	135
2	96.890	30.98	-17.02	48.00	45.87	2.26	10.96	28.11	Average	309	135

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 135度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.890	39.45	-28.55	68.00	54.34	2.26	10.96	28.11	Peak	100	135
2	96.890	38.84	-9.16	48.00	53.73	2.26	10.96	28.11	Average	100	135

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 180° / Mode 4		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 180度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.880	29.01	-38.99	68.00	43.90	2.26	10.96	28.11	Peak	337	90
2	96.880	27.58	-20.42	48.00	42.47	2.26	10.96	28.11	Average	337	90

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 180度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	96.880	37.21	-30.79	68.00	52.10	2.26	10.96	28.11	Peak	111	90
2	96.880	36.80	-11.20	48.00	51.69	2.26	10.96	28.11	Average	111	90

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 225° / Mode 4		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 225度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	96.880	35.46	-32.54	68.00	50.35	2.26	10.96	28.11	Peak	306	45
2	96.880	35.00	-13.00	48.00	49.89	2.26	10.96	28.11	Average	306	45

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 225度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.890	35.02	-32.98	68.00	49.91	2.26	10.96	28.11	Peak	100	45
2	96.890	34.11	-13.89	48.00	49.00	2.26	10.96	28.11	Average	100	45

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 270° / Mode 4		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 270度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.890	31.95	-36.05	68.00	46.84	2.26	10.96	28.11	Peak	389	0
2	96.890	30.88	-17.12	48.00	45.77	2.26	10.96	28.11	Average	389	0

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID: NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 270度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.880	35.58	-32.42	68.00	50.47	2.26	10.96	28.11	Peak	100	0
2	96.880	34.84	-13.16	48.00	49.73	2.26	10.96	28.11	Average	100	0

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 315° / Mode 4		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 315度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.880	39.51	-28.49	68.00	54.40	2.26	10.96	28.11	Peak	321	---
2	96.880	39.00	-9.00	48.00	53.89	2.26	10.96	28.11	Average	321	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 315度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp		Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB	Remark	Pos	Pos
1	96.880	42.33	-25.67	68.00	57.22	2.26	10.96	28.11	Peak	103	---
2	96.880	41.90	-6.10	48.00	56.79	2.26	10.96	28.11	Average	103	---

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 0° / Mode 5		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 0度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.880	29.72	-38.28	68.00	44.61	2.26	10.96	28.11	Peak	346	---
2	96.880	27.76	-20.24	48.00	42.65	2.26	10.96	28.11	Average	346	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 0度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.880	32.24	-35.76	68.00	47.13	2.26	10.96	28.11	Peak	100	---
2	96.880	31.46	-16.54	48.00	46.35	2.26	10.96	28.11	Average	100	---

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 45° / Mode 5		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 45度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		cm	deg
1	96.880	30.98	-37.02	68.00	45.87	2.26	10.96	28.11	Peak	400	---
2	96.880	29.21	-18.79	48.00	44.10	2.26	10.96	28.11	Average	400	---

Vertical



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 45度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.880	35.82	-32.18	68.00	50.71	2.26	10.96	28.11	Peak	100	---
2	96.880	34.35	-13.65	48.00	49.24	2.26	10.96	28.11	Average	100	---