


Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 90° / Mode 5		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 90度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		cm	deg
1	96.880	35.43	-32.57	68.00	50.32	2.26	10.96	28.11	Peak	276	---
2	96.880	34.58	-13.42	48.00	49.47	2.26	10.96	28.11	Average	276	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 90度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.880	37.01	-30.99	68.00	51.90	2.26	10.96	28.11	Peak	102	---
2	96.880	35.81	-12.19	48.00	50.70	2.26	10.96	28.11	Average	102	---

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 135° / Mode 5		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 135度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	96.880	36.16	-31.84	68.00	51.05	2.26	10.96	28.11	Peak	290	135
2	96.880	35.13	-12.87	48.00	50.02	2.26	10.96	28.11	Average	290	135

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 135度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.880	37.35	-30.65	68.00	52.24	2.26	10.96	28.11	Peak	100	135
2	96.880	36.16	-11.84	48.00	51.05	2.26	10.96	28.11	Average	100	135

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 180° / Mode 5		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 180度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.880	26.48	-41.52	68.00	41.37	2.26	10.96	28.11	Peak	396	90
2	96.880	24.11	-23.89	48.00	39.00	2.26	10.96	28.11	Average	396	90

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 180度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	96.880	37.58	-30.42	68.00	52.47	2.26	10.96	28.11	Peak	104	90
2	96.880	36.65	-11.35	48.00	51.54	2.26	10.96	28.11	Average	104	90

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 225° / Mode 5		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 225度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	96.880	35.20	-32.80	68.00	50.09	2.26	10.96	28.11	Peak	311	45
2	96.880	34.10	-13.90	48.00	48.99	2.26	10.96	28.11	Average	311	45

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 225度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.880	36.99	-31.01	68.00	51.88	2.26	10.96	28.11	Peak	104	45
2	96.880	35.90	-12.10	48.00	50.79	2.26	10.96	28.11	Average	104	45

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 270° / Mode 5		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 270度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.880	35.88	-32.12	68.00	50.77	2.26	10.96	28.11	Peak	364	0
2	96.880	34.96	-13.04	48.00	49.85	2.26	10.96	28.11	Average	364	0

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 270度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	96.880	34.98	-33.02	68.00	49.87	2.26	10.96	28.11	Peak	100	0
2	96.880	33.68	-14.32	48.00	48.57	2.26	10.96	28.11	Average	100	0

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 315° / Mode 5		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 315度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.880	33.15	-34.85	68.00	48.04	2.26	10.96	28.11	Peak	379	---
2	96.880	31.48	-16.52	48.00	46.37	2.26	10.96	28.11	Average	379	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 315度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.880	37.98	-30.02	68.00	52.87	2.26	10.96	28.11	Peak	100	---
2	96.880	37.13	-10.87	48.00	52.02	2.26	10.96	28.11	Average	100	---

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 0° / Mode 6		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 0度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.880	39.02	-28.98	68.00	53.91	2.26	10.96	28.11	Peak	400	---
2	96.880	38.57	-9.43	48.00	53.46	2.26	10.96	28.11	Average	400	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 0度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.890	48.01	-19.99	68.00	62.90	2.26	10.96	28.11	Peak	108	---
2	96.890	47.68	-0.32	48.00	62.57	2.26	10.96	28.11	Average	108	---

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 45° / Mode 6		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 45度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	Limit	Line	Level	Loss	Factor	Factor		Pos	Pos
			dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.890	45.10	-22.90	68.00	59.99	2.26	10.96	28.11	Peak	328	---
2	96.890	44.76	-3.24	48.00	59.65	2.26	10.96	28.11	Average	328	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD EXION
 Memo : Large CAR
 Memo : 45^{dB}

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	96.890	45.78	-22.22	68.00	60.67	2.26	10.96	28.11	Peak	104	---
2	96.890	45.48	-2.52	48.00	60.37	2.26	10.96	28.11	Average	104	---

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 90° / Mode 6		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD EXION
 Memo : Large CAR
 Memo : 90度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	96.890	39.28	-28.72	68.00	54.17	2.26	10.96	28.11	Peak	287	---
2	96.890	38.99	-9.01	48.00	53.88	2.26	10.96	28.11	Average	287	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 90度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.890	34.24	-33.76	68.00	49.13	2.26	10.96	28.11	Peak	100	---
2	96.890	33.76	-14.24	48.00	48.65	2.26	10.96	28.11	Average	100	---

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 135° / Mode 6		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 135度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.890	38.28	-29.72	68.00	53.17	2.26	10.96	28.11	Peak	217	135
2	96.890	37.79	-10.21	48.00	52.68	2.26	10.96	28.11	Average	217	135

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 135度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.890	39.15	-28.85	68.00	54.04	2.26	10.96	28.11	Peak	100	135
2	96.890	38.58	-9.42	48.00	53.47	2.26	10.96	28.11	Average	100	135

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 180° / Mode 6		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 180度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.890	28.24	-39.76	68.00	43.13	2.26	10.96	28.11	Peak	147	90
2	96.890	26.72	-21.28	48.00	41.61	2.26	10.96	28.11	Average	147	90

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 180度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	Limit	Line	Level	Loss	Factor	Factor		Pos	Pos
			dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.890	40.29	-27.71	68.00	55.18	2.26	10.96	28.11	Peak	100	90
2	96.890	39.80	-8.20	48.00	54.69	2.26	10.96	28.11	Average	100	90

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 225° / Mode 6		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 225度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	96.890	34.92	-33.08	68.00	49.81	2.26	10.96	28.11	Peak	400	45
2	96.890	34.00	-14.00	48.00	48.89	2.26	10.96	28.11	Average	400	45

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 225度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.890	33.01	-34.99	68.00	47.90	2.26	10.96	28.11	Peak	103	45
2	96.890	32.23	-15.77	48.00	47.12	2.26	10.96	28.11	Average	103	45

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 270° / Mode 6		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 270度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	96.890	42.54	-5.46	48.00	57.43	2.26	10.96	28.11	Average	400	0
2	96.890	42.20	-25.80	68.00	57.09	2.26	10.96	28.11	Peak	400	0

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 270度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		cm	deg
1	96.890	38.71	-29.29	68.00	53.60	2.26	10.96	28.11	Peak	100	0
2	96.890	38.14	-9.86	48.00	53.03	2.26	10.96	28.11	Average	100	0

Temperature	20.3°C	Humidity	57.8%
Configurations	96.9 MHz/ 315° / Mode 6		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 315度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		cm	deg
1	96.890	46.26	-21.74	68.00	61.15	2.26	10.96	28.11	Peak	344	---
2	96.890	46.01	-1.99	48.00	60.90	2.26	10.96	28.11	Average	344	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 96.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 315度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	96.890	47.02	-20.98	68.00	61.91	2.26	10.96	28.11	Peak	100	---
2	96.890	46.65	-1.35	48.00	61.54	2.26	10.96	28.11	Average	100	---

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 0° / Mode 7		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID: NKRUPAST410
 Memo : FM 107.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 0度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	33.12	-34.88	68.00	46.53	2.37	12.28	28.06	Peak	296	---
2	107.890	31.62	-16.38	48.00	45.03	2.37	12.28	28.06	Average	296	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 107.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 0度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	39.58	-28.42	68.00	52.99	2.37	12.28	28.06	Peak	100	---
2	107.890	38.81	-9.19	48.00	52.22	2.37	12.28	28.06	Average	100	---

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 45° / Mode 7		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID: NKRUPAST410
 Memo : FM 107.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 45度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	34.37	-33.63	68.00	47.78	2.37	12.28	28.06	Peak	282	---
2	107.890	33.61	-14.39	48.00	47.02	2.37	12.28	28.06	Average	282	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 107.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 45度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	39.60	-28.40	68.00	53.01	2.37	12.28	28.06	Peak	100	---
2	107.890	38.97	-9.03	48.00	52.38	2.37	12.28	28.06	Average	100	---

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 90° / Mode 7		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 107.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 90度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		cm	deg
1	107.890	32.67	-35.33	68.00	46.08	2.37	12.28	28.06	Peak	400	---
2	107.890	31.61	-16.39	48.00	45.02	2.37	12.28	28.06	Average	400	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 107.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 90度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	28.62	-39.38	68.00	42.03	2.37	12.28	28.06	Peak	103	---
2	107.890	26.95	-21.05	48.00	40.36	2.37	12.28	28.06	Average	103	---

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 135° / Mode 7		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 107.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 135度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	35.49	-32.51	68.00	48.90	2.37	12.28	28.06	Peak	259	135
2	107.890	34.27	-13.73	48.00	47.68	2.37	12.28	28.06	Average	259	135

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 107.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 135度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	32.62	-35.38	68.00	46.03	2.37	12.28	28.06	Peak	100	135
2	107.890	31.93	-16.07	48.00	45.34	2.37	12.28	28.06	Average	100	135

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 180° / Mode 7		

Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 107.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 180度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	31.71	-36.29	68.00	45.12	2.37	12.28	28.06	Peak	259	90
2	107.890	31.27	-16.73	48.00	44.68	2.37	12.28	28.06	Average	259	90

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 107.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 180度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	33.48	-34.52	68.00	46.89	2.37	12.28	28.06	Peak	108	90
2	107.890	32.58	-15.42	48.00	45.99	2.37	12.28	28.06	Average	108	90

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 225° / Mode 7		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 107.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 225度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	107.890	28.27	-39.73	68.00	41.68	2.37	12.28	28.06	Peak	400	45
2	107.890	27.45	-20.55	48.00	40.86	2.37	12.28	28.06	Average	400	45

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 107.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 225度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	30.94	-37.06	68.00	44.35	2.37	12.28	28.06	Peak	102	45
2	107.890	29.83	-18.17	48.00	43.24	2.37	12.28	28.06	Average	102	45

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 270° / Mode 7		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 107.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 270度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	31.52	-36.48	68.00	44.93	2.37	12.28	28.06	Peak	310	0
2	107.890	30.19	-17.81	48.00	43.60	2.37	12.28	28.06	Average	310	0

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 107.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 270度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	36.37	-31.63	68.00	49.78	2.37	12.28	28.06	Peak	100	0
2	107.890	35.26	-12.74	48.00	48.67	2.37	12.28	28.06	Average	100	0

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 315° / Mode 7		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 107.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 315度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		cm	deg
1	107.890	33.82	-34.18	68.00	47.23	2.37	12.28	28.06	Peak	400	---
2	107.890	32.71	-15.29	48.00	46.12	2.37	12.28	28.06	Average	400	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 107.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 315度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	37.47	-30.53	68.00	50.88	2.37	12.28	28.06	Peak	103	---
2	107.890	36.67	-11.33	48.00	50.08	2.37	12.28	28.06	Average	103	---

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 0° / Mode 8		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 0度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	107.890	25.05	-42.95	68.00	38.46	2.37	12.28	28.06	Peak	261	---
2	107.890	23.36	-24.64	48.00	36.77	2.37	12.28	28.06	Average	261	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 0度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		cm	deg
1	107.890	38.25	-29.75	68.00	51.66	2.37	12.28	28.06	Peak	100	---
2	107.890	37.27	-10.73	48.00	50.68	2.37	12.28	28.06	Average	100	---

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 45° / Mode 8		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 45度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	107.890	24.67	-43.33	68.00	38.08	2.37	12.28	28.06	Peak	342	---
2	107.890	21.81	-26.19	48.00	35.22	2.37	12.28	28.06	Average	342	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 45度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	36.36	-31.64	68.00	49.77	2.37	12.28	28.06	Peak	106	---
2	107.890	35.25	-12.75	48.00	48.66	2.37	12.28	28.06	Average	106	---

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 90° / Mode 8		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 90度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	107.890	31.12	-36.88	68.00	44.53	2.37	12.28	28.06	Peak	305	---
2	107.890	29.62	-18.38	48.00	43.03	2.37	12.28	28.06	Average	305	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 90度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	37.05	-30.95	68.00	50.46	2.37	12.28	28.06	Peak	100	---
2	107.890	35.93	-12.07	48.00	49.34	2.37	12.28	28.06	Average	100	---

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 135° / Mode 8		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 135度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		cm	deg
1	107.890	25.89	-42.11	68.00	39.30	2.37	12.28	28.06	Peak	170	135
2	107.890	23.27	-24.73	48.00	36.68	2.37	12.28	28.06	Average	170	135

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 135度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	107.890	22.82	-45.18	68.00	36.23	2.37	12.28	28.06	Peak	100	135
2	107.890	19.19	-28.81	48.00	32.60	2.37	12.28	28.06	Average	100	135

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 180° / Mode 8		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 180度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	107.890	30.27	-37.73	68.00	43.68	2.37	12.28	28.06	Peak	330	90
2	107.890	28.37	-19.63	48.00	41.78	2.37	12.28	28.06	Average	330	90

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 180度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	107.890	31.45	-36.55	68.00	44.86	2.37	12.28	28.06	Peak	100	90
2	107.890	30.45	-17.55	48.00	43.86	2.37	12.28	28.06	Average	100	90

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 225° / Mode 8		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 225度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	33.32	-34.68	68.00	46.73	2.37	12.28	28.06	Peak	275	45
2	107.890	31.92	-16.08	48.00	45.33	2.37	12.28	28.06	Average	275	45

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 225度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	107.890	25.71	-42.29	68.00	39.12	2.37	12.28	28.06	Peak	267	45
2	107.890	23.47	-24.53	48.00	36.88	2.37	12.28	28.06	Average	267	45

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 270° / Mode 8		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 270度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	107.890	30.71	-37.29	68.00	44.12	2.37	12.28	28.06	Peak	363	0
2	107.890	29.58	-18.42	48.00	42.99	2.37	12.28	28.06	Average	363	0

Vertical



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST4TK1
 Memo : FCC ID:NKRUPAST410
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 270度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	33.27	-34.73	68.00	46.68	2.37	12.28	28.06	Peak	100	0
2	107.890	31.83	-16.17	48.00	45.24	2.37	12.28	28.06	Average	100	0