


Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 0° / Mode 3		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST5TK1  
 Memo : FCC ID:NKRUPAST5  
 Memo : FM 107.9M  
 Memo : FORD IXION  
 Memo : Large CAR  
 Memo : 0度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	303.540	28.14	-17.86	46.00	37.73	3.87	13.86	27.32	Peak	---	---
2	572.230	32.26	-13.74	46.00	36.22	5.13	19.31	28.40	Peak	---	---
3	893.300	34.53	-11.47	46.00	36.22	6.04	19.90	27.63	Peak	---	---

Vertical




**Site** : 10CH01-HY  
**Condition** : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
**Model** : ST5TK1  
**Memo** : FCC ID:NKRUPAST5  
**Memo** : FM 107.9M  
**Memo** : FORD IXION  
**Memo** : Large CAR  
**Memo** : 0度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	59.100	30.11	-9.89	40.00	49.05	1.84	7.40	28.18	Peak	---	---
2	312.270	29.41	-16.59	46.00	38.91	3.89	13.99	27.38	Peak	---	---
3	598.420	31.06	-14.94	46.00	34.18	5.25	20.03	28.40	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 45° / Mode 3		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST5TK1  
 Memo : FCC ID:NKRUPAST5  
 Memo : FM 107.9M  
 Memo : FORD IXION  
 Memo : Large CAR  
 Memo : 45度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	59.100	25.08	-14.92	40.00	44.02	1.84	7.40	28.18	Peak	---	---
2	306.450	28.92	-17.08	46.00	38.49	3.88	13.90	27.35	Peak	---	---
3	606.180	29.98	-16.02	46.00	33.10	5.26	20.01	28.39	Peak	---	---

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST5TK1  
 Memo : FCC ID:NKRUPAST5  
 Memo : FM 107.9M  
 Memo : FORD IXION  
 Memo : Large CAR  
 Memo : 45度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	284.140	29.26	-16.74	46.00	39.42	3.71	13.48	27.35	Peak	---	---
2	598.420	30.31	-15.69	46.00	33.43	5.25	20.03	28.40	Peak	---	---
3	882.630	33.84	-12.16	46.00	35.58	6.00	19.93	27.67	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 90° / Mode 3		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST5TK1  
 Memo : FCC ID:NKRUPAST5  
 Memo : FM 107.9M  
 Memo : FORD EXION  
 Memo : Large CAR  
 Memo : 90度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	299.660	30.44	-15.56	46.00	40.09	3.85	13.80	27.30	Peak	---	---
2	587.750	30.07	-15.93	46.00	33.53	5.20	19.74	28.40	Peak	---	---
3	894.270	32.42	-13.58	46.00	34.10	6.04	19.90	27.62	Peak	---	---

Vertical




**Site** : 10CH01-HY  
**Condition** : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
**Model** : ST5TK1  
**Memo** : FCC ID:NKRUPAST5  
**Memo** : FM 107.9M  
**Memo** : FORD IXION  
**Memo** : Large CAR  
**Memo** : 90度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	35.820	31.36	-8.64	40.00	43.84	1.33	14.43	28.24	Peak	---	---
2	292.870	30.74	-15.26	46.00	40.61	3.79	13.66	27.32	Peak	---	---
3	877.780	32.92	-13.08	46.00	34.69	5.98	19.94	27.69	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 135° / Mode 3		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST5TK1  
 Memo : FCC ID:NKRUPAST5  
 Memo : FM 107.9M  
 Memo : FORD IXION  
 Memo : Large CAR  
 Memo : 135度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	59.100	29.54	-10.46	40.00	48.48	1.84	7.40	28.18	Peak	---	---
2	303.540	31.04	-14.96	46.00	40.63	3.87	13.86	27.32	Peak	---	---
3	587.750	30.33	-15.67	46.00	33.79	5.20	19.74	28.40	Peak	---	---

Vertical



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST5TK1  
 Memo : FCC ID:NKRUPAST5  
 Memo : FM 107.9M  
 Memo : FORD IXION  
 Memo : Large CAR  
 Memo : 135度


	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	59.100	28.86	-11.14	40.00	47.80	1.84	7.40	28.18	Peak	---	---
2	295.780	30.77	-15.23	46.00	40.55	3.82	13.72	27.32	Peak	---	---
3	579.020	28.63	-17.37	46.00	32.37	5.16	19.50	28.40	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.



Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 180° / Mode 3		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST5TK1  
 Memo : FCC ID: NKRUPAST5  
 Memo : FM 107.9M  
 Memo : FORD IXION  
 Memo : Large CAR  
 Memo : 180度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	59.100	27.37	-12.63	40.00	46.31	1.84	7.40	28.18	Peak	---	---
2	299.660	28.65	-17.35	46.00	38.30	3.85	13.80	27.30	Peak	---	---
3	893.300	31.74	-14.26	46.00	33.43	6.04	19.90	27.63	Peak	---	---

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST5TK1  
 Memo : FCC ID:NKRUPAST5  
 Memo : FM 107.9M  
 Memo : FORD IXION  
 Memo : Large CAR  
 Memo : 180度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	288.020	26.99	-19.01	46.00	37.02	3.75	13.56	27.34	Peak	---	---
2	599.390	27.29	-18.71	46.00	30.39	5.25	20.05	28.40	Peak	---	---
3	882.630	29.09	-16.91	46.00	30.83	6.00	19.93	27.67	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 225° / Mode 3		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST5TK1  
 Memo : FCC ID:NKRUPAST5  
 Memo : FM 107.9M  
 Memo : FORD IXION  
 Memo : Large CAR  
 Memo : 225度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	59.100	28.98	-11.02	40.00	47.92	1.84	7.40	28.18	Peak	---	---
2	284.140	28.75	-17.25	46.00	38.91	3.71	13.48	27.35	Peak	---	---
3	591.630	29.31	-16.69	46.00	32.65	5.22	19.84	28.40	Peak	---	---

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST5TK1  
 Memo : FCC ID:NKRUPAST5  
 Memo : FM 107.9M  
 Memo : FORD IXION  
 Memo : Large CAR  
 Memo : 225度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		cm	deg
1	55.220	30.48	-9.52	40.00	48.46	1.74	8.47	28.19	Peak	---	---
2	140.580	30.36	-13.14	43.50	43.32	2.78	12.16	27.90	Peak	---	---
3	288.020	29.02	-16.98	46.00	39.05	3.75	13.56	27.34	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 270° / Mode 3		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST5TK1  
 Memo : FCC ID:NKRUPAST5  
 Memo : FM 107.9M  
 Memo : FORD IXION  
 Memo : Large CAR  
 Memo : 270度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	315.180	30.00	-16.00	46.00	39.46	3.90	14.04	27.40	Peak	---	---
2	607.150	29.68	-16.32	46.00	32.81	5.26	20.00	28.39	Peak	---	---
3	881.660	33.54	-12.46	46.00	35.28	6.00	19.93	27.67	Peak	---	---

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST5TK1  
 Memo : FCC ID: NKRUPAST5  
 Memo : FM 107.9M  
 Memo : FORD IXION  
 Memo : Large CAR  
 Memo : 270度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	47.460	33.02	-6.98	40.00	48.58	1.60	11.05	28.21	Peak	---	---
2	315.180	31.97	-14.03	46.00	41.43	3.90	14.04	27.40	Peak	---	---
3	587.750	28.83	-17.17	46.00	32.29	5.20	19.74	28.40	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 315° / Mode 3		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST5TK1  
 Memo : FCC ID:NKRUPAST5  
 Memo : FM 107.9M  
 Memo : FORD IXION  
 Memo : Large CAR  
 Memo : 315度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	295.780	31.84	-14.16	46.00	41.62	3.82	13.72	27.32	Peak	---	---
2	427.700	27.57	-18.43	46.00	35.38	4.41	15.89	28.11	Peak	---	---
3	594.540	30.15	-15.85	46.00	33.40	5.23	19.92	28.40	Peak	---	---

Vertical



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST5TK1  
 Memo : FCC ID:NKRUPAST5  
 Memo : FM 107.9M  
 Memo : FORD IXION  
 Memo : Large CAR  
 Memo : 315度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	47.460	30.10	-9.90	40.00	45.66	1.60	11.05	28.21	Peak	---	---
2	291.900	32.58	-13.42	46.00	42.48	3.79	13.64	27.33	Peak	---	---
3	583.870	29.31	-16.69	46.00	32.90	5.18	19.63	28.40	Peak	---	---


Note: Emissions measured with the Average detector can be found in a separate section of this report.



### 3.2 Test Result of Field Strength of Fundamental Emissions

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 0° / Mode 1		


#### Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST5TK1  
 Memo : FCC ID:NKRUPAST5  
 Memo : FM 107.9M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 0度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.810	30.72	-37.28	68.00	44.13	2.37	12.28	28.06	Peak	261	---
2	107.810	22.62	-25.38	48.00	36.03	2.37	12.28	28.06	Average	261	---

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST5TK1  
 Memo : FCC ID:NKRUPAST5  
 Memo : FM 107.9M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 0度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.800	38.45	-29.55	68.00	51.86	2.37	12.28	28.06	Peak	116	---
2	107.800	29.27	-18.73	48.00	42.68	2.37	12.28	28.06	Average	116	---

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 45° / Mode 1		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST5TK1  
 Memo : FCC ID: NKRUPAST5  
 Memo : FM 107.9M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 45度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.830	31.85	-36.15	68.00	45.26	2.37	12.28	28.06	Peak	316	---
2	107.830	25.56	-22.44	48.00	38.97	2.37	12.28	28.06	Average	316	---

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST5TK1  
 Memo : FCC ID:NKRUPAST5  
 Memo : FM 107.9M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 45度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.830	38.62	-29.38	68.00	52.03	2.37	12.28	28.06	Peak	100	---
2	107.830	32.94	-15.06	48.00	46.35	2.37	12.28	28.06	Average	100	---

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 90° / Mode 1		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST5TK1  
 Memo : FCC ID:NKRUPAST5  
 Memo : FM 107.9M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 90度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.830	32.12	-15.88	48.00	45.53	2.37	12.28	28.06	Average	338	---
2	107.830	25.63	-42.37	68.00	39.04	2.37	12.28	28.06	Peak	338	---

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST5TK1  
 Memo : FCC ID:NKRUPAST5  
 Memo : FM 107.9M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 90度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.800	28.35	-39.65	68.00	41.76	2.37	12.28	28.06	Peak	103	---
2	107.800	20.02	-27.98	48.00	33.43	2.37	12.28	28.06	Average	103	---

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 135° / Mode 1		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST5TK1  
 Memo : FCC ID: NKRUPAST5  
 Memo : FM 107.9M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 135度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.820	34.72	-33.28	68.00	48.13	2.37	12.28	28.06	Peak	265	135
2	107.820	28.72	-19.28	48.00	42.13	2.37	12.28	28.06	Average	265	135

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST5TK1  
 Memo : FCC ID:NKRUPAST5  
 Memo : FM 107.9M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 135度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.830	31.82	-36.18	68.00	45.23	2.37	12.28	28.06	Peak	100	135
2	107.830	26.03	-21.97	48.00	39.44	2.37	12.28	28.06	Average	100	135



Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 180° / Mode 1		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST5TK1  
 Memo : FCC ID: NKRUPAST5  
 Memo : FM 107.9M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 180度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.800	30.94	-37.06	68.00	44.35	2.37	12.28	28.06	Peak	303	90
2	107.800	21.61	-26.39	48.00	35.02	2.37	12.28	28.06	Average	303	90

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST5TK1  
 Memo : FCC ID:NKRUPAST5  
 Memo : FM 107.9M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 180度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.800	31.93	-36.07	68.00	45.34	2.37	12.28	28.06	Peak	100	90
2	107.800	23.37	-24.63	48.00	36.78	2.37	12.28	28.06	Average	100	90

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 225° / Mode 1		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST5TK1  
 Memo : FCC ID:NKRUPAST5  
 Memo : FM 107.9M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 225度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.810	25.05	-42.95	68.00	38.46	2.37	12.28	28.06	Peak	304	45
2	107.810	18.02	-29.98	48.00	31.43	2.37	12.28	28.06	Average	304	45

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST5TK1  
 Memo : FCC ID:NKRUPAST5  
 Memo : FM 107.9M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 225度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.820	30.27	-37.73	68.00	43.68	2.37	12.28	28.06	Peak	100	45
2	107.820	24.69	-23.31	48.00	38.10	2.37	12.28	28.06	Average	100	45

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 270° / Mode 1		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST5TK1  
 Memo : FCC ID:NKRUPAST5  
 Memo : FM 107.9M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 270度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.800	28.93	-39.07	68.00	42.34	2.37	12.28	28.06	Peak	374	0
2	107.800	20.35	-27.65	48.00	33.76	2.37	12.28	28.06	Average	374	0

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST5TK1  
 Memo : FCC ID:NKRUPAST5  
 Memo : FM 107.9M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 270度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.800	36.02	-31.98	68.00	49.43	2.37	12.28	28.06	Peak	188	0
2	107.800	27.71	-20.29	48.00	41.12	2.37	12.28	28.06	Average	188	0

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 315° / Mode 1		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST5TK1  
 Memo : FCC ID: NKRUPAST5  
 Memo : FM 107.9M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 315度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.810	32.98	-35.02	68.00	46.39	2.37	12.28	28.06	Peak	312	---
2	107.810	26.71	-21.29	48.00	40.12	2.37	12.28	28.06	Average	312	---

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST5TK1  
 Memo : FCC ID:NKRUPAST5  
 Memo : FM 107.9M  
 Memo : FORD MONDEO  
 Memo : Medium CAR  
 Memo : 315度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.820	37.36	-30.64	68.00	50.77	2.37	12.28	28.06	Peak	104	---
2	107.820	31.45	-16.55	48.00	44.86	2.37	12.28	28.06	Average	104	---



Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 0° / Mode 2		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST5TK1  
 Memo : FCC ID:NKRUPAST5  
 Memo : FM 107.9M  
 Memo : Mitsubishi ( LANCER GLXi )  
 Memo : Small CAR  
 Memo : 0度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	24.45	-43.55	68.00	37.86	2.37	12.28	28.06	Peak	222	---
2	107.890	20.62	-27.38	48.00	34.03	2.37	12.28	28.06	Average	222	---

Vertical




Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST5TK1  
 Memo : FCC ID:NKRUPAST5  
 Memo : FM 107.9M  
 Memo : Mitsubishi (LANCER GLXi)  
 Memo : Small CAR  
 Memo : 0度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	107.890	36.71	-31.29	68.00	50.12	2.37	12.28	28.06	Peak	104	---
2	107.890	34.91	-13.09	48.00	48.32	2.37	12.28	28.06	Average	104	---

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 45° / Mode 2		


Horizontal



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL  
 Model : ST5TK1  
 Memo : FCC ID: NKRUPAST5  
 Memo : FM 107.9M  
 Memo : Mitsubishi ( LANCER GLXi )  
 Memo : Small CAR  
 Memo : 45度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	23.48	-44.52	68.00	36.89	2.37	12.28	28.06	Peak	253	---
2	107.890	19.60	-28.40	48.00	33.01	2.37	12.28	28.06	Average	253	---

Vertical



Site : 10CH01-HY  
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL  
 Model : ST5TK1  
 Memo : FCC ID:NKRUPAST5  
 Memo : FM 107.9M  
 Memo : Mitsubishi ( LANCER GLXi )  
 Memo : Small CAR  
 Memo : 45度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	34.60	-33.40	68.00	48.01	2.37	12.28	28.06	Peak	100	---
2	107.890	33.68	-14.32	48.00	47.09	2.37	12.28	28.06	Average	100	---