


Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 90° / Mode 2		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST5TK1
 Memo : FCC ID:NKRUPAST5
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 90度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	31.47	-36.53	68.00	44.88	2.37	12.28	28.06	Peak	340	---
2	107.890	29.61	-18.39	48.00	43.02	2.37	12.28	28.06	Average	340	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST5TK1
 Memo : FCC ID:NKRUPAST5
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 90度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	36.61	-31.39	68.00	50.02	2.37	12.28	28.06	Peak	100	---
2	107.890	35.82	-12.18	48.00	49.23	2.37	12.28	28.06	Average	100	---

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 135° / Mode 2		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST5TK1
 Memo : FCC ID:NKRUPAST5
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 135度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	25.02	-42.98	68.00	38.43	2.37	12.28	28.06	Peak	144	135
2	107.890	21.23	-26.77	48.00	34.64	2.37	12.28	28.06	Average	144	135

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST5TK1
 Memo : FCC ID:NKRUPAST5
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 135度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	24.64	-43.36	68.00	38.05	2.37	12.28	28.06	Peak	132	135
2	107.890	18.23	-29.77	48.00	31.64	2.37	12.28	28.06	Average	132	135

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 180° / Mode 2		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST5TK1
 Memo : FCC ID:NKRUPAST5
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 180度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	27.69	-40.31	68.00	41.10	2.37	12.28	28.06	Peak	400	90
2	107.890	26.39	-21.61	48.00	39.80	2.37	12.28	28.06	Average	400	90

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST5TK1
 Memo : FCC ID:NKRUPAST5
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 180度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	28.89	-39.11	68.00	42.30	2.37	12.28	28.06	Peak	100	90
2	107.890	27.23	-20.77	48.00	40.64	2.37	12.28	28.06	Average	100	90

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 225° / Mode 2		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST5TK1
 Memo : FCC ID:NKRUPAST5
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 225度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	30.57	-37.43	68.00	43.98	2.37	12.28	28.06	Peak	288	45
2	107.890	28.93	-19.07	48.00	42.34	2.37	12.28	28.06	Average	288	45

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST5TK1
 Memo : FCC ID:NKRUPAST5
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 225度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	22.71	-45.29	68.00	36.12	2.37	12.28	28.06	Peak	229	45
2	107.890	18.48	-29.52	48.00	31.89	2.37	12.28	28.06	Average	229	45

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 270° / Mode 2		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST5TK1
 Memo : FCC ID:NKRUPAST5
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 270度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	30.83	-37.17	68.00	44.24	2.37	12.28	28.06	Peak	274	0
2	107.890	29.17	-18.83	48.00	42.58	2.37	12.28	28.06	Average	274	0

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST5TK1
 Memo : FCC ID:NKRUPAST5
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 270度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	31.22	-36.78	68.00	44.63	2.37	12.28	28.06	Peak	100	0
2	107.890	29.61	-18.39	48.00	43.02	2.37	12.28	28.06	Average	100	0

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 315° / Mode 2		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST5TK1
 Memo : FCC ID:NKRUPAST5
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 315度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	26.71	-41.29	68.00	40.12	2.37	12.28	28.06	Peak	298	---
2	107.890	24.39	-23.61	48.00	37.80	2.37	12.28	28.06	Average	298	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST5TK1
 Memo : FCC ID:NKRUPAST5
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 315度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	34.45	-33.55	68.00	47.86	2.37	12.28	28.06	Peak	100	---
2	107.890	33.02	-14.98	48.00	46.43	2.37	12.28	28.06	Average	100	---

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 0° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST5TK1
 Memo : FCC ID:NKRUPAST5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 0度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.880	35.26	-32.74	68.00	48.67	2.37	12.28	28.06	Peak	267	---
2	107.880	32.71	-15.29	48.00	46.12	2.37	12.28	28.06	Average	267	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST5TK1
 Memo : FCC ID:NKRUPAST5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 0度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.880	36.99	-31.01	68.00	50.40	2.37	12.28	28.06	Peak	113	---
2	107.880	35.26	-12.74	48.00	48.67	2.37	12.28	28.06	Average	113	---

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 45° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST5TK1
 Memo : FCC ID:NKRUPAST5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 45度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		cm	deg
1	107.880	29.27	-38.73	68.00	42.68	2.37	12.28	28.06	Peak	325	---
2	107.880	26.58	-21.42	48.00	39.99	2.37	12.28	28.06	Average	325	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST5TK1
 Memo : FCC ID:NKRUPAST5
 Memo : FM 107.9M
 Memo : FORD EXION
 Memo : Large CAR
 Memo : 45度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.880	39.56	-28.44	68.00	52.97	2.37	12.28	28.06	Peak	100	---
2	107.880	37.46	-10.54	48.00	50.87	2.37	12.28	28.06	Average	100	---

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 90° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST5TK1
 Memo : FCC ID: NKRUPAST5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 90度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.880	32.37	-35.63	68.00	45.78	2.37	12.28	28.06	Peak	212	---
2	107.880	29.71	-18.29	48.00	43.12	2.37	12.28	28.06	Average	212	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST5TK1
 Memo : FCC ID:NKRUPAST5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 90度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.880	38.47	-29.53	68.00	51.88	2.37	12.28	28.06	Peak	100	---
2	107.880	36.69	-11.31	48.00	50.10	2.37	12.28	28.06	Average	100	---

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 135° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST5TK1
 Memo : FCC ID:NKRUPAST5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 135度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.880	33.99	-34.01	68.00	47.40	2.37	12.28	28.06	Peak	292	135
2	107.880	32.19	-15.81	48.00	45.60	2.37	12.28	28.06	Average	292	135

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST5TK1
 Memo : FCC ID:NKRUPAST5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 135度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.880	29.13	-38.87	68.00	42.54	2.37	12.28	28.06	Peak	100	135
2	107.880	26.69	-21.31	48.00	40.10	2.37	12.28	28.06	Average	100	135

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 180° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST5TK1
 Memo : FCC ID:NKRUPAST5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 180度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.880	27.94	-40.06	68.00	41.35	2.37	12.28	28.06	Peak	237	90
2	107.880	25.60	-22.40	48.00	39.01	2.37	12.28	28.06	Average	237	90

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST5TK1
 Memo : FCC ID: NKRUPAST5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 180度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.880	38.60	-29.40	68.00	52.01	2.37	12.28	28.06	Peak	100	90
2	107.880	36.57	-11.43	48.00	49.98	2.37	12.28	28.06	Average	100	90

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 225° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST5TK1
 Memo : FCC ID:NKRUPAST5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 225度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.880	39.92	-28.08	68.00	53.33	2.37	12.28	28.06	Peak	292	45
2	107.880	37.60	-10.40	48.00	51.01	2.37	12.28	28.06	Average	292	45

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST5TK1
 Memo : FCC ID:NKRUPAST5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 225度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.880	39.47	-28.53	68.00	52.88	2.37	12.28	28.06	Peak	110	45
2	107.880	36.82	-11.18	48.00	50.23	2.37	12.28	28.06	Average	110	45

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 270° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST5TK1
 Memo : FCC ID:NKRUPAST5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 270度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.880	32.97	-35.03	68.00	46.38	2.37	12.28	28.06	Peak	210	0
2	107.880	30.64	-17.36	48.00	44.05	2.37	12.28	28.06	Average	210	0

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST5TK1
 Memo : FCC ID: NKRUPAST5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 270度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.880	38.23	-29.77	68.00	51.64	2.37	12.28	28.06	Peak	100	0
2	107.880	36.27	-11.73	48.00	49.68	2.37	12.28	28.06	Average	100	0

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz/ 315° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : ST5TK1
 Memo : FCC ID:NKRUPAST5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 315度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.880	37.63	-30.37	68.00	51.04	2.37	12.28	28.06	Peak	216	---
2	107.880	36.57	-11.43	48.00	49.98	2.37	12.28	28.06	Average	216	---

Vertical



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : ST5TK1
 Memo : FCC ID:NKRUPAST5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 315度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.880	34.23	-33.77	68.00	47.64	2.37	12.28	28.06	Peak	252	---
2	107.880	32.27	-15.73	48.00	45.68	2.37	12.28	28.06	Average	252	---

4. List of Measuring Equipments

Instrument	Manufacturer	Model No.	Serial No.	Characteristics	Calibration Date	Remark
10m Semi Anechoic Chamber	SIDT FRANKONIA	SAC-10M	10CH01-HY	30MHz~1GHz 10m, 3m	Apr. 13, 2009	Radiation (10CH01-HY)
Receiver	R&S	ESI7	838496/009	9kHz-7GHz	Apr. 01 2009	Radiation (10CH01-HY)
Amplifier	Agilent	8447D	2944A10825	100kHz – 1.3GHz	May 26, 2009	Radiation (10CH01-HY)
Turn Table	HD	DT 60 RPS	1513/004/00	0 ~ 360 degree	N/A	Radiation (10CH01-HY)
Antenna Mast	HD	MA240	240/556/00	1 m - 4 m	N/A	Radiation (10CH01-HY)
RF Cable-R10m	Suhner Switzerland + Rosenberger	RG223/U + UAA220A-0	CB022-DOOR	30MHz~1GHz	Nov. 24, 2009	Radiation (10CH01-HY)
Bilog Antenna	SCHAFFNER	CBL6112B	2681	30MHz –1GHz	Dec. 21 2008	Radiation (10CH01-HY)