


Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz / 315° / Mode 2		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SV5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 315度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	322.940	25.14	-20.86	46.00	34.52	3.92	14.15	27.45	Peak	---	---
2	435.460	25.51	-20.49	46.00	33.16	4.45	16.04	28.14	Peak	---	---
3	586.780	30.66	-15.34	46.00	34.15	5.20	19.71	28.40	Peak	---	---

Vertical




Site : 10CH01-HY
Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
Model : SV5TK1
Memo : FCC ID:NKRUPASV5
Memo : FM 107.9M
Memo : Mitsubishi (LANCER GLXi)
Memo : Small CAR
Memo : 315度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	322.940	28.57	-17.43	46.00	37.95	3.92	14.15	27.45	Peak	---	---
2	478.140	30.33	-15.67	46.00	37.17	4.57	16.90	28.31	Peak	---	---
3	563.500	34.40	-11.60	46.00	38.64	5.09	19.07	28.40	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz / 0° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SV5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD EXION
 Memo : Large CAR
 Memo : 0度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	296.750	28.57	-17.43	46.00	38.31	3.83	13.74	27.31	Peak	---	---
2	509.180	27.57	-18.43	46.00	33.68	4.70	17.59	28.40	Peak	---	---
3	898.150	34.90	-11.10	46.00	36.56	6.06	19.89	27.61	Peak	---	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SV5TK1
 Memo : FCC ID: NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD EXION
 Memo : Large CAR
 Memo : 0度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	59.100	29.08	-10.92	40.00	48.02	1.84	7.40	28.18	Peak	---	---
2	312.270	28.47	-17.53	46.00	37.97	3.89	13.99	27.38	Peak	---	---
3	595.510	30.00	-16.00	46.00	33.21	5.24	19.95	28.40	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz / 45° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SY5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 45度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	447.100	27.74	-18.26	46.00	35.15	4.50	16.28	28.19	Peak	---	---
2	603.270	29.64	-16.36	46.00	32.73	5.26	20.05	28.40	Peak	---	---
3	893.300	33.57	-12.43	46.00	35.26	6.04	19.90	27.63	Peak	---	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SV5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 45度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	280.260	29.88	-16.12	46.00	40.17	3.67	13.40	27.36	Peak	---	---
2	599.390	28.35	-17.65	46.00	31.45	5.25	20.05	28.40	Peak	---	---
3	881.660	33.85	-12.15	46.00	35.59	6.00	19.93	27.67	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz / 90° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SV5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 90度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	296.750	29.53	-16.47	46.00	39.27	3.83	13.74	27.31	Peak	---	---
2	587.750	29.60	-16.40	46.00	33.06	5.20	19.74	28.40	Peak	---	---
3	898.150	33.17	-12.83	46.00	34.83	6.06	19.89	27.61	Peak	---	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SV5TK1
 Memo : FCC ID: NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 90度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	35.820	31.14	-8.86	40.00	43.62	1.33	14.43	28.24	Peak	---	---
2	295.780	29.08	-16.92	46.00	38.86	3.82	13.72	27.32	Peak	---	---
3	889.420	33.02	-12.98	46.00	34.72	6.03	19.91	27.64	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz / 135° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SY5TK1
 Memo : FCC ID: NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 135度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	59.100	29.35	-10.65	40.00	48.29	1.84	7.40	28.18	Peak	---	---
2	303.540	30.50	-15.50	46.00	40.09	3.87	13.86	27.32	Peak	---	---
3	591.630	30.97	-15.03	46.00	34.31	5.22	19.84	28.40	Peak	---	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SY5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 135度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	60.070	34.98	-5.02	40.00	54.19	1.84	7.13	28.18	Peak	---	---
2	299.660	31.25	-14.75	46.00	40.90	3.85	13.80	27.30	Peak	---	---
3	626.550	28.12	-17.88	46.00	31.47	5.24	19.78	28.37	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz / 180° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SV5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 180度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	303.540	26.30	-19.70	46.00	35.89	3.87	13.86	27.32	Peak	---	---
2	594.540	27.30	-18.70	46.00	30.55	5.23	19.92	28.40	Peak	---	---
3	816.670	28.56	-17.44	46.00	30.76	5.61	20.12	27.93	Peak	---	---

Vertical




Site : 10CH01-HY
Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
Model : SV5TK1
Memo : FCC ID:NKRUPASV5
Memo : FM 107.9M
Memo : FORD IXION
Memo : Large CAR
Memo : 180度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	288.020	27.91	-18.09	46.00	37.94	3.75	13.56	27.34	Peak	---	---
2	621.700	27.79	-18.21	46.00	31.09	5.25	19.83	28.38	Peak	---	---
3	956.350	31.47	-14.53	46.00	31.43	6.04	21.37	27.37	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz / 225° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SY5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 225度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	284.140	28.90	-17.10	46.00	39.06	3.71	13.48	27.35	Peak	---	---
2	594.540	28.36	-17.64	46.00	31.61	5.23	19.92	28.40	Peak	---	---
3	904.940	30.21	-15.79	46.00	31.72	6.06	20.01	27.58	Peak	---	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SV5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 225度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	288.990	29.12	-16.88	46.00	39.12	3.76	13.58	27.34	Peak	---	---
2	586.780	28.61	-17.39	46.00	32.10	5.20	19.71	28.40	Peak	---	---
3	956.350	31.33	-14.67	46.00	31.29	6.04	21.37	27.37	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz / 270° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SY5TK1
 Memo : FCC ID: NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 270度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	295.780	30.01	-15.99	46.00	39.79	3.82	13.72	27.32	Peak	---	---
2	595.510	30.13	-15.87	46.00	33.34	5.24	19.95	28.40	Peak	---	---
3	885.540	33.21	-12.79	46.00	34.94	6.01	19.92	27.66	Peak	---	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SY5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 270度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	47.460	33.90	-6.10	40.00	49.46	1.60	11.05	28.21	Peak	---	---
2	315.180	31.57	-14.43	46.00	41.03	3.90	14.04	27.40	Peak	---	---
3	586.780	29.12	-16.88	46.00	32.61	5.20	19.71	28.40	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz / 315° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SY5TK1
 Memo : FCC ID: NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 315度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	35.820	32.13	-7.87	40.00	44.61	1.33	14.43	28.24	Peak	---	---
2	295.780	30.51	-15.49	46.00	40.29	3.82	13.72	27.32	Peak	---	---
3	594.540	30.10	-15.90	46.00	33.35	5.23	19.92	28.40	Peak	---	---

Vertical



Site : 10CH01-HY
Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
Model : SV5TK1
Memo : FCC ID:NKRUPASV5
Memo : FM 107.9M
Memo : FORD IXION
Memo : Large CAR
Memo : 315度


	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	55.220	28.95	-11.05	40.00	46.93	1.74	8.47	28.19	Peak	---	---
2	300.630	32.52	-13.48	46.00	42.15	3.86	13.81	27.30	Peak	---	---
3	582.900	30.41	-15.59	46.00	34.03	5.18	19.60	28.40	Peak	---	---

Note: Emissions measured with the Average detector can be found in a separate section of this report.

3.2 Test Result of Field Strength of Fundamental Emissions

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz / 0° / Mode 1		


Horizontal



Site : 10CH01-HY
Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
Model : SV5TK1
Memo : FCC ID:NKRUPASV5
Memo : FM 107.9M
Memo : FORD MONDEO
Memo : Medium CAR
Memo : 0度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	29.65	-38.35	68.00	43.06	2.37	12.28	28.06	Peak	290	---
2	107.890	27.71	-20.29	48.00	41.12	2.37	12.28	28.06	Average	290	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SV5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 0度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	36.38	-31.62	68.00	49.79	2.37	12.28	28.06	Peak	100	---
2	107.890	35.39	-12.61	48.00	48.80	2.37	12.28	28.06	Average	100	---

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz / 45° / Mode 1		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SY5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 45度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	30.98	-37.02	68.00	44.39	2.37	12.28	28.06	Peak	284	---
2	107.890	29.47	-18.53	48.00	42.88	2.37	12.28	28.06	Average	284	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SY5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 45度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.880	36.69	-31.31	68.00	50.10	2.37	12.28	28.06	Peak	106	---
2	107.880	36.37	-11.63	48.00	49.78	2.37	12.28	28.06	Average	106	---

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz / 90° / Mode 1		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SV5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 90度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	30.04	-37.96	68.00	43.45	2.37	12.28	28.06	Peak	395	---
2	107.890	28.60	-19.40	48.00	42.01	2.37	12.28	28.06	Average	395	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SY5TK1
 Memo : FCC ID: NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 90度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	27.03	-40.97	68.00	40.44	2.37	12.28	28.06	Peak	100	---
2	107.890	25.25	-22.75	48.00	38.66	2.37	12.28	28.06	Average	100	---

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz / 135° / Mode 1		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SV5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 135度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	32.82	-35.18	68.00	46.23	2.37	12.28	28.06	Peak	238	135
2	107.890	31.62	-16.38	48.00	45.03	2.37	12.28	28.06	Average	238	135

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SY5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 135度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	30.08	-37.92	68.00	43.49	2.37	12.28	28.06	Peak	100	135
2	107.890	28.47	-19.53	48.00	41.88	2.37	12.28	28.06	Average	100	135

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz / 180° / Mode 1		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SV5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 180度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	30.62	-37.38	68.00	44.03	2.37	12.28	28.06	Peak	271	90
2	107.890	28.61	-19.39	48.00	42.02	2.37	12.28	28.06	Average	271	90

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SY5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 180度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.880	30.62	-37.38	68.00	44.03	2.37	12.28	28.06	Peak	104	90
2	107.880	29.00	-19.00	48.00	42.41	2.37	12.28	28.06	Average	104	90

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz / 225° / Mode 1		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SY5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 225度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	23.58	-44.42	68.00	36.99	2.37	12.28	28.06	Peak	319	45
2	107.890	20.46	-27.54	48.00	33.87	2.37	12.28	28.06	Average	319	45

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SY5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 225度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	28.19	-39.81	68.00	41.60	2.37	12.28	28.06	Peak	100	45
2	107.890	26.95	-21.05	48.00	40.36	2.37	12.28	28.06	Average	100	45

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz / 270° / Mode 1		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SY5TK1
 Memo : FCC ID: NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 270度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.880	28.65	-39.35	68.00	42.06	2.37	12.28	28.06	Peak	400	0
2	107.880	26.81	-21.19	48.00	40.22	2.37	12.28	28.06	Average	400	0

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SV5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 270度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.880	33.08	-34.92	68.00	46.49	2.37	12.28	28.06	Peak	100	0
2	107.880	31.99	-16.01	48.00	45.40	2.37	12.28	28.06	Average	100	0

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz / 315° / Mode 1		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SY5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 315度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	31.62	-36.38	68.00	45.03	2.37	12.28	28.06	Peak	300	---
2	107.890	29.93	-18.07	48.00	43.34	2.37	12.28	28.06	Average	300	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SY5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD MONDEO
 Memo : Medium CAR
 Memo : 315度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	34.56	-33.44	68.00	47.97	2.37	12.28	28.06	Peak	100	---
2	107.890	33.60	-14.40	48.00	47.01	2.37	12.28	28.06	Average	100	---

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz / 0° / Mode 2		

Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SY5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 0度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.880	22.63	-45.37	68.00	36.04	2.37	12.28	28.06	Peak	261	---
2	107.880	20.15	-27.85	48.00	33.56	2.37	12.28	28.06	Average	261	---