


Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SV5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 0度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.880	35.65	-32.35	68.00	49.06	2.37	12.28	28.06	Peak	106	---
2	107.880	34.58	-13.42	48.00	47.99	2.37	12.28	28.06	Average	106	---

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz / 45° / Mode 2		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SV5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 45度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.880	23.93	-44.07	68.00	37.34	2.37	12.28	28.06	Peak	325	---
2	107.880	20.35	-27.65	48.00	33.76	2.37	12.28	28.06	Average	325	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SY5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 45度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.990	33.71	-34.29	68.00	47.12	2.37	12.28	28.06	Peak	100	---
2	107.990	32.35	-15.65	48.00	45.76	2.37	12.28	28.06	Average	100	---

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz / 90° / Mode 2		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SV5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 90度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.880	30.90	-37.10	68.00	44.31	2.37	12.28	28.06	Peak	333	---
2	107.880	29.56	-18.44	48.00	42.97	2.37	12.28	28.06	Average	333	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SY5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 90度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.880	35.62	-32.38	68.00	49.03	2.37	12.28	28.06	Peak	108	---
2	107.880	34.48	-13.52	48.00	47.89	2.37	12.28	28.06	Average	108	---

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz / 135° / Mode 2		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SV5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 135度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.880	22.05	-45.95	68.00	35.46	2.37	12.28	28.06	Peak	206	135
2	107.880	18.45	-29.55	48.00	31.86	2.37	12.28	28.06	Average	206	135

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SV5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 135度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.880	21.15	-46.85	68.00	34.56	2.37	12.28	28.06	Peak	170	135
2	107.880	17.15	-30.85	48.00	30.56	2.37	12.28	28.06	Average	170	135

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz / 180° / Mode 2		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SY5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 180度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.880	28.45	-39.55	68.00	41.86	2.37	12.28	28.06	Peak	309	90
2	107.880	26.05	-21.95	48.00	39.46	2.37	12.28	28.06	Average	309	90

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SY5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 180度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.880	28.02	-39.98	68.00	41.43	2.37	12.28	28.06	Peak	107	90
2	107.880	25.68	-22.32	48.00	39.09	2.37	12.28	28.06	Average	107	90

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz / 225° / Mode 2		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SV5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 225度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.880	30.48	-37.52	68.00	43.89	2.37	12.28	28.06	Peak	248	45
2	107.880	27.98	-20.02	48.00	41.39	2.37	12.28	28.06	Average	248	45

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SY5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 225度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.880	24.57	-43.43	68.00	37.98	2.37	12.28	28.06	Peak	338	45
2	107.880	21.46	-26.54	48.00	34.87	2.37	12.28	28.06	Average	338	45

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz / 270° / Mode 2		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SV5TK1
 Memo : FCC ID: NKRUPASV5
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 270度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.880	31.25	-36.75	68.00	44.66	2.37	12.28	28.06	Peak	312	0
2	107.880	28.64	-19.36	48.00	42.05	2.37	12.28	28.06	Average	312	0

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SV5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 270度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.880	29.94	-38.06	68.00	43.35	2.37	12.28	28.06	Peak	115	0
2	107.880	27.82	-20.18	48.00	41.23	2.37	12.28	28.06	Average	115	0

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz / 315° / Mode 2		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SY5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 315度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.880	27.03	-40.97	68.00	40.44	2.37	12.28	28.06	Peak	252	---
2	107.880	24.47	-23.53	48.00	37.88	2.37	12.28	28.06	Average	252	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SY5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : Mitsubishi (LANCER GLXi)
 Memo : Small CAR
 Memo : 315度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.880	32.60	-35.40	68.00	46.01	2.37	12.28	28.06	Peak	100	---
2	107.880	31.47	-16.53	48.00	44.88	2.37	12.28	28.06	Average	100	---

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz / 0° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SV5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 0度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	31.78	-36.22	68.00	45.19	2.37	12.28	28.06	Peak	280	---
2	107.890	30.68	-17.32	48.00	44.09	2.37	12.28	28.06	Average	280	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SY5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 0度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	35.48	-32.52	68.00	48.89	2.37	12.28	28.06	Peak	100	---
2	107.890	34.61	-13.39	48.00	48.02	2.37	12.28	28.06	Average	100	---

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz / 45° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SV5TK1
 Memo : FCC ID: NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 45度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	28.23	-39.77	68.00	41.64	2.37	12.28	28.06	Peak	261	---
2	107.890	26.39	-21.61	48.00	39.80	2.37	12.28	28.06	Average	261	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SV5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 45度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	37.62	-30.38	68.00	51.03	2.37	12.28	28.06	Peak	100	---
2	107.890	37.04	-10.96	48.00	50.45	2.37	12.28	28.06	Average	100	---

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz / 90° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SV5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 90度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	31.89	-36.11	68.00	45.30	2.37	12.28	28.06	Peak	294	---
2	107.890	30.48	-17.52	48.00	43.89	2.37	12.28	28.06	Average	294	---

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SV5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 90度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	36.48	-31.52	68.00	49.89	2.37	12.28	28.06	Peak	100	---
2	107.890	35.69	-12.31	48.00	49.10	2.37	12.28	28.06	Average	100	---

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz / 135° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SV5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 135度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		cm	deg
1	107.890	33.14	-34.86	68.00	46.55	2.37	12.28	28.06	Peak	275	135
2	107.890	32.25	-15.75	48.00	45.66	2.37	12.28	28.06	Average	275	135

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SV5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 135度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	27.71	-40.29	68.00	41.12	2.37	12.28	28.06	Peak	100	135
2	107.890	26.46	-21.54	48.00	39.87	2.37	12.28	28.06	Average	100	135

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz / 180° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SV5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 180度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	27.24	-40.76	68.00	40.65	2.37	12.28	28.06	Peak	246	90
2	107.890	24.72	-23.28	48.00	38.13	2.37	12.28	28.06	Average	246	90

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SY5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 180度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	36.72	-31.28	68.00	50.13	2.37	12.28	28.06	Peak	100	90
2	107.890	36.35	-11.65	48.00	49.76	2.37	12.28	28.06	Average	100	90

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz / 225° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SV5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 225度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	37.18	-30.82	68.00	50.59	2.37	12.28	28.06	Peak	246	45
2	107.890	36.60	-11.40	48.00	50.01	2.37	12.28	28.06	Average	246	45

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SY5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 225度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	36.36	-31.64	68.00	49.77	2.37	12.28	28.06	Peak	157	45
2	107.890	35.60	-12.40	48.00	49.01	2.37	12.28	28.06	Average	157	45

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz / 270° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SV5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 270度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	30.82	-37.18	68.00	44.23	2.37	12.28	28.06	Peak	225	0
2	107.890	29.61	-18.39	48.00	43.02	2.37	12.28	28.06	Average	225	0

Vertical




Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SY5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 270度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	35.82	-32.18	68.00	49.23	2.37	12.28	28.06	Peak	121	0
2	107.890	35.23	-12.77	48.00	48.64	2.37	12.28	28.06	Average	121	0

Temperature	20.3°C	Humidity	57.8%
Configurations	107.9 MHz / 315° / Mode 3		


Horizontal



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 HORIZONTAL
 Model : SY5TK1
 Memo : FCC ID: NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 315度

	Freq	Level	Over Limit	Limit Line	Read Level	Cable Loss	Probe Factor	Preamp Factor	Remark	Ant Pos	Table Pos
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB	dB	dB		cm	deg
1	107.890	35.58	-32.42	68.00	48.99	2.37	12.28	28.06	Peak	247	---
2	107.890	34.41	-13.59	48.00	47.82	2.37	12.28	28.06	Average	247	---

Vertical



Site : 10CH01-HY
 Condition : FCC CLASS-B (PK) 3m AT-2681 VERTICAL
 Model : SV5TK1
 Memo : FCC ID:NKRUPASV5
 Memo : FM 107.9M
 Memo : FORD IXION
 Memo : Large CAR
 Memo : 315度

	Freq	Level	Over	Limit	Read	Cable	Probe	Preamp	Remark	Ant	Table
	MHz	dBuV/m	dB	dBuV/m	dBuV	Loss	Factor	Factor		Pos	Pos
						dB	dB	dB		cm	deg
1	107.890	35.05	-32.95	68.00	48.46	2.37	12.28	28.06	Peak	325	---
2	107.890	34.19	-13.81	48.00	47.60	2.37	12.28	28.06	Average	325	---

4. List of Measuring Equipments

Instrument	Manufacturer	Model No.	Serial No.	Characteristics	Calibration Date	Remark
10m Semi Anechoic Chamber	SIDT FRANKONIA	SAC-10M	10CH01-HY	30MHz~1GHz 10m, 3m	Apr. 13, 2009	Radiation (10CH01-HY)
Receiver	R&S	ESI7	838496/009	9kHz-7GHz	Apr. 01 2009	Radiation (10CH01-HY)
Amplifier	Agilent	8447D	2944A10825	100kHz – 1.3GHz	May 26, 2009	Radiation (10CH01-HY)
Turn Table	HD	DT 60 RPS	1513/004/00	0 ~ 360 degree	N/A	Radiation (10CH01-HY)
Antenna Mast	HD	MA240	240/556/00	1 m - 4 m	N/A	Radiation (10CH01-HY)
RF Cable-R10m	Suhner Switzerland + Rosenberger	RG223/U + UAA220A-0	CB022-DOOR	30MHz~1GHz	Nov. 24, 2009	Radiation (10CH01-HY)
Bilog Antenna	SCHAFFNER	CBL6112B	2681	30MHz –1GHz	Dec. 21 2008	Radiation (10CH01-HY)