


**FIGURE 1**

**TEST CONFIGURATION**

**(RF, RECEIVER, & DIGITAL DEVICE TESTS)**



S = Shielded  
U = Unshielded

**Test Date:** January 12, 19, & 25, 2001  
**UST Project:** 00-0548  
**Customer:** Computational Systems, Inc.  
**Model:** 8215 & 8225

**FIGURE 2a**


**Photograph(s) for Spurious and Fundamental Emissions (Front)**



**Test Date:** January 12, 19, & 25, 2001  
**UST Project:** 00-0548  
**Customer:** Computational Systems, Inc.  
**Model:** 8215 & 8225

**FIGURE 2b**

**Photograph(s) for Spurious and Fundamental Emissions (Back)**



**Test Date:** November 27 & December 6, 2000  
**UST Project:** 00-0548  
**Customer:** Computational Systems, Inc.  
**Model:** 8215 & 8225

**FIGURE 2c**

**Photograph(s) for Digital Device Emissions (Front)**



**Test Date:** November 27 & December 6, 2000  
**UST Project:** 00-0548  
**Customer:** Computational Systems, Inc.  
**Model:** 8215 & 8225

**FIGURE 2d**

**Photograph(s) for Digital Device Emissions (Back)**



**Test Date:** November 27 & December 6, 2000  
**UST Project:** 00-0548  
**Customer:** Computational Systems, Inc.  
**Model:** 8215 & 8225

**FIGURE 2e**

**Photograph(s) for Digital Device Conducted Emissions**

**Since the EUT operates from battery operated devices,  
this test was deemed not necessary.**