

| Tuned Frequency MHz | Emission Frequenc y MHz | Meter Reading dBuV | Ant. Polarity | Coax Loss dB | Correction Factor dB | Field Strength dBuV/m | Margin dB |
|------------------------------------|--|-----------------------------------|--------------------------|-----------------------------|-------------------------------------|--------------------------------------|----------------------|
| 27.2 | 27.15 | 53.3 | H | 0.54 | 7.40 | 61.24 | 18.76 |
| 27.2 | 54.30 | 14.4 | H | 1.11 | 10.14 | 25.65 | 14.35 |
| 27.2 | 54.30 | 19.8 | V | 1.11 | 9.60 | 30.51 | 9.49 |
| 27.2 | 81.52 | 13.0 | H | 1.21 | 8.70 | 22.91 | 17.09 |
| 27.2 | 81.52 | 18.6 | V | 1.21 | 9.26 | 29.07 | 10.93 |
| 27.2 | 108.70 | 8.5 | H | 1.44 | 10.35 | 20.29 | 23.21 |
| 27.2 | 108.70 | 11.2 | V | 1.44 | 11.08 | 23.72 | 19.78 |
| 27.2 | 135.80 | 0.2 | V | 1.71 | 15.01 | 16.92 | 26.58 |
| 27.2 | 135.80 | 13.6 | H | 1.71 | 14.36 | 29.67 | 13.83 |
| 27.2 | 163.05 | 3.1 | V | 2.01 | 16.76 | 21.87 | 21.63 |
| 27.2 | 163.05 | 10.8 | H | 2.01 | 16.28 | 29.09 | 14.41 |
| 27.2 | 190.20 | 2.8 | V | 2.33 | 14.84 | 19.97 | 23.53 |
| 27.2 | 190.20 | 4.0 | H | 2.33 | 14.15 | 20.48 | 23.02 |
| 27.2 | 217.14 | 18.5 | V | 2.50 | 11.14 | 32.14 | 13.86 |
| 27.2 | 217.40 | 8.7 | H | 2.50 | 11.50 | 22.70 | 23.30 |
| 27.2 | 244.50 | 8.0 | H | 2.58 | 12.27 | 22.85 | 23.15 |
| 27.2 | 244.50 | 20.0 | V | 2.58 | 12.18 | 34.76 | 11.24 |
| 27.2 | 271.70 | 3.3 | H | 2.69 | 14.07 | 20.06 | 25.94 |
| 27.2 | 271.70 | 15.8 | V | 2.69 | 13.84 | 32.33 | 13.67 |