





Mode: UNII-3(HT20)
 Distance of measurement: 3 meter
 Channel: 149

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5725.00	40.73	Peak	H	-2.49	-	38.24	122.20	83.96
5710.39	41.92	Peak	H	-2.54	-	39.38	108.11	68.73
5725.00	40.12	Peak	V	-2.49	-	37.63	122.20	84.57
5571.21	41.37	Peak	V	-3.10	-	38.27	68.20	29.93



Note.

1. Average test was not performed because peak result is lower than the average limit.




This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
The test results in the report only apply to the tested sample.



Mode: UNII-3(HT20)
 Distance of measurement: 3 meter
 Channel: 157

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
No spurious emission were detected above 6 GHz.								




This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
 The test results in the report only apply to the tested sample.




Mode: UNII-3(HT20)
 Distance of measurement: 3 meter
 Channel: 165

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5850.00	40.74	Peak	H	-2.07	-	38.67	122.20	83.53
5936.19	41.91	Peak	H	-1.82	-	40.09	68.20	28.11
5850.00	39.92	Peak	V	-2.07	-	37.85	122.20	84.35
5945.30	41.69	Peak	V	-1.79	-	39.90	68.20	28.30



Note.
 1. Average test was not performed because peak result is lower than the average limit.




Note.

1. No spurious emission were detected above 6 GHz.




Mode: UNII-1(HT40)
 Distance of measurement: 3 meter
 Channel: 38

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
4663.40	41.59	Peak	H	-4.73	-	36.86	74.00	37.14
4994.50	41.45	Peak	V	-3.45	-	38.00	74.00	36.00



Note.

1. Average test was not performed because peak result is lower than the average limit.



This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
The test results in the report only apply to the tested sample.




KES Co., Ltd.

C-3701, 40, Simin-daero 365beon-gil,
 Dongan-gu, Anyang-si, Gyeonggi-do, Korea
 Tel: +82-31-425-6200 / Fax: +82-31-424-0450
 www.kes.co.kr

Test report No.:
 KES-RF-16T0114-R2
 Page (65) of (160)

Mode: UNII-1(HT40)
 Distance of measurement: 3 meter
 Channel: 46

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
No spurious emission were detected above 6 GHz.								



Note.
 1. No spurious emission were detected above 6 GHz.

This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
 The test results in the report only apply to the tested sample.




KES Co., Ltd.

C-3701, 40, Simin-daero 365beon-gil,
 Dongan-gu, Anyang-si, Gyeonggi-do, Korea
 Tel: +82-31-425-6200 / Fax: +82-31-424-0450
 www.kes.co.kr

Test report No.:
 KES-RF-16T0114-R2
 Page (66) of (160)

Mode: UNII-2A(HT40)
 Distance of measurement: 3 meter
 Channel: 54

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
No spurious emission were detected above 6 GHz.								




This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
 The test results in the report only apply to the tested sample.




Mode: UNII-2A(HT40)
 Distance of measurement: 3 meter
 Channel: 62

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5354.57	47.98	Peak	H	-3.58	-	44.40	74.00	29.60
5355.50	46.60	Peak	V	-3.58	-	43.02	74.00	30.98



Note.

1. Average test was not performed because peak result is lower than the average limit.




Note.

1. No spurious emission were detected above 6 GHz.




Mode: UNII-2C(HT40)
 Distance of measurement: 3 meter
 Channel: 102

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5391.97	43.52	Peak	H	-3.62	-	39.90	74.00	34.10
5414.37	42.67	Peak	V	-3.61	-	39.06	74.00	34.94



Note.

1. Average test was not performed because peak result is lower than the average limit.




This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
The test results in the report only apply to the tested sample.



Mode: UNII-2C(HT40)
 Distance of measurement: 3 meter
 Channel: 110

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
No spurious emission were detected above 6 GHz.								




This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
 The test results in the report only apply to the tested sample.



Mode: UNII-2C(HT40)
 Distance of measurement: 3 meter
 Channel: 134

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
No spurious emission were detected above 6 GHz.								




Note.
 1. No spurious emission were detected above 6 GHz.




Mode: UNII-3(HT40)
 Distance of measurement: 3 meter
 Channel: 151

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5725.00	44.87	Peak	H	-2.49	-	42.38	122.20	79.82
5482.29	43.46	Peak	H	-3.51	-	39.95	68.20	28.25
5725.00	47.62	Peak	V	-2.49	-	45.13	122.20	77.07
5571.01	41.70	Peak	V	-3.11	-	38.59	68.20	29.61



Note.

- Average test was not performed because peak result is lower than the average limit.




This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
The test results in the report only apply to the tested sample.




Mode: UNII-3(HT40)
 Distance of measurement: 3 meter
 Channel: 159

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5850.00	39.74	Peak	H	-2.07	-	37.67	122.20	84.53
5950.37	42.19	Peak	H	-1.77	-	40.42	68.20	27.78
5850.00	40.87	Peak	V	-2.07	-	38.80	122.20	83.40
5937.45	41.91	Peak	V	-1.81	-	40.10	68.20	28.10



Note.
 1. Average test was not performed because peak result is lower than the average limit.



Note.


1. No spurious emission were detected above 6 GHz.



Ant 2


Mode: UNII-1
 Distance of measurement: 3 meter
 Channel: 36

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5150.00	44.01	Peak	H	-3.42	-	40.59	74.00	33.41
5150.00	46.29	Peak	V	-3.42	-	42.87	74.00	31.13



Note.

- Average test was not performed because peak result is lower than the average limit.



This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
The test results in the report only apply to the tested sample.




KES Co., Ltd.

C-3701, 40, Simin-daero 365beon-gil,
 Dongan-gu, Anyang-si, Gyeonggi-do, Korea
 Tel: +82-31-425-6200 / Fax: +82-31-424-0450
 www.kes.co.kr

Test report No.:
 KES-RF-16T0114-R2
 Page (79) of (160)

Mode: UNII-1
 Distance of measurement: 3 meter
 Channel: 44

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
No spurious emission were detected above 6 GHz.								




This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
 The test results in the report only apply to the tested sample.



Mode: UNII-1
 Distance of measurement: 3 meter
 Channel: 48

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
No spurious emission were detected above 6 GHz.								



Note.
 1. No spurious emission were detected above 6 GHz.




KES Co., Ltd.

C-3701, 40, Simin-daero 365beon-gil,
 Dongan-gu, Anyang-si, Gyeonggi-do, Korea
 Tel: +82-31-425-6200 / Fax: +82-31-424-0450
 www.kes.co.kr

Test report No.:
 KES-RF-16T0114-R2
 Page (81) of (160)

Mode: UNII-2A
 Distance of measurement: 3 meter
 Channel: 52

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
No spurious emission were detected above 6 GHz.								



This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
 The test results in the report only apply to the tested sample.




KES Co., Ltd.

C-3701, 40, Simin-daero 365beon-gil,
 Dongan-gu, Anyang-si, Gyeonggi-do, Korea
 Tel: +82-31-425-6200 / Fax: +82-31-424-0450
 www.kes.co.kr

Test report No.:
 KES-RF-16T0114-R2
 Page (82) of (160)

Mode: UNII-2A
 Distance of measurement: 3 meter
 Channel: 60

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
No spurious emission were detected above 6 GHz.								




This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
 The test results in the report only apply to the tested sample.




Mode: UNII-2A
 Distance of measurement: 3 meter
 Channel: 64

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
5354.34	42.05	Peak	H	-3.58	-	38.47	74.00	35.53
5371.24	41.89	Peak	V	-3.60	-	38.29	74.00	35.71



Note.

1. Average test was not performed because peak result is lower than the average limit.




Note.

1. No spurious emission were detected above 6 GHz.




Mode: UNII-2C
 Distance of measurement: 3 meter
 Channel: 100

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5378.83	41.90	Peak	H	-3.61	-	38.29	74.00	35.71
5368.49	42.14	Peak	V	-3.60	-	38.54	74.00	35.46



Note.

- Average test was not performed because peak result is lower than the average limit.



This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
The test results in the report only apply to the tested sample.




KES Co., Ltd.

C-3701, 40, Simin-daero 365beon-gil,
 Dongan-gu, Anyang-si, Gyeonggi-do, Korea
 Tel: +82-31-425-6200 / Fax: +82-31-424-0450
 www.kes.co.kr

Test report No.:
 KES-RF-16T0114-R2
 Page (87) of (160)

Mode: UNII-2C
 Distance of measurement: 3 meter
 Channel: 116

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
No spurious emission were detected above 6 GHz.								




This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
 The test results in the report only apply to the tested sample.



Mode: UNII-2C
 Distance of measurement: 3 meter
 Channel: 140

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
No spurious emission were detected above 6 GHz.								




Note.
 1. No spurious emission were detected above 6 GHz.

This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
 The test results in the report only apply to the tested sample.




Mode: UNII-3
 Distance of measurement: 3 meter
 Channel: 149

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5725.00	41.62	Peak	H	-2.49	-	39.13	122.20	83.07
5588.72	42.32	Peak	H	-3.01	-	39.31	68.20	28.89
5725.00	40.12	Peak	V	-2.49	-	37.63	122.20	84.57
5580.18	42.42	Peak	V	-3.06	-	39.36	68.20	28.84



Note.
 1. Average test was not performed because peak result is lower than the average limit.




This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
The test results in the report only apply to the tested sample.



Mode: UNII-3
 Distance of measurement: 3 meter
 Channel: 157

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
No spurious emission were detected above 6 GHz.								




This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
 The test results in the report only apply to the tested sample.




Mode: UNII-3
 Distance of measurement: 3 meter
 Channel: 165

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5850.00	41.26	Peak	H	-2.07	-	39.19	122.20	83.01
5851.01	43.99	Peak	H	-2.07	-	41.92	119.90	77.98
5925.00	39.46	Peak	H	-1.85	-	37.61	68.20	30.59
5850.00	41.66	Peak	V	-2.07	-	39.59	122.20	82.61
5860.90	42.49	Peak	V	-2.04	-	40.45	109.15	68.70
5925.00	39.84	Peak	V	-1.85	-	37.99	68.20	30.21



Note.

1. Average test was not performed because peak result is lower than the average limit.



Note.


1. No spurious emission were detected above 6 GHz.

This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
 The test results in the report only apply to the tested sample.




Mode: UNII-1(HT20)
 Distance of measurement: 3 meter
 Channel: 36

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5144.80	46.57	Peak	H	-3.42	-	43.15	74.00	30.85
5150.00	46.72	Peak	V	-3.42	-	43.30	74.00	30.70



Note.

1. Average test was not performed because peak result is lower than the average limit.




This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
The test results in the report only apply to the tested sample.



Mode: UNII-1(HT20)
 Distance of measurement: 3 meter
 Channel: 44

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
No spurious emission were detected above 6 GHz.								




This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
 The test results in the report only apply to the tested sample.



Mode: UNII-1(HT20)
 Distance of measurement: 3 meter
 Channel: 48

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
No spurious emission were detected above 6 GHz.								




Note.
 1. No spurious emission were detected above 6 GHz.



Mode: UNII-2A(HT20)
 Distance of measurement: 3 meter
 Channel: 52

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
No spurious emission were detected above 6 GHz.								



This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
 The test results in the report only apply to the tested sample.




KES Co., Ltd.

C-3701, 40, Simin-daero 365beon-gil,
 Dongan-gu, Anyang-si, Gyeonggi-do, Korea
 Tel: +82-31-425-6200 / Fax: +82-31-424-0450
 www.kes.co.kr

Test report No.:
 KES-RF-16T0114-R2
 Page (99) of (160)

Mode: UNII-2A(HT20)
 Distance of measurement: 3 meter
 Channel: 60

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
No spurious emission were detected above 6 GHz.								




This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
 The test results in the report only apply to the tested sample.




Mode: UNII-2A(HT20)
 Distance of measurement: 3 meter
 Channel: 64

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5447.66	42.47	Peak	H	-3.56	-	38.91	74.00	35.09
5433.07	41.91	Peak	V	-3.58	-	38.33	74.00	35.67



Note.

1. Average test was not performed because peak result is lower than the average limit.




Note.

1. No spurious emission were detected above 6 GHz.


Mode: UNII-2C(HT20)
 Distance of measurement: 3 meter
 Channel: 100

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5445.50	43.52	Peak	H	-3.57	-	39.95	74.00	34.05
5440.09	43.05	Peak	V	-3.57	-	39.48	74.00	34.52



Note.

1. Average test was not performed because peak result is lower than the average limit.



This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
The test results in the report only apply to the tested sample.




KES Co., Ltd.

C-3701, 40, Simin-daero 365beon-gil,
 Dongan-gu, Anyang-si, Gyeonggi-do, Korea
 Tel: +82-31-425-6200 / Fax: +82-31-424-0450
 www.kes.co.kr

Test report No.:
 KES-RF-16T0114-R2
 Page (104) of (160)

Mode: UNII-2C(HT20)
 Distance of measurement: 3 meter
 Channel: 116

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
No spurious emission were detected above 6 GHz.								




This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
 The test results in the report only apply to the tested sample.



Mode: UNII-2C(HT20)
 Distance of measurement: 3 meter
 Channel: 140

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
No spurious emission were detected above 6 GHz.								




Note.
 1. No spurious emission were detected above 6 GHz.

This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
 The test results in the report only apply to the tested sample.




Mode: UNII-3(HT20)
 Distance of measurement: 3 meter
 Channel: 149

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5725.00	41.62	Peak	H	-2.49	-	39.13	122.20	83.07
5660.01	42.32	Peak	H	-2.73	-	39.59	75.61	36.02
5650.00	40.12	Peak	H	-2.76	-	37.36	68.20	30.84
5725.00	42.42	Peak	V	-2.49	-	39.93	122.20	82.27
5619.03	42.42	Peak	V	-2.88	-	39.54	68.20	28.66



Note.

- Average test was not performed because peak result is lower than the average limit.




This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
The test results in the report only apply to the tested sample.



Mode: UNII-3(HT20)
 Distance of measurement: 3 meter
 Channel: 157

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
No spurious emission were detected above 6 GHz.								




This report shall not be reproduced except in full, without the written approval of KES Co., Ltd.
 The test results in the report only apply to the tested sample.




Mode: UNII-3(HT20)
 Distance of measurement: 3 meter
 Channel: 165

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
5850.00	40.74	Peak	H	-2.07	-	38.67	122.20	83.53
5853.09	42.20	Peak	H	-2.06	-	40.14	115.15	75.01
5925.00	40.71	Peak	H	-1.85	-	38.86	68.20	29.34
5850.00	42.70	Peak	V	-2.07	-	40.63	122.20	81.57
5851.53	45.49	Peak	V	-2.06	-	43.43	118.71	75.28
5925.00	39.93	Peak	V	-1.85	-	38.08	68.20	30.12



Note.

1. Average test was not performed because peak result is lower than the average limit.



Note.

1. No spurious emission were detected above 6 GHz.