




# 4.5 Peak to Average Ratio

## 4.5.1 Limits of Peak to Average Ratio Measurement

In measuring transmissions in this band using an average power technique, the peak to-average ratio (PAR) of the transmission may not exceed 13 dB

# 4.5.2 Test Setup




## 4.5.3 Test Procedures

- 1. 6HWUHVROXWLRQPHDVXUHPHQWEDQGZLGWKVLJQDOVRFFXSLHGEDQGZLGWK
- 2. Set the number of counts to a value that stabilizes the measured CCDF curve;
- 3. Record the maximum PAPR level associated with a probability of 0.1 %.




## 4.5.4 Test Results

| LTE Band 7 |                    |                            |       |                           |           |                            |       |  |  |
|------------|--------------------|----------------------------|-------|---------------------------|-----------|----------------------------|-------|--|--|
| (          | Channel Band       | dwidth: 5 MH               | z     | Channel Bandwidth: 10 MHz |           |                            |       |  |  |
| Channel    | Frequency<br>(MHz) | Peak to Average Ratio (dB) |       | Channel                   | Frequency | Peak to Average Ratio (dB) |       |  |  |
|            |                    | QPSK                       | 16QAM |                           | (MHz)     | QPSK                       | 16QAM |  |  |
| 20775      | 2502.5             | 4.24                       | 4.49  | 20800                     | 2505.0    | 3.96                       | 4.23  |  |  |
| 21100      | 2535.0             | 3.47                       | 4.15  | 21100                     | 2535.0    | 3.49                       | 4.13  |  |  |
| 21425      | 2567.5             | 4.02                       | 4.89  | 21400                     | 2565.0    | 4.21                       | 4.95  |  |  |






| LTE Band 7 |                    |                            |       |                           |           |                            |       |  |  |
|------------|--------------------|----------------------------|-------|---------------------------|-----------|----------------------------|-------|--|--|
| C          | hannel Band        | width: 15 MF               | łz    | Channel Bandwidth: 20 MHz |           |                            |       |  |  |
| Channel    | Frequency<br>(MHz) | Peak to Average Ratio (dB) |       | Channel                   | Frequency | Peak to Average Ratio (dB) |       |  |  |
|            |                    | QPSK                       | 16QAM |                           | (MHz)     | QPSK                       | 16QAM |  |  |
| 20825      | 2507.5             | 4.10                       | 4.46  | 20850                     | 2510.0    | 4.02                       | 4.25  |  |  |
| 21100      | 2535.0             | 3.89                       | 4.34  | 21100                     | 2535.0    | 4.07                       | 4.82  |  |  |
| 21375      | 2562.5             | 3.83                       | 4.70  | 21350                     | 2560.0    | 4.15                       | 5.01  |  |  |






| LTE Band 41 |                    |                            |       |                           |           |                            |       |  |  |
|-------------|--------------------|----------------------------|-------|---------------------------|-----------|----------------------------|-------|--|--|
| (           | Channel Band       | dwidth: 5 MH               | z     | Channel Bandwidth: 10 MHz |           |                            |       |  |  |
| Channel     | Frequency<br>(MHz) | Peak to Average Ratio (dB) |       | Channel                   | Frequency | Peak to Average Ratio (dB) |       |  |  |
|             |                    | QPSK                       | 16QAM |                           | (MHz)     | QPSK                       | 16QAM |  |  |
| 39675       | 2498.5             | 7.39                       | 8.88  | 39700                     | 2501.0    | 6.77                       | 9.28  |  |  |
| 40620       | 2593.0             | 8.38                       | 9.14  | 40620                     | 2593.0    | 6.84                       | 9.84  |  |  |
| 41565       | 2687.5             | 8.21                       | 8.85  | 41540                     | 2685.0    | 8.33                       | 10.41 |  |  |





| LTE Band 41 |             |                            |       |                           |           |                            |       |  |  |
|-------------|-------------|----------------------------|-------|---------------------------|-----------|----------------------------|-------|--|--|
| C           | hannel Band | width: 15 MH               | Iz    | Channel Bandwidth: 20 MHz |           |                            |       |  |  |
| Channel     | Frequency   | Peak to Average Ratio (dB) |       | Channel                   | Frequency | Peak to Average Ratio (dB) |       |  |  |
|             | (MHz)       | QPSK                       | 16QAM |                           | (MHz)     | QPSK                       | 16QAM |  |  |
| 39725       | 2503.5      | 6.57                       | 10.01 | 39750                     | 2506.0    | 6.52                       | 9.55  |  |  |
| 40620       | 2593.0      | 8.18                       | 9.82  | 40620                     | 2593.0    | 8.41                       | 9.88  |  |  |
| 41515       | 2682.5      | 7.81                       | 8.85  | 41490                     | 2680.0    | 7.40                       | 10.09 |  |  |






# 4.6 Conducted Spurious Emissions

## 4.6.1 Limits of Conducted Spurious Emissions Measurement

The power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) by at least 55 +10 log10(P) dB. The limit of emission is equal to -25 dBm.

## 4.6.2 Test Setup




## 4.6.3 Test Procedure


- a. The EUT makes a phone call to the communication simulator. All measurements were done at low, middle and high operational frequency range.
- b. Measuring frequency range is from 30 MHz to 26 GHz for LTE Band 7 and from 30 MHz to 27 GHz for LTE Band 41. 10dB attenuation pad is connected with spectrum. RBW=1MHz and VBW=3MHz are used for conducted emission measurement.




## 4.6.4 Test Results


















#### 4.7 Radiated Emission Measurement

# 4.7.1 Limits of Radiated Emission Measurement

The power of any emission outside a licensee's frequency block shall be attenuated below the transmitter power (P) by at least 55 +10 log10(P) dB. The limit of emission is equal to -25 dBm.

#### 4.7.2 Test Procedure


- a. Substitution method is used for E.I.R.P measurement. In the semi-anechoic chamber, EUT placed on the 0.8 m height of Turn Table, rotated the table around 360 degrees to search the maximum radiation power and receiver antenna shall be rotated vertical and horizontal polarization and moved height from 1 m to 4 m to find the maximum SRODUUDGLDWHGSRZHU7KH5HDG9DOXHLVWKHVSHFWUXPUHDGLQJWKHPDLP power value.
- b. The substitution horn antenna is substituted for EUT at the same position and signals generator export the CW signal to the substitution antenna via a TX cable. Rotated the Turn Table and moved receiving antenna to find the maximum radiation power. Adjust output power level of S.G to get a Value of VSHFWUXPUHDGLQJHTXDOWR5HDGBBBALR. Record the power level of S.G.
- c. EIRP = Output power level of S.G  $\pm$  TX cable loss + Antenna gain of substitution horn.
- d. E.R.P power can be calculated form E.I.R.P power by subtracting the gain of dipole, E.R.P power = E.I.P.R power 2.15 dBi.

NOTE: The resolution bandwidth of spectrum analyzer is 1 MHz and the video bandwidth is 3 MHz.

# 4.7.3 Deviation from Test Standard

No deviation.

#### 4.7.4 Test Setup



For the actual test configuration, please refer to the attached file (Test Setup Photo).

Report No.: RF160303C04-3 Page No. 55 / 61 Report Format Version: 6.1.1




# 4.7.5 Test Results

## LTE Band 7

Channel Bandwidth: 20 MHz / QPSK



Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 27(B7/B41) 3m Horizontal


Remark : LTE\_Band 7\_Link\_CH21100

|      |         |            | Kead   | Limit      | Over   |        |        |
|------|---------|------------|--------|------------|--------|--------|--------|
|      | Freq    | Level      | Level  | Line       | Limit  | Factor | Remark |
|      | MHz     | dRm/m      | ——dRm  | dBm/m      |        | dB/m   |        |
|      | 11112   | ubiii/ iii | abiii  | abiii/ iii | ub     | ub/iii |        |
| 1    | 139.89  | -50.20     | -42.51 | -25.00     | -25.20 | -7.69  | Peak   |
| 2    | 197.13  | -56.02     | -49.97 | -25.00     | -31.02 | -6.05  | Peak   |
| 3    | 211.71  | -56.07     | -50.04 | -25.00     | -31.07 | -6.03  | Peak   |
| 4    | 391.00  | -72.11     | -68.90 | -25.00     | -47.11 | -3.21  | Peak   |
| 5    | 613.60  | -68.31     | -68.58 | -25.00     | -43.31 | 0.27   | Peak   |
| 6    | 686.40  | -68.19     | -67.88 | -25.00     | -43.19 | -0.31  | Peak   |
| 7 pp | 5070.00 | -48.46     | -67.85 | -25.00     | -23.46 | 19.39  | Peak   |





# Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 27(B7/B41) 3m Vertical Remark : LTE\_Band 7\_Link\_CH21100


| Freq    | Level                                                           | Read<br>Level                                                                                  |                                                                                                                                                                |                                                                                                                                                                                                                     | Factor                                                                                                                                                                                                                                                                 | Remark                             |
|---------|-----------------------------------------------------------------|------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|
| MHz     | dBm/m                                                           | dBm                                                                                            | dBm/m                                                                                                                                                          | dB                                                                                                                                                                                                                  | dB/m                                                                                                                                                                                                                                                                   |                                    |
| 105.33  | -62.92                                                          | -53.50                                                                                         | -25.00                                                                                                                                                         | -37.92                                                                                                                                                                                                              | -9.42                                                                                                                                                                                                                                                                  | Peak                               |
| 143.94  | -54.35                                                          | -46.56                                                                                         | -25.00                                                                                                                                                         | -29.35                                                                                                                                                                                                              | -7.79                                                                                                                                                                                                                                                                  | Peak                               |
| 212.25  | -58.34                                                          | -52.33                                                                                         | -25.00                                                                                                                                                         | -33.34                                                                                                                                                                                                              | -6.01                                                                                                                                                                                                                                                                  | Peak                               |
| 401.50  | -71.32                                                          | -68.54                                                                                         | -25.00                                                                                                                                                         | -46.32                                                                                                                                                                                                              | -2.78                                                                                                                                                                                                                                                                  | Peak                               |
| 707.40  | -67.54                                                          | -67.03                                                                                         | -25.00                                                                                                                                                         | -42.54                                                                                                                                                                                                              | -0.51                                                                                                                                                                                                                                                                  | Peak                               |
| 959.40  | -63.55                                                          | -68.69                                                                                         | -25.00                                                                                                                                                         | -38.55                                                                                                                                                                                                              | 5.14                                                                                                                                                                                                                                                                   | Peak                               |
| 5070.00 | -49.36                                                          | -68.75                                                                                         | -25.00                                                                                                                                                         | -24.36                                                                                                                                                                                                              | 19.39                                                                                                                                                                                                                                                                  | Peak                               |
|         | MHz<br>105.33<br>143.94<br>212.25<br>401.50<br>707.40<br>959.40 | MHz dBm/m  105.33 -62.92 143.94 -54.35 212.25 -58.34 401.50 -71.32 707.40 -67.54 959.40 -63.55 | Freq Level Level  MHz dBm/m dBm  105.33 -62.92 -53.50 143.94 -54.35 -46.56 212.25 -58.34 -52.33 401.50 -71.32 -68.54 707.40 -67.54 -67.03 959.40 -63.55 -68.69 | Freq Level Level Line  MHz dBm/m dBm dBm/m  105.33 -62.92 -53.50 -25.00 143.94 -54.35 -46.56 -25.00 212.25 -58.34 -52.33 -25.00 401.50 -71.32 -68.54 -25.00 707.40 -67.54 -67.03 -25.00 959.40 -63.55 -68.69 -25.00 | Freq Level Level Line Limit  MHz dBm/m dBm dBm/m dB  105.33 -62.92 -53.50 -25.00 -37.92 143.94 -54.35 -46.56 -25.00 -29.35 212.25 -58.34 -52.33 -25.00 -33.34 401.50 -71.32 -68.54 -25.00 -46.32 707.40 -67.54 -67.03 -25.00 -42.54 959.40 -63.55 -68.69 -25.00 -38.55 | Freq Level Level Line Limit Factor |



LTE Band 41 Channel Bandwidth: 20 MHz / QPSK



# Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1


Condition: PART 27(B7/B41) 3m Horizontal Remark : LTE\_Band 41\_Link\_CH40620

|      |         |        | Read   | Limit  | 0ver   |        |        |
|------|---------|--------|--------|--------|--------|--------|--------|
|      | Freq    | Level  | Level  | Line   | Limit  | Factor | Remark |
|      |         |        |        |        |        |        |        |
|      | MHz     | dBm/m  | dBm    | dBm/m  | dB     | dB/m   |        |
|      |         |        |        |        |        |        |        |
| 1    | 105.33  | -63.03 | -53.61 | -25.00 | -38.03 | -9.42  | Peak   |
| 2    | 140.43  | -50.40 | -42.68 | -25.00 | -25.40 | -7.72  | Peak   |
| 3    | 213.33  | -56.06 | -50.06 | -25.00 | -31.06 | -6.00  | Peak   |
| 4    | 554.80  | -70.32 | -68.86 | -25.00 | -45.32 | -1.46  | Peak   |
| 5    | 693.40  | -67.11 | -66.76 | -25.00 | -42.11 | -0.35  | Peak   |
| 6    | 806.10  | -65.59 | -67.53 | -25.00 | -40.59 | 1.94   | Peak   |
| 7 pp | 5186.00 | -45.28 | -65.40 | -25.00 | -20.28 | 20.12  | Peak   |





# Bureau Veritas Consumer Products Services Ltd., Taoyuan Branch



Site : 966 chamber 1

Condition: PART 27(B7/B41) 3m Vertical Remark : LTE\_Band 41\_Link\_CH40620

|      | Freq    | Level  | Read<br>Level | Limit<br>Line | Over<br>Limit | Factor | Remark |
|------|---------|--------|---------------|---------------|---------------|--------|--------|
| -    | MHz     | dBm/m  | dBm           | dBm/m         | dB            | dB/m   |        |
| 1    | 126.93  | -58.76 | -50.93        | -25.00        | -33.76        | -7.83  | Peak   |
| 2    | 145.83  | -54.15 | -46.32        | -25.00        | -29.15        | -7.83  | Peak   |
| 3    | 217.92  | -60.70 | -54.76        | -25.00        | -35.70        | -5.94  | Peak   |
| 4    | 577.20  | -69.52 | -68.98        | -25.00        | -44.52        | -0.54  | Peak   |
| 5    | 626.20  | -67.60 | -67.73        | -25.00        | -42.60        | 0.13   | Peak   |
| 6    | 892.20  | -65.69 | -68.36        | -25.00        | -40.69        | 2.67   | Peak   |
| 7 pp | 5186.00 | -46.60 | -66.72        | -25.00        | -21.60        | 20.12  | Peak   |



| 5 Pictures of Test Arrangements                       |  |
|-------------------------------------------------------|--|
| Please refer to the attached file (Test Setup Photo). |  |
|                                                       |  |
|                                                       |  |
|                                                       |  |
|                                                       |  |
|                                                       |  |
|                                                       |  |
|                                                       |  |
|                                                       |  |
|                                                       |  |
|                                                       |  |
|                                                       |  |
|                                                       |  |
|                                                       |  |
|                                                       |  |
|                                                       |  |
|                                                       |  |
|                                                       |  |
|                                                       |  |
|                                                       |  |
|                                                       |  |
|                                                       |  |
|                                                       |  |
|                                                       |  |
|                                                       |  |
|                                                       |  |
|                                                       |  |
|                                                       |  |
|                                                       |  |
|                                                       |  |
|                                                       |  |
|                                                       |  |



# Appendix - Information on the Testing Laboratories

We, Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch, were founded in 1988 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are accredited and approved according to ISO/IEC 17025.

Hsin Chu EMC/RF/Telecom Lab

If you have any comments, please feel free to contact us at the following:

Linko EMC/RF Lab

Tel: 886-2-26052180 Tel: 886-3-6668565 Fax: 886-2-26051924 Fax: 886-3-6668323

Hwa Ya EMC/RF/Safety

Tel: 886-3-3183232 Fax: 886-3-3270892

Email: <a href="mailto:service.adt@tw.bureauveritas.com">service.adt@tw.bureauveritas.com</a>
Web Site: <a href="mailto:www.bureauveritas-adt.com">www.bureauveritas-adt.com</a>

The address and road map of all our labs can be found in our web site also.

--- END ---