



A2. GSM

Peak-to-Average Ratio







Mode	GSM850		Limit: 13dB
Mod.	GPRS class 8	EDGE class 8	Result
Lowest CH	0.16	3.08	PASS
Middle CH	0.16	3.16	
Highest CH	0.16	2.96	

Mode	GSM1900		Limit: 13dB
Mod.	GPRS class 8	EDGE class 8	Result
Lowest CH	0.16	2.92	PASS
Middle CH	0.16	2.88	
Highest CH	0.16	2.92	



GSM850 (GPRS class 8)	GSM850 (EDGE class 8)																
<p align="center">Lowest Channel</p> <p>Ref: 35 dBm, Att: 30 dB, AQT: 3.125 ms, RBW: 10 MHz</p> <p>Center: 824.2 MHz, 2 dB, Mean Pwr: +20 dB</p> <p>Complementary Cumulative Distribution Function (100000 samples)</p> <p>Trace 1</p> <p>Mean: 33.50 dBm Peak: 33.63 dBm Crest: 0.14 dB</p> <table border="1"> <tr><td>10 %</td><td>0.08 dB</td></tr> <tr><td>1 %</td><td>0.16 dB</td></tr> <tr><td>.1 %</td><td>0.16 dB</td></tr> <tr><td>.01 %</td><td>0.16 dB</td></tr> </table> <p>Date: 29.SEP.2016 17:01:16</p>	10 %	0.08 dB	1 %	0.16 dB	.1 %	0.16 dB	.01 %	0.16 dB	<p align="center">Lowest Channel</p> <p>Ref: 35 dBm, Att: 30 dB, AQT: 3.125 ms, RBW: 10 MHz</p> <p>Center: 824.2 MHz, 2 dB, Mean Pwr: +20 dB</p> <p>Complementary Cumulative Distribution Function (100000 samples)</p> <p>Trace 1</p> <p>Mean: 27.71 dBm Peak: 30.81 dBm Crest: 3.10 dB</p> <table border="1"> <tr><td>10 %</td><td>2.48 dB</td></tr> <tr><td>1 %</td><td>3.00 dB</td></tr> <tr><td>.1 %</td><td>3.08 dB</td></tr> <tr><td>.01 %</td><td>3.12 dB</td></tr> </table> <p>Date: 29.SEP.2016 17:22:38</p>	10 %	2.48 dB	1 %	3.00 dB	.1 %	3.08 dB	.01 %	3.12 dB
10 %	0.08 dB																
1 %	0.16 dB																
.1 %	0.16 dB																
.01 %	0.16 dB																
10 %	2.48 dB																
1 %	3.00 dB																
.1 %	3.08 dB																
.01 %	3.12 dB																
<p align="center">Middle Channel</p> <p>Ref: 35 dBm, Att: 30 dB, AQT: 3.125 ms, RBW: 10 MHz</p> <p>Center: 836.4 MHz, 2 dB, Mean Pwr: +20 dB</p> <p>Complementary Cumulative Distribution Function (100000 samples)</p> <p>Trace 1</p> <p>Mean: 33.39 dBm Peak: 33.56 dBm Crest: 0.17 dB</p> <table border="1"> <tr><td>10 %</td><td>0.08 dB</td></tr> <tr><td>1 %</td><td>0.12 dB</td></tr> <tr><td>.1 %</td><td>0.16 dB</td></tr> <tr><td>.01 %</td><td>0.20 dB</td></tr> </table> <p>Date: 29.SEP.2016 17:04:04</p>	10 %	0.08 dB	1 %	0.12 dB	.1 %	0.16 dB	.01 %	0.20 dB	<p align="center">Middle Channel</p> <p>Ref: 35 dBm, Att: 30 dB, AQT: 3.125 ms, RBW: 10 MHz</p> <p>Center: 836.4 MHz, 2 dB, Mean Pwr: +20 dB</p> <p>Complementary Cumulative Distribution Function (100000 samples)</p> <p>Trace 1</p> <p>Mean: 27.56 dBm Peak: 30.74 dBm Crest: 3.18 dB</p> <table border="1"> <tr><td>10 %</td><td>2.56 dB</td></tr> <tr><td>1 %</td><td>3.08 dB</td></tr> <tr><td>.1 %</td><td>3.16 dB</td></tr> <tr><td>.01 %</td><td>3.20 dB</td></tr> </table> <p>Date: 29.SEP.2016 17:24:11</p>	10 %	2.56 dB	1 %	3.08 dB	.1 %	3.16 dB	.01 %	3.20 dB
10 %	0.08 dB																
1 %	0.12 dB																
.1 %	0.16 dB																
.01 %	0.20 dB																
10 %	2.56 dB																
1 %	3.08 dB																
.1 %	3.16 dB																
.01 %	3.20 dB																
<p align="center">Highest Channel</p> <p>Ref: 35 dBm, Att: 30 dB, AQT: 3.125 ms, RBW: 10 MHz</p> <p>Center: 848.8 MHz, 2 dB, Mean Pwr: +20 dB</p> <p>Complementary Cumulative Distribution Function (100000 samples)</p> <p>Trace 1</p> <p>Mean: 33.41 dBm Peak: 33.56 dBm Crest: 0.16 dB</p> <table border="1"> <tr><td>10 %</td><td>0.08 dB</td></tr> <tr><td>1 %</td><td>0.16 dB</td></tr> <tr><td>.1 %</td><td>0.16 dB</td></tr> <tr><td>.01 %</td><td>0.16 dB</td></tr> </table> <p>Date: 29.SEP.2016 17:07:24</p>	10 %	0.08 dB	1 %	0.16 dB	.1 %	0.16 dB	.01 %	0.16 dB	<p align="center">Highest Channel</p> <p>Ref: 35 dBm, Att: 30 dB, AQT: 3.125 ms, RBW: 10 MHz</p> <p>Center: 848.8 MHz, 2 dB, Mean Pwr: +20 dB</p> <p>Complementary Cumulative Distribution Function (100000 samples)</p> <p>Trace 1</p> <p>Mean: 27.83 dBm Peak: 30.81 dBm Crest: 2.98 dB</p> <table border="1"> <tr><td>10 %</td><td>2.48 dB</td></tr> <tr><td>1 %</td><td>2.88 dB</td></tr> <tr><td>.1 %</td><td>2.96 dB</td></tr> <tr><td>.01 %</td><td>3.00 dB</td></tr> </table> <p>Date: 29.SEP.2016 17:25:40</p>	10 %	2.48 dB	1 %	2.88 dB	.1 %	2.96 dB	.01 %	3.00 dB
10 %	0.08 dB																
1 %	0.16 dB																
.1 %	0.16 dB																
.01 %	0.16 dB																
10 %	2.48 dB																
1 %	2.88 dB																
.1 %	2.96 dB																
.01 %	3.00 dB																




GSM1900 (GPRS class 8)	GSM1900 (EDGE class 8)
<p align="center">Lowest Channel</p>  <p align="center">Date: 29.SEP.2016 17:52:51</p>	<p align="center">Lowest Channel</p>  <p align="center">Date: 29.SEP.2016 18:14:18</p>
<p align="center">Middle Channel</p>  <p align="center">Date: 29.SEP.2016 17:53:52</p>	<p align="center">Middle Channel</p>  <p align="center">Date: 29.SEP.2016 18:14:59</p>
<p align="center">Highest Channel</p>  <p align="center">Date: 29.SEP.2016 17:54:57</p>	<p align="center">Highest Channel</p>  <p align="center">Date: 29.SEP.2016 18:16:03</p>




26dB Bandwidth

Mode	GSM850	
Mod.	GPRS class 8	EDGE class 8
Lowest CH	0.300	0.281
Middle CH	0.312	0.288
Highest CH	0.306	0.280

Mode	GSM1900	
Mod.	GPRS class 8	EDGE class 8
Lowest CH	0.302	0.299
Middle CH	0.298	0.298
Highest CH	0.296	0.306









Occupied Bandwidth

Mode	GSM850	
Mod.	GPRS class 8	EDGE class 8
Lowest CH	0.242	0.246
Middle CH	0.243	0.243
Highest CH	0.246	0.243


Mode	GSM1900	
Mod.	GPRS class 8	EDGE class 8
Lowest CH	0.246	0.242
Middle CH	0.243	0.248
Highest CH	0.244	0.237







Conducted Band Edge







GSM850 (EDGE class 8)

Lowest Band Edge

Highest Band Edge



Date: 29.SEP.2016 17:16:57





Date: 29.SEP.2016 17:18:25



GSM1900 (GPRS class 8)

Lowest Band Edge

Highest Band Edge







GSM1900 (EDGE class 8)

Lowest Band Edge

Highest Band Edge



Date: 29.SEP.2016 18:08:13









Date: 29.SEP.2016 18:09:40











Conducted Spurious Emission

GSM850 (GPRS class 8)	GSM850 (EDGE class 8)																																																																								
Lowest Channel	Lowest Channel																																																																								
 <table border="1" data-bbox="207 660 734 739"> <thead> <tr> <th>Start [Hz]</th> <th>Stop [Hz]</th> <th>RBW [Hz]</th> <th>Freq [Hz]</th> <th>Power [dBm]</th> <th>Limit [dBm]</th> </tr> </thead> <tbody> <tr> <td>35,000 M</td> <td>820,000 M</td> <td>1,000 M</td> <td>781,245000 M</td> <td>-42.86</td> <td>-29.86</td> </tr> <tr> <td>855,000 M</td> <td>1,000 G</td> <td>1,000 M</td> <td>958,276257 M</td> <td>-42.77</td> <td>-29.77</td> </tr> <tr> <td>1,000 G</td> <td>3,000 G</td> <td>1,000 M</td> <td>2,473000 G</td> <td>-35.96</td> <td>-22.96</td> </tr> <tr> <td>3,000 G</td> <td>7,000 G</td> <td>1,000 M</td> <td>5,153000 G</td> <td>-38.35</td> <td>-25.35</td> </tr> <tr> <td>7,000 G</td> <td>9,000 G</td> <td>1,000 M</td> <td>8,005000 G</td> <td>-36.24</td> <td>-23.24</td> </tr> </tbody> </table> <p>Date: 29.SEP.2016 16:49:40</p>	Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Power [dBm]	Limit [dBm]	35,000 M	820,000 M	1,000 M	781,245000 M	-42.86	-29.86	855,000 M	1,000 G	1,000 M	958,276257 M	-42.77	-29.77	1,000 G	3,000 G	1,000 M	2,473000 G	-35.96	-22.96	3,000 G	7,000 G	1,000 M	5,153000 G	-38.35	-25.35	7,000 G	9,000 G	1,000 M	8,005000 G	-36.24	-23.24	 <table border="1" data-bbox="861 660 1388 739"> <thead> <tr> <th>Start [Hz]</th> <th>Stop [Hz]</th> <th>RBW [Hz]</th> <th>Freq [Hz]</th> <th>Power [dBm]</th> <th>Limit [dBm]</th> </tr> </thead> <tbody> <tr> <td>35,000 M</td> <td>820,000 M</td> <td>1,000 M</td> <td>352,317500 M</td> <td>-43.54</td> <td>-30.54</td> </tr> <tr> <td>855,000 M</td> <td>1,000 G</td> <td>1,000 M</td> <td>863,013251 M</td> <td>-42.84</td> <td>-29.84</td> </tr> <tr> <td>1,000 G</td> <td>3,000 G</td> <td>1,000 M</td> <td>2,866500 G</td> <td>-41.21</td> <td>-28.21</td> </tr> <tr> <td>3,000 G</td> <td>7,000 G</td> <td>1,000 M</td> <td>3,060000 G</td> <td>-38.60</td> <td>-25.60</td> </tr> <tr> <td>7,000 G</td> <td>9,000 G</td> <td>1,000 M</td> <td>7,589000 G</td> <td>-36.03</td> <td>-23.03</td> </tr> </tbody> </table> <p>Date: 29.SEP.2016 17:19:29</p>	Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Power [dBm]	Limit [dBm]	35,000 M	820,000 M	1,000 M	352,317500 M	-43.54	-30.54	855,000 M	1,000 G	1,000 M	863,013251 M	-42.84	-29.84	1,000 G	3,000 G	1,000 M	2,866500 G	-41.21	-28.21	3,000 G	7,000 G	1,000 M	3,060000 G	-38.60	-25.60	7,000 G	9,000 G	1,000 M	7,589000 G	-36.03	-23.03
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Power [dBm]	Limit [dBm]																																																																				
35,000 M	820,000 M	1,000 M	781,245000 M	-42.86	-29.86																																																																				
855,000 M	1,000 G	1,000 M	958,276257 M	-42.77	-29.77																																																																				
1,000 G	3,000 G	1,000 M	2,473000 G	-35.96	-22.96																																																																				
3,000 G	7,000 G	1,000 M	5,153000 G	-38.35	-25.35																																																																				
7,000 G	9,000 G	1,000 M	8,005000 G	-36.24	-23.24																																																																				
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Power [dBm]	Limit [dBm]																																																																				
35,000 M	820,000 M	1,000 M	352,317500 M	-43.54	-30.54																																																																				
855,000 M	1,000 G	1,000 M	863,013251 M	-42.84	-29.84																																																																				
1,000 G	3,000 G	1,000 M	2,866500 G	-41.21	-28.21																																																																				
3,000 G	7,000 G	1,000 M	3,060000 G	-38.60	-25.60																																																																				
7,000 G	9,000 G	1,000 M	7,589000 G	-36.03	-23.03																																																																				
Middle Channel	Middle Channel																																																																								
 <table border="1" data-bbox="207 1173 734 1252"> <thead> <tr> <th>Start [Hz]</th> <th>Stop [Hz]</th> <th>RBW [Hz]</th> <th>Freq [Hz]</th> <th>Power [dBm]</th> <th>Limit [dBm]</th> </tr> </thead> <tbody> <tr> <td>35,000 M</td> <td>820,000 M</td> <td>1,000 M</td> <td>367,330000 M</td> <td>-43.22</td> <td>-30.22</td> </tr> <tr> <td>855,000 M</td> <td>1,000 G</td> <td>1,000 M</td> <td>866,738751 M</td> <td>-42.48</td> <td>-29.48</td> </tr> <tr> <td>1,000 G</td> <td>3,000 G</td> <td>1,000 M</td> <td>1,673000 G</td> <td>-25.49</td> <td>-12.49</td> </tr> <tr> <td>3,000 G</td> <td>7,000 G</td> <td>1,000 M</td> <td>3,015000 G</td> <td>-38.63</td> <td>-25.63</td> </tr> <tr> <td>7,000 G</td> <td>9,000 G</td> <td>1,000 M</td> <td>7,330500 G</td> <td>-35.85</td> <td>-22.85</td> </tr> </tbody> </table> <p>Date: 29.SEP.2016 16:50:26</p>	Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Power [dBm]	Limit [dBm]	35,000 M	820,000 M	1,000 M	367,330000 M	-43.22	-30.22	855,000 M	1,000 G	1,000 M	866,738751 M	-42.48	-29.48	1,000 G	3,000 G	1,000 M	1,673000 G	-25.49	-12.49	3,000 G	7,000 G	1,000 M	3,015000 G	-38.63	-25.63	7,000 G	9,000 G	1,000 M	7,330500 G	-35.85	-22.85	 <table border="1" data-bbox="861 1173 1388 1252"> <thead> <tr> <th>Start [Hz]</th> <th>Stop [Hz]</th> <th>RBW [Hz]</th> <th>Freq [Hz]</th> <th>Power [dBm]</th> <th>Limit [dBm]</th> </tr> </thead> <tbody> <tr> <td>35,000 M</td> <td>820,000 M</td> <td>1,000 M</td> <td>819,210000 M</td> <td>-42.72</td> <td>-29.72</td> </tr> <tr> <td>855,000 M</td> <td>1,000 G</td> <td>1,000 M</td> <td>886,617500 M</td> <td>-42.51</td> <td>-29.51</td> </tr> <tr> <td>1,000 G</td> <td>3,000 G</td> <td>1,000 M</td> <td>1,673000 G</td> <td>-33.65</td> <td>-20.65</td> </tr> <tr> <td>3,000 G</td> <td>7,000 G</td> <td>1,000 M</td> <td>3,039000 G</td> <td>-38.36</td> <td>-25.36</td> </tr> <tr> <td>7,000 G</td> <td>9,000 G</td> <td>1,000 M</td> <td>8,354500 G</td> <td>-35.75</td> <td>-22.75</td> </tr> </tbody> </table> <p>Date: 29.SEP.2016 17:20:15</p>	Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Power [dBm]	Limit [dBm]	35,000 M	820,000 M	1,000 M	819,210000 M	-42.72	-29.72	855,000 M	1,000 G	1,000 M	886,617500 M	-42.51	-29.51	1,000 G	3,000 G	1,000 M	1,673000 G	-33.65	-20.65	3,000 G	7,000 G	1,000 M	3,039000 G	-38.36	-25.36	7,000 G	9,000 G	1,000 M	8,354500 G	-35.75	-22.75
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Power [dBm]	Limit [dBm]																																																																				
35,000 M	820,000 M	1,000 M	367,330000 M	-43.22	-30.22																																																																				
855,000 M	1,000 G	1,000 M	866,738751 M	-42.48	-29.48																																																																				
1,000 G	3,000 G	1,000 M	1,673000 G	-25.49	-12.49																																																																				
3,000 G	7,000 G	1,000 M	3,015000 G	-38.63	-25.63																																																																				
7,000 G	9,000 G	1,000 M	7,330500 G	-35.85	-22.85																																																																				
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Power [dBm]	Limit [dBm]																																																																				
35,000 M	820,000 M	1,000 M	819,210000 M	-42.72	-29.72																																																																				
855,000 M	1,000 G	1,000 M	886,617500 M	-42.51	-29.51																																																																				
1,000 G	3,000 G	1,000 M	1,673000 G	-33.65	-20.65																																																																				
3,000 G	7,000 G	1,000 M	3,039000 G	-38.36	-25.36																																																																				
7,000 G	9,000 G	1,000 M	8,354500 G	-35.75	-22.75																																																																				
Highest Channel	Highest Channel																																																																								
 <table border="1" data-bbox="207 1686 734 1765"> <thead> <tr> <th>Start [Hz]</th> <th>Stop [Hz]</th> <th>RBW [Hz]</th> <th>Freq [Hz]</th> <th>Power [dBm]</th> <th>Limit [dBm]</th> </tr> </thead> <tbody> <tr> <td>35,000 M</td> <td>820,000 M</td> <td>1,000 M</td> <td>796,437500 M</td> <td>-43.42</td> <td>-30.42</td> </tr> <tr> <td>855,000 M</td> <td>1,000 G</td> <td>1,000 M</td> <td>977,633758 M</td> <td>-42.75</td> <td>-29.75</td> </tr> <tr> <td>1,000 G</td> <td>3,000 G</td> <td>1,000 M</td> <td>2,946500 G</td> <td>-37.72</td> <td>-24.72</td> </tr> <tr> <td>3,000 G</td> <td>7,000 G</td> <td>1,000 M</td> <td>3,596000 G</td> <td>-38.39</td> <td>-25.39</td> </tr> <tr> <td>7,000 G</td> <td>9,000 G</td> <td>1,000 M</td> <td>7,957000 G</td> <td>-36.31</td> <td>-23.31</td> </tr> </tbody> </table> <p>Date: 29.SEP.2016 16:51:11</p>	Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Power [dBm]	Limit [dBm]	35,000 M	820,000 M	1,000 M	796,437500 M	-43.42	-30.42	855,000 M	1,000 G	1,000 M	977,633758 M	-42.75	-29.75	1,000 G	3,000 G	1,000 M	2,946500 G	-37.72	-24.72	3,000 G	7,000 G	1,000 M	3,596000 G	-38.39	-25.39	7,000 G	9,000 G	1,000 M	7,957000 G	-36.31	-23.31	 <table border="1" data-bbox="861 1686 1388 1765"> <thead> <tr> <th>Start [Hz]</th> <th>Stop [Hz]</th> <th>RBW [Hz]</th> <th>Freq [Hz]</th> <th>Power [dBm]</th> <th>Limit [dBm]</th> </tr> </thead> <tbody> <tr> <td>35,000 M</td> <td>820,000 M</td> <td>1,000 M</td> <td>784,815000 M</td> <td>-43.52</td> <td>-30.52</td> </tr> <tr> <td>855,000 M</td> <td>1,000 G</td> <td>1,000 M</td> <td>855,036250 M</td> <td>-37.07</td> <td>-24.07</td> </tr> <tr> <td>1,000 G</td> <td>3,000 G</td> <td>1,000 M</td> <td>1,639000 G</td> <td>-34.38</td> <td>-21.38</td> </tr> <tr> <td>3,000 G</td> <td>7,000 G</td> <td>1,000 M</td> <td>3,611000 G</td> <td>-37.88</td> <td>-24.88</td> </tr> <tr> <td>7,000 G</td> <td>9,000 G</td> <td>1,000 M</td> <td>7,646500 G</td> <td>-35.31</td> <td>-22.31</td> </tr> </tbody> </table> <p>Date: 29.SEP.2016 17:21:01</p>	Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Power [dBm]	Limit [dBm]	35,000 M	820,000 M	1,000 M	784,815000 M	-43.52	-30.52	855,000 M	1,000 G	1,000 M	855,036250 M	-37.07	-24.07	1,000 G	3,000 G	1,000 M	1,639000 G	-34.38	-21.38	3,000 G	7,000 G	1,000 M	3,611000 G	-37.88	-24.88	7,000 G	9,000 G	1,000 M	7,646500 G	-35.31	-22.31
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Power [dBm]	Limit [dBm]																																																																				
35,000 M	820,000 M	1,000 M	796,437500 M	-43.42	-30.42																																																																				
855,000 M	1,000 G	1,000 M	977,633758 M	-42.75	-29.75																																																																				
1,000 G	3,000 G	1,000 M	2,946500 G	-37.72	-24.72																																																																				
3,000 G	7,000 G	1,000 M	3,596000 G	-38.39	-25.39																																																																				
7,000 G	9,000 G	1,000 M	7,957000 G	-36.31	-23.31																																																																				
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	Power [dBm]	Limit [dBm]																																																																				
35,000 M	820,000 M	1,000 M	784,815000 M	-43.52	-30.52																																																																				
855,000 M	1,000 G	1,000 M	855,036250 M	-37.07	-24.07																																																																				
1,000 G	3,000 G	1,000 M	1,639000 G	-34.38	-21.38																																																																				
3,000 G	7,000 G	1,000 M	3,611000 G	-37.88	-24.88																																																																				
7,000 G	9,000 G	1,000 M	7,646500 G	-35.31	-22.31																																																																				



GSM1900 (GPRS class 8)	GSM1900 (EDGE class 8)																																																																																				
Lowest Channel	Lowest Channel																																																																																				
 <table border="1" data-bbox="239 571 638 672"> <thead> <tr> <th>Start [Hz]</th> <th>Stop [Hz]</th> <th>RBW [Hz]</th> <th>Freq [Hz]</th> <th>PwrAve [dBm]</th> <th>ΔLimit [dB]</th> </tr> </thead> <tbody> <tr><td>30,000 M</td><td>1,000 G</td><td>1,000 M</td><td>111,965000 M</td><td>-32.67</td><td>-29.67</td></tr> <tr><td>1,000 G</td><td>1,845 G</td><td>1,000 M</td><td>1,302299 G</td><td>-41.76</td><td>-28.76</td></tr> <tr><td>1,845 G</td><td>3,000 G</td><td>1,000 M</td><td>2,097388 G</td><td>-40.32</td><td>-27.32</td></tr> <tr><td>3,000 G</td><td>7,000 G</td><td>1,000 M</td><td>3,609000 G</td><td>-38.07</td><td>-25.07</td></tr> <tr><td>7,000 G</td><td>13,600 G</td><td>1,000 M</td><td>10,248850 G</td><td>-35.23</td><td>-22.23</td></tr> <tr><td>13,600 G</td><td>19,100 G</td><td>1,000 M</td><td>15,192250 G</td><td>-26.19</td><td>-13.19</td></tr> </tbody> </table> <p data-bbox="207 828 399 851">Date: 29_SEP.2016 17:49:35</p>	Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAve [dBm]	ΔLimit [dB]	30,000 M	1,000 G	1,000 M	111,965000 M	-32.67	-29.67	1,000 G	1,845 G	1,000 M	1,302299 G	-41.76	-28.76	1,845 G	3,000 G	1,000 M	2,097388 G	-40.32	-27.32	3,000 G	7,000 G	1,000 M	3,609000 G	-38.07	-25.07	7,000 G	13,600 G	1,000 M	10,248850 G	-35.23	-22.23	13,600 G	19,100 G	1,000 M	15,192250 G	-26.19	-13.19	 <table border="1" data-bbox="893 571 1292 672"> <thead> <tr> <th>Start [Hz]</th> <th>Stop [Hz]</th> <th>RBW [Hz]</th> <th>Freq [Hz]</th> <th>PwrAve [dBm]</th> <th>ΔLimit [dB]</th> </tr> </thead> <tbody> <tr><td>30,000 M</td><td>1,000 G</td><td>1,000 M</td><td>111,965000 M</td><td>-35.37</td><td>-29.37</td></tr> <tr><td>1,000 G</td><td>1,845 G</td><td>1,000 M</td><td>1,042672 G</td><td>-41.31</td><td>-28.31</td></tr> <tr><td>1,845 G</td><td>3,000 G</td><td>1,000 M</td><td>2,873869 G</td><td>-40.15</td><td>-27.15</td></tr> <tr><td>3,000 G</td><td>7,000 G</td><td>1,000 M</td><td>5,147000 G</td><td>-37.69</td><td>-24.69</td></tr> <tr><td>7,000 G</td><td>13,600 G</td><td>1,000 M</td><td>10,221625 G</td><td>-34.86</td><td>-21.86</td></tr> <tr><td>13,600 G</td><td>19,100 G</td><td>1,000 M</td><td>15,454875 G</td><td>-26.13</td><td>-13.13</td></tr> </tbody> </table> <p data-bbox="861 828 1053 851">Date: 29_SEP.2016 18:11:50</p>	Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAve [dBm]	ΔLimit [dB]	30,000 M	1,000 G	1,000 M	111,965000 M	-35.37	-29.37	1,000 G	1,845 G	1,000 M	1,042672 G	-41.31	-28.31	1,845 G	3,000 G	1,000 M	2,873869 G	-40.15	-27.15	3,000 G	7,000 G	1,000 M	5,147000 G	-37.69	-24.69	7,000 G	13,600 G	1,000 M	10,221625 G	-34.86	-21.86	13,600 G	19,100 G	1,000 M	15,454875 G	-26.13	-13.13
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAve [dBm]	ΔLimit [dB]																																																																																
30,000 M	1,000 G	1,000 M	111,965000 M	-32.67	-29.67																																																																																
1,000 G	1,845 G	1,000 M	1,302299 G	-41.76	-28.76																																																																																
1,845 G	3,000 G	1,000 M	2,097388 G	-40.32	-27.32																																																																																
3,000 G	7,000 G	1,000 M	3,609000 G	-38.07	-25.07																																																																																
7,000 G	13,600 G	1,000 M	10,248850 G	-35.23	-22.23																																																																																
13,600 G	19,100 G	1,000 M	15,192250 G	-26.19	-13.19																																																																																
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAve [dBm]	ΔLimit [dB]																																																																																
30,000 M	1,000 G	1,000 M	111,965000 M	-35.37	-29.37																																																																																
1,000 G	1,845 G	1,000 M	1,042672 G	-41.31	-28.31																																																																																
1,845 G	3,000 G	1,000 M	2,873869 G	-40.15	-27.15																																																																																
3,000 G	7,000 G	1,000 M	5,147000 G	-37.69	-24.69																																																																																
7,000 G	13,600 G	1,000 M	10,221625 G	-34.86	-21.86																																																																																
13,600 G	19,100 G	1,000 M	15,454875 G	-26.13	-13.13																																																																																
Middle Channel	Middle Channel																																																																																				
 <table border="1" data-bbox="239 1084 638 1187"> <thead> <tr> <th>Start [Hz]</th> <th>Stop [Hz]</th> <th>RBW [Hz]</th> <th>Freq [Hz]</th> <th>PwrAve [dBm]</th> <th>ΔLimit [dB]</th> </tr> </thead> <tbody> <tr><td>30,000 M</td><td>1,000 G</td><td>1,000 M</td><td>141,792500 M</td><td>-29.37</td><td>-26.37</td></tr> <tr><td>1,000 G</td><td>3,845 G</td><td>1,000 M</td><td>1,830500 G</td><td>-41.78</td><td>-28.78</td></tr> <tr><td>1,915 G</td><td>3,000 G</td><td>1,000 M</td><td>2,930560 G</td><td>-40.03</td><td>-27.03</td></tr> <tr><td>3,000 G</td><td>7,000 G</td><td>1,000 M</td><td>3,207000 G</td><td>-37.93</td><td>-24.93</td></tr> <tr><td>7,000 G</td><td>13,600 G</td><td>1,000 M</td><td>10,210075 G</td><td>-35.06</td><td>-22.06</td></tr> <tr><td>13,600 G</td><td>19,100 G</td><td>1,000 M</td><td>15,320125 G</td><td>-26.34</td><td>-13.34</td></tr> </tbody> </table> <p data-bbox="207 1344 399 1366">Date: 29_SEP.2016 17:50:22</p>	Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAve [dBm]	ΔLimit [dB]	30,000 M	1,000 G	1,000 M	141,792500 M	-29.37	-26.37	1,000 G	3,845 G	1,000 M	1,830500 G	-41.78	-28.78	1,915 G	3,000 G	1,000 M	2,930560 G	-40.03	-27.03	3,000 G	7,000 G	1,000 M	3,207000 G	-37.93	-24.93	7,000 G	13,600 G	1,000 M	10,210075 G	-35.06	-22.06	13,600 G	19,100 G	1,000 M	15,320125 G	-26.34	-13.34	 <table border="1" data-bbox="893 1084 1292 1187"> <thead> <tr> <th>Start [Hz]</th> <th>Stop [Hz]</th> <th>RBW [Hz]</th> <th>Freq [Hz]</th> <th>PwrAve [dBm]</th> <th>ΔLimit [dB]</th> </tr> </thead> <tbody> <tr><td>30,000 M</td><td>1,000 G</td><td>1,000 M</td><td>141,792500 M</td><td>-32.23</td><td>-19.23</td></tr> <tr><td>1,000 G</td><td>3,845 G</td><td>1,000 M</td><td>1,027311 G</td><td>-41.34</td><td>-28.34</td></tr> <tr><td>1,915 G</td><td>3,000 G</td><td>1,000 M</td><td>2,996202 G</td><td>-40.15</td><td>-27.15</td></tr> <tr><td>3,000 G</td><td>7,000 G</td><td>1,000 M</td><td>3,145000 G</td><td>-38.08</td><td>-25.08</td></tr> <tr><td>7,000 G</td><td>13,600 G</td><td>1,000 M</td><td>9,389200 G</td><td>-35.17</td><td>-22.17</td></tr> <tr><td>13,600 G</td><td>19,100 G</td><td>1,000 M</td><td>15,351062 G</td><td>-26.28</td><td>-13.28</td></tr> </tbody> </table> <p data-bbox="861 1344 1053 1366">Date: 29_SEP.2016 18:12:36</p>	Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAve [dBm]	ΔLimit [dB]	30,000 M	1,000 G	1,000 M	141,792500 M	-32.23	-19.23	1,000 G	3,845 G	1,000 M	1,027311 G	-41.34	-28.34	1,915 G	3,000 G	1,000 M	2,996202 G	-40.15	-27.15	3,000 G	7,000 G	1,000 M	3,145000 G	-38.08	-25.08	7,000 G	13,600 G	1,000 M	9,389200 G	-35.17	-22.17	13,600 G	19,100 G	1,000 M	15,351062 G	-26.28	-13.28
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAve [dBm]	ΔLimit [dB]																																																																																
30,000 M	1,000 G	1,000 M	141,792500 M	-29.37	-26.37																																																																																
1,000 G	3,845 G	1,000 M	1,830500 G	-41.78	-28.78																																																																																
1,915 G	3,000 G	1,000 M	2,930560 G	-40.03	-27.03																																																																																
3,000 G	7,000 G	1,000 M	3,207000 G	-37.93	-24.93																																																																																
7,000 G	13,600 G	1,000 M	10,210075 G	-35.06	-22.06																																																																																
13,600 G	19,100 G	1,000 M	15,320125 G	-26.34	-13.34																																																																																
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAve [dBm]	ΔLimit [dB]																																																																																
30,000 M	1,000 G	1,000 M	141,792500 M	-32.23	-19.23																																																																																
1,000 G	3,845 G	1,000 M	1,027311 G	-41.34	-28.34																																																																																
1,915 G	3,000 G	1,000 M	2,996202 G	-40.15	-27.15																																																																																
3,000 G	7,000 G	1,000 M	3,145000 G	-38.08	-25.08																																																																																
7,000 G	13,600 G	1,000 M	9,389200 G	-35.17	-22.17																																																																																
13,600 G	19,100 G	1,000 M	15,351062 G	-26.28	-13.28																																																																																
Highest Channel	Highest Channel																																																																																				
 <table border="1" data-bbox="239 1599 638 1702"> <thead> <tr> <th>Start [Hz]</th> <th>Stop [Hz]</th> <th>RBW [Hz]</th> <th>Freq [Hz]</th> <th>PwrAve [dBm]</th> <th>ΔLimit [dB]</th> </tr> </thead> <tbody> <tr><td>30,000 M</td><td>1,000 G</td><td>1,000 M</td><td>171,605000 M</td><td>-27.69</td><td>-24.69</td></tr> <tr><td>1,000 G</td><td>1,845 G</td><td>1,000 M</td><td>1,118934 G</td><td>-41.33</td><td>-28.33</td></tr> <tr><td>1,845 G</td><td>3,000 G</td><td>1,000 M</td><td>1,932071 G</td><td>-37.76</td><td>-24.76</td></tr> <tr><td>3,000 G</td><td>7,000 G</td><td>1,000 M</td><td>5,156000 G</td><td>-37.77</td><td>-24.77</td></tr> <tr><td>7,000 G</td><td>13,600 G</td><td>1,000 M</td><td>10,268850 G</td><td>-35.14</td><td>-22.14</td></tr> <tr><td>13,600 G</td><td>19,100 G</td><td>1,000 M</td><td>15,085688 G</td><td>-26.50</td><td>-13.50</td></tr> </tbody> </table> <p data-bbox="207 1859 399 1881">Date: 29_SEP.2016 17:51:08</p>	Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAve [dBm]	ΔLimit [dB]	30,000 M	1,000 G	1,000 M	171,605000 M	-27.69	-24.69	1,000 G	1,845 G	1,000 M	1,118934 G	-41.33	-28.33	1,845 G	3,000 G	1,000 M	1,932071 G	-37.76	-24.76	3,000 G	7,000 G	1,000 M	5,156000 G	-37.77	-24.77	7,000 G	13,600 G	1,000 M	10,268850 G	-35.14	-22.14	13,600 G	19,100 G	1,000 M	15,085688 G	-26.50	-13.50	 <table border="1" data-bbox="893 1599 1292 1702"> <thead> <tr> <th>Start [Hz]</th> <th>Stop [Hz]</th> <th>RBW [Hz]</th> <th>Freq [Hz]</th> <th>PwrAve [dBm]</th> <th>ΔLimit [dB]</th> </tr> </thead> <tbody> <tr><td>30,000 M</td><td>1,000 G</td><td>1,000 M</td><td>171,605000 M</td><td>-35.12</td><td>-23.12</td></tr> <tr><td>1,000 G</td><td>1,845 G</td><td>1,000 M</td><td>1,096824 G</td><td>-41.68</td><td>-28.68</td></tr> <tr><td>1,845 G</td><td>3,000 G</td><td>1,000 M</td><td>2,987794 G</td><td>-40.81</td><td>-27.81</td></tr> <tr><td>3,000 G</td><td>7,000 G</td><td>1,000 M</td><td>3,003000 G</td><td>-37.73</td><td>-24.73</td></tr> <tr><td>7,000 G</td><td>13,600 G</td><td>1,000 M</td><td>10,223275 G</td><td>-35.26</td><td>-22.26</td></tr> <tr><td>13,600 G</td><td>19,100 G</td><td>1,000 M</td><td>15,339437 G</td><td>-26.23</td><td>-13.23</td></tr> </tbody> </table> <p data-bbox="861 1859 1053 1881">Date: 29_SEP.2016 18:13:22</p>	Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAve [dBm]	ΔLimit [dB]	30,000 M	1,000 G	1,000 M	171,605000 M	-35.12	-23.12	1,000 G	1,845 G	1,000 M	1,096824 G	-41.68	-28.68	1,845 G	3,000 G	1,000 M	2,987794 G	-40.81	-27.81	3,000 G	7,000 G	1,000 M	3,003000 G	-37.73	-24.73	7,000 G	13,600 G	1,000 M	10,223275 G	-35.26	-22.26	13,600 G	19,100 G	1,000 M	15,339437 G	-26.23	-13.23
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAve [dBm]	ΔLimit [dB]																																																																																
30,000 M	1,000 G	1,000 M	171,605000 M	-27.69	-24.69																																																																																
1,000 G	1,845 G	1,000 M	1,118934 G	-41.33	-28.33																																																																																
1,845 G	3,000 G	1,000 M	1,932071 G	-37.76	-24.76																																																																																
3,000 G	7,000 G	1,000 M	5,156000 G	-37.77	-24.77																																																																																
7,000 G	13,600 G	1,000 M	10,268850 G	-35.14	-22.14																																																																																
13,600 G	19,100 G	1,000 M	15,085688 G	-26.50	-13.50																																																																																
Start [Hz]	Stop [Hz]	RBW [Hz]	Freq [Hz]	PwrAve [dBm]	ΔLimit [dB]																																																																																
30,000 M	1,000 G	1,000 M	171,605000 M	-35.12	-23.12																																																																																
1,000 G	1,845 G	1,000 M	1,096824 G	-41.68	-28.68																																																																																
1,845 G	3,000 G	1,000 M	2,987794 G	-40.81	-27.81																																																																																
3,000 G	7,000 G	1,000 M	3,003000 G	-37.73	-24.73																																																																																
7,000 G	13,600 G	1,000 M	10,223275 G	-35.26	-22.26																																																																																
13,600 G	19,100 G	1,000 M	15,339437 G	-26.23	-13.23																																																																																



Frequency Stability

Test Conditions	Middle Channel	GSM850 (GPRS class 8)	GSM850 (EDGE class 8)	Limit 2.5ppm
Temperature (°C)	Voltage (Volt)	Deviation (ppm)		Result
50	Normal Voltage	0.0012	0.0024	PASS
40	Normal Voltage	0.0036	0.0012	
30	Normal Voltage	0.0012	0.0024	
20(Ref.)	Normal Voltage	0.0000	0.0000	
10	Normal Voltage	0.0048	0.0036	
0	Normal Voltage	0.0072	0.0024	
-10	Normal Voltage	0.0036	0.0012	
-20	Normal Voltage	0.0012	0.0012	
-30	Normal Voltage	0.0036	0.0000	
20	Maximum Voltage	0.0000	0.0012	
20	Normal Voltage	0.0000	0.0000	
20	Battery End Point	0.0036	0.0024	

Test Conditions	Middle Channel	GSM1900 (GPRS class 8)	GSM1900 (EDGE class 8)	Limit Note 2.
Temperature (°C)	Voltage (Volt)	Deviation (ppm)		Result
50	Normal Voltage	0.0027	0.0011	PASS
40	Normal Voltage	0.0027	0.0005	
30	Normal Voltage	0.0032	0.0005	
20(Ref.)	Normal Voltage	0.0000	0.0000	
10	Normal Voltage	0.0000	0.0011	
0	Normal Voltage	0.0085	0.0016	
-10	Normal Voltage	0.0074	0.0016	
-20	Normal Voltage	0.0096	0.0048	
-30	Normal Voltage	0.0080	0.0021	
20	Maximum Voltage	0.0016	0.0005	
20	Normal Voltage	0.0000	0.0000	
20	Battery End Point	0.0011	0.0011	

Note:

1. Normal Voltage = 3.85V. ; Battery End Point (BEP) = 3.6 V. ; Maximum Voltage =4.4 V
2. The frequency fundamental emissions stay within the authorized frequency block based.