

# ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT



| FCC Applicant:        | HTC Corporation<br>No. 88, Sec. 3, Zhongxing Rd. Xindian Dist., New Taipei City<br>231, Taiwan |
|-----------------------|--|
| Product Name:         | Link Box   |
| Brand Name:           | VIVE   |
| Model No.:            | 2Q2B300  |
| Model Difference:     | N/A  |
| Report Number:        | ER/2021/30018  |
| FCC ID                | NM82Q2B300   |
| FCC Rule Part:        | §15.247, Cat: DSS  |
| Issue Date:           | April 12, 2021   |
| Date of Test:         | March 5, 2021 - April 6, 2021  |
| Date of EUT Received: | March 5, 2021  |

## We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Central RF Lab The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10:2013 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Approved By:

Blue Yang / Asst. Manager

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



| Revision History   |        |           |                |              |  |  |  |
|--|--------|-----------|----------------|--------------|--|--|--|
| Report Number Revision Description Issue Date Revised By |        |           |                |              |  |  |  |
| ER/2021/30018  | Rev.00 | Original. | April 12, 2021 | Yi-Shan Tsai |  |  |  |
|  |        |           |                |              |  |  |  |

Note:

1 · Antenna information is provided by the applicant, test results of this report are applicable to the sample EUT received.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



# **Contents**

| 1  | GENERAL INFORMATION                                    | 4    |
|----|--|------|
| 2  | SYSTEM TEST CONFIGURATION                              | 6    |
| 3  | SUMMARY OF TEST RESULTS                                | 9    |
| 4  | DESCRIPTION OF TEST MODES                              | .10  |
| 5  | MEASUREMENT UNCERTAINTY                                | .12  |
| 6  | CONDUCTED EMISSION TEST                                | .13  |
| 7  | PEAK OUTPUT POWER MEASUREMENT                          | .17  |
| 8  | EMISSION BANDWIDTH MEASUREMENT                         | .19  |
| 9  | CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT | .23  |
| 10 | RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT    | . 29 |
| 11 | FREQUENCY SEPARATION                                   | . 57 |
| 12 | NUMBER OF HOPPING FREQUENCY                            | . 59 |
| 13 | TIME OF OCCUPANCY (DWELL TIME)                         | .61  |
| 14 | ANTENNA REQUIREMENT                                    | . 67 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



### **GENERAL INFORMATION** 1

### 1.1 **Product description**

| Product Name:     | Link Box                  |
|-------------------|---------------------------|
| Brand Name:       | VIVE                      |
| Model No.:        | 2Q2B300                   |
| Model Difference: | N/A                       |
| Hardware Version: | N/A                       |
| Software Version: | N/A                       |
| EUT Series No.:   | 5A11S2W00016              |
| Power Supply:     | 12 Vdc from AC/DC Adapter |

| Radio Technology: | BT BR+EDR               |
|-------------------|-------------------------|
| Channel number:   | 79 channels             |
| Modulation type:  | GFSK + π/4DQPSK + 8DPSK |
| Transmit Power:   | 7.11 dBm                |
| Frequency Range:  | 2.402GHz – 2.480GHz     |
| Dwell Time:       | $\leq$ 0.4s             |

### 1.2 **Antenna Designation**

| Antenna<br>Type | Supplier | Antenna<br>Part No. | Freq.  | Peak<br>Antenna<br>Gain (dBi) |
|-----------------|----------|---------------------|--------|-------------------------------|
| PCB             | HTC      | 2Q2B300             | 2.4GHz | -0.1                          |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



### 1.3 **Test Methodology of Applied Standards**

FCC Part 15, Subpart C §15.247 FCC KDB 558074 D01 15.247 Meas. Guidance v05r02 ANSI C63.10:2013

### 1.4 **Test Facility**

| Laboratory      | Test Site Address   | Test Site Name | FCC Designa-<br>tion number | IC CAB<br>identifier |
|-----------------|---|----------------|-----------------------------|----------------------|
|                 |   | SAC 1          |                             |                      |
|                 |   | SAC 3          |                             |                      |
|                 |   | Conduction 1   |                             |                      |
|                 | No.134, Wu Kung Road, New Taipei                                  | Conducted 1    |                             |                      |
|                 | Industrial Park, Wuku District, New                               | Conducted 2    | TW0027                      |                      |
|                 | Taipei City, Taiwan.  | Conducted 3    |                             |                      |
|                 |   | Conducted 4    |                             | TW3702               |
|                 |   | Conducted 5    | -                           |                      |
| 000 T ·         |   | Conducted 6    |                             |                      |
| SGS Taiwan Ltd. | No.2, Keji 1st Rd., Guishan District,<br>Taoyuan City, Taiwan 333 | Conduction A   | TW0028                      |                      |
| Central RF Lab. |   | SAC C          |                             |                      |
| (TAF code 3702) |   | SAC D          |                             |                      |
|                 |   | SAC G          |                             |                      |
|                 |   | Conducted A    |                             |                      |
|                 |   | Conducted B    |                             |                      |
|                 |   | Conducted C    |                             |                      |
|                 |   | Conducted D    |                             |                      |
|                 |   | Conducted E    | -                           |                      |
|                 |   | Conducted F    |                             |                      |
|                 |   | Conducted G    |                             |                      |

tion where measurements occurred in specific test site and address.

### 1.5 **Special Accessories**

There is no special accessory used while test was conducted.

### 1.6 **Equipment Modifications**

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnielectronic contrained accuments, subject to terms and Conditions for Electronic Documents at <u>ntp://www.sgs.cont.wr</u>) erms-and-Conditions. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



# 2 SYSTEM TEST CONFIGURATION

# 2.1 EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

## 2.2 EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

# 2.3 Test Procedure

# 2.3.1 Conducted Emissions

The EUT is a placed on a table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz. The CISPR Quasi-Peak and Average detector mode is employed. The two LISNs provide 50uH/50 ohm of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

# 2.3.2 Conducted Test (RF)

The active antenna port of the unlicensed wireless device is connected to the spectrum analyzer with attenuator to protect the instrumentation. If a second antenna port is available, it is tested at one operating frequency, with other port(s) appropriately terminated, to verify it has similar output characteristics as the fully tested port.

# 2.3.3 Radiated Emissions

The EUT is a placed on a turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plane. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



### **Measurement Results Explanation Example** 2.4

# 2.4.1 Radiated Emission Test Sites For Measurements From 9 kHz To 30 MHz

Radiated emission below 30MHz is measured in a 9m\*9m\*6m semi-anechoic chamber, the measurements correspond to those obtained at an open-field test site.


There is a comparison data of both open-field test site and semi-Anechoic chamber, and the result came out very similar.

# 2.4.2 For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.






### **Configuration of Tested System** 2.5 Fig. 2-1 Radiated Emission & Conduction



# Fig. 2-2 Conducted (Antenna Port) Configuration



# **Table 2-1 Equipment Used in Tested System**

| ltem | Equipment                  | Mfr/Brand | Model/Type No. | Series No.      | Data Ca-<br>ble | Power<br>Cord |
|------|----------------------------|-----------|----------------|-----------------|-----------------|---------------|
| 1    | Bluetooth Test<br>Software | N/A       | N/A            | N/A             | N/A             | N/A           |
| 2    | Notebook                   | Lenovo    | L430           | R9-XFG0X        | N/A             | N/A           |
| 3    | Adapter                    | HTC       | TC NE18W-US    | 40RA158V0003000 | N/A             | N/A           |
| 4    | Bluetooth Test Set         | Anritsu   | MT8852B        | 6K00006107      | N/A             | N/A           |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



### SUMMARY OF TEST RESULTS 3

| FCC Rules                        | Description Of Test                                     | Result    |
|----------------------------------|---|-----------|
| §15.207(a)                       | AC Power Line Conducted Emission                        | Compliant |
| §15.247(b)(1)                    | Peak Output Power                                       | Compliant |
| §15.247(a)(1)                    | Emission Bandwidth                                      | Compliant |
| §15.205<br>§15.209<br>§15.247(d) | Conducted & Radiated Band Edge<br>and Spurious Emission | Compliant |
| §15.247(a)(1)                    | Frequency Separation                                    | Compliant |
| §15.247(a)(1)(iii)               | Number of hopping frequency<br>Time of Occupancy        | Compliant |
| §15.203                          | Antenna Requirement                                     | Compliant |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



### **DESCRIPTION OF TEST MODES** 4

### 4.1 Operated in 2400 ~ 2483.5MHz Band

79 channels are provided for Bluetooth

| ITEM | FREQUENCY | ITEM | FREQUENCY | ITEM | FREQUENCY | ITEM | FREQUENCY |
|------|-----------|------|-----------|------|-----------|------|-----------|
| 1    | 2402 MHz  | 21   | 2422 MHz  | 41   | 2442 MHz  | 71   | 2462 MHz  |
| 2    | 2403 MHz  | 22   | 2423 MHz  | 42   | 2443 MHz  | 72   | 2463 MHz  |
| 3    | 2404 MHz  | 23   | 2424 MHz  | 43   | 2444 MHz  | 73   | 2464 MHz  |
| 4    | 2405 MHz  | 24   | 2425 MHz  | 44   | 2445 MHz  | 74   | 2465 MHz  |
| 5    | 2406 MHz  | 25   | 2426 MHz  | 45   | 2446 MHz  | 75   | 2466 MHz  |
| 6    | 2407 MHz  | 26   | 2427 MHz  | 46   | 2447 MHz  | 76   | 2467 MHz  |
| 7    | 2408 MHz  | 27   | 2428 MHz  | 47   | 2448 MHz  | 77   | 2468 MHz  |
| 8    | 2409 MHz  | 28   | 2429 MHz  | 48   | 2449 MHz  | 78   | 2469 MHz  |
| 9    | 2410 MHz  | 29   | 2430 MHz  | 49   | 2450 MHz  | 79   | 2470 MHz  |
| 10   | 2411 MHz  | 30   | 2431 MHz  | 50   | 2451 MHz  | 70   | 2471 MHz  |
| 11   | 2412 MHz  | 31   | 2432 MHz  | 51   | 2452 MHz  | 71   | 2472 MHz  |
| 12   | 2413 MHz  | 32   | 2433 MHz  | 52   | 2453 MHz  | 72   | 2473 MHz  |
| 13   | 2414 MHz  | 33   | 2434 MHz  | 53   | 2454 MHz  | 73   | 2474 MHz  |
| 14   | 2415 MHz  | 34   | 2435 MHz  | 54   | 2455 MHz  | 74   | 2475 MHz  |
| 15   | 2416 MHz  | 35   | 2436 MHz  | 55   | 2456 MHz  | 75   | 2476 MHz  |
| 16   | 2417 MHz  | 36   | 2437 MHz  | 56   | 2457 MHz  | 76   | 2477 MHz  |
| 17   | 2418 MHz  | 37   | 2438 MHz  | 57   | 2458 MHz  | 77   | 2478 MHz  |
| 18   | 2419 MHz  | 38   | 2439 MHz  | 58   | 2459 MHz  | 78   | 2479 MHz  |
| 19   | 2420 MHz  | 39   | 2440 MHz  | 59   | 2460 MHz  | 79   | 2480 MHz  |
| 20   | 2421 MHz  | 40   | 2441 MHz  | 60   | 2461 MHz  |      |           |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



### 4.2 The Worst Test Modes and Channel Details

- 1 The EUT has been tested under operating condition.
- 2 Test program used to control the EUT for staying in continuous transmitting and receiving mode is programmed.
- Investigation has been done on all the possible configurations for searching the worst case. 3

| MODE  | AVAILABLE<br>CHANNEL               | TESTED<br>CHANNEL | MODULATION         | PACKET<br>TYPE |  |  |  |
|---|------------------------------------|-------------------|--------------------|----------------|--|--|--|
| RADIATED EMISSION TEST (BELOW 1 GHz)  |                                    |                   |                    |                |  |  |  |
| Bluetooth   | 0 to 78                            | 39                | GFSK               | DH5            |  |  |  |
|   | RAI                                | DIATED EMISSION 1 | TEST (ABOVE 1 GHz) |                |  |  |  |
| Bluetooth   | Bluetooth 0 to 78 0,39,78 GFSK DH5 |                   |                    |                |  |  |  |
| <b>Note:</b> The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for channel Low, Mid and High, the worst case position was |                                    |                   |                    |                |  |  |  |

reported.

| ANTENNA PORT CONDUCTED TEST    |                                    |                   |                         |                |  |  |  |  |  |
|--------------------------------|------------------------------------|-------------------|-------------------------|----------------|--|--|--|--|--|
| MODE                           | AVAILABLE<br>CHANNEL               | TESTED<br>CHANNEL | MODULATION              | PACKET<br>TYPE |  |  |  |  |  |
|                                | Peak Output Power, 20dB Band Width |                   |                         |                |  |  |  |  |  |
| Bluetooth                      | 0 to 78                            | 0,39,78           | GFSK, π/4-DQPSK, 8-DPSK | DH5/2DH5/3DH5  |  |  |  |  |  |
|                                | Band Edge                          |                   |                         |                |  |  |  |  |  |
| Bluetooth                      | 0 to 78                            | 0,78              | GFSK, 8-DPSK            | DH5/3DH5       |  |  |  |  |  |
|                                |                                    | Frequency         | Separation              |                |  |  |  |  |  |
| Bluetooth                      | 0 to 78                            | 0,1,2             | GFSK                    | DH5            |  |  |  |  |  |
|                                |                                    | Number of hop     | ping frequency          |                |  |  |  |  |  |
| Bluetooth                      | 0 to 78                            | 0 to 78           | GFSK                    | DH5            |  |  |  |  |  |
| Time of Occupancy (Dwell time) |                                    |                   |                         |                |  |  |  |  |  |
|                                |                                    |                   | GFSK, ,                 | DH1/DH3/DH5    |  |  |  |  |  |
| Bluetooth                      | 0 to 78                            | 39                | π/4-DQPSK               | 2DH1/2DH3/2DH5 |  |  |  |  |  |
|                                |                                    |                   | 8-DPSK                  | 3DH1/3DH3/3DH5 |  |  |  |  |  |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



### **MEASUREMENT UNCERTAINTY** 5

| Test Items                                   | Uncertainty            |  |  |
|--|------------------------|--|--|
| AC Power Line Conducted Emission             | +/- 2.34 dB            |  |  |
| Peak Output Power                            | +/- 1 dB               |  |  |
| 20dB Bandwidth                               | +/- 1.54 Hz            |  |  |
| 100 KHz Bandwidth Of<br>Frequency Band Edges | +/- 1.69 dB            |  |  |
| Frequency Separation                         | +/- 1.54 Hz            |  |  |
| Number of hopping frequency                  | +/- 1.54 Hz            |  |  |
| Time of Occupancy                            | +/- 1.54 Hz            |  |  |
| Temperature                                  | +/- 0.4 °C             |  |  |
| Humidity                                     | +/- 3.5 %              |  |  |
| DC / AC Power Source                         | DC= +/- 1%, AC= +/- 1% |  |  |

| Radiated Spurious Emission Measurement Uncertainty |     |      |    |                             |  |  |
|--|-----|------|----|-----------------------------|--|--|
| Polarization: Vertical                             | +/- | 2.64 | dB | 9kHz~30MHz: +-2.3dB         |  |  |
|  | +/- | 4.93 | dB | 30MHz - 1000MHz: +/- 3.37dB |  |  |
|  | +/- | 4.81 | dB | 1GHz - 18GHz: +/- 4.04dB    |  |  |
|  | +/- | 4.52 | dB | 18GHz - 40GHz: +/- 4.04dB   |  |  |
|  | +/- | 2.64 | dB | 9kHz~30MHz: +-2.3dB         |  |  |
| Polarization: Horizontal                           | +/- | 4.45 | dB | 30MHz - 1000MHz: +/- 4.22dB |  |  |
| Polarization: Horizontal                           | +/- | 4.81 | dB | 1GHz - 18GHz: +/- 4.08dB    |  |  |
|  | +/- | 4.52 | dB | 18GHz - 40GHz: +/- 4.08dB   |  |  |

## Note:

- 1. This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.
- 2. The conformity assessment statement in this report is based solely on the test results, measurement uncertainty is excluded.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



# 6 CONDUCTED EMISSION TEST

# 6.1 Standard Applicable

Frequency within 150 kHz to 30MHz shall not exceed the limit table as below.

| _               | Limits     |          |  |  |
|-----------------|------------|----------|--|--|
| Frequency range | dB(uV)     |          |  |  |
| MHz             | Quasi-peak | Average  |  |  |
| 0.15 to 0.50    | 66 to 56   | 56 to 46 |  |  |
| 0.50 to 5       | 56         | 46       |  |  |
| 5 to 30         | 60         | 50       |  |  |

Note

1. The lower limit shall apply at the transition frequencies

2. The limit decreases linearly with the logarithm of the frequency in the range 0.15 MHz to 0.50 MHz.

# 6.2 Measurement Equipment Used

| Radiated Emission Test Site: Conduction 1 |                  |                  |                        |            |            |  |  |
|---|------------------|------------------|------------------------|------------|------------|--|--|
| EQUIPMENT TYPE                            | MFR              | MODEL<br>NUMBER  | SERIAL<br>NUMBER       | LAST CAL.  | CAL DUE.   |  |  |
| LISN                                      | SCHWARZ-<br>BECK | NSLK<br>8127     | 8127-465               | 04/09/2020 | 04/08/2021 |  |  |
| Coaxial Cables                            | N/A              | Coaxial<br>Cable | 161207                 | 12/07/2020 | 12/06/2021 |  |  |
| Test Software                             | audix            | e3               | Ver. 6.11-<br>20180413 | 01/01/2021 | 12/31/2021 |  |  |
| EMI Test Receiver                         | R&S              | ESCI 7           | 100759                 | 07/13/2020 | 07/12/2021 |  |  |


# 6.3 EUT Setup

- 1. The conducted emission tests were performed in the test site, using the setup in accordance with the ANSI 63.10:2013.
- 2. The AC/DC Power adaptor of EUT was plug-in LISN. The EUT was placed flushed with the rear of the table.
- 3. The LISN was connected with 120Vac/60Hz power source.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



# 6.4 Test SET-UP (Block Diagram of Configuration)



## 6.5 Measurement Procedure

- 1. The EUT was placed on a table which is 0.8m above ground plan.
- 2. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 3. Repeat above procedures until all frequency measured were complete.

## 6.6 Measurement Result

Note: Refer to next page for measurement data and plots. Note2: The \* reveals the worst-case results that closet to the limit.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



# AC POWER LINE CONDUCTED EMISSION TEST DATA

| Report Number<br>Test Mode<br>Power<br>Probe<br>Note: | :ER-2021-<br>:BT<br>:AC 120V/<br>:L<br>: |                       |              | Test Site<br>Test Date<br>Temp./Humi.<br>Engineer   | :Conduction<br>:2021-03-26<br>:22.3/65<br>:GN Lin | 6F               |
|---|--|-----------------------|--------------|---|---|------------------|
| 80 Level (dBuV)                                       |  |                       |              |   |   |                  |
| 70  |  |                       |              |   |   |                  |
| 60  |  |                       |              |   |   |                  |
| 50  |  |                       |              |   |   |                  |
| 40  | man                                      | 4 5 6                 |              | 7   |   |                  |
| 30  |  | "North of the         | Andrewin     | Marin   |   |                  |
| 20  |  |                       |              | - Notes and a second |   |                  |
| 10  |  |                       |              |   | Υ   |                  |
| 0.15 0.2  | 0.5                                      | 1 2<br>Freque         | ncy (MHz)    | 5 10  | 20 30   |                  |
| Freq.   | Detector                                 | Spectrum              | Factor       | Actual  | Limit   | Margin           |
| MHz   | Mode<br>PK/QP/AV                         | Reading Level<br>dBµV | dB           | FS<br>dBµV  | dBµV  | dB               |
| 0.18  | Peak                                     | 47.50                 | 0.04         | 47.54   | 64.68   | -17.14           |
| 0.18  |  |                       |              |   |   |                  |
| 0.47  | Average<br>QP                            | 36.53<br>44.38        | 0.15<br>0.15 | 36.68   | 46.49   | -9.81<br>-11.96  |
| 0.47<br>0.67  | Peak                                     | 44.38<br>33.72        | 0.15         | 44.53<br>33.85  | 56.49<br>56.00                                    | -11.96<br>-22.15 |
| 1.15  | Peak                                     | 33.72                 | 0.13         | 33.85   | 56.00<br>56.00                                    | -22.15<br>-23.38 |
| 1.15  | Peak                                     | 32.50                 | 0.12         | 33.29   | 56.00   | -23.30<br>-22.71 |
| 4.75  | Peak                                     | 34.02                 | 0.18         | 34.54   | 56.00<br>56.00                                    | -22.71           |
| 7.75  | i <del>c</del> an                        | J <del>4</del> .02    | 0.52         | 04.04   | 50.00   | -21.40           |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解計另有說明・近報告結米僅對測試した供給員員「同時近候給損保留例之。本報告未幾本公司書面計可,个可給仍得製。 This document is issued by the Company subject to is General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemni-fication and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. SCE Taiwang Life 1, No 1314 W/ writen Bedmetria Detrive Metry Instructions and the document document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| SGS Taiwan Ltd. | No.134,Wu Kung Road, New Taipei Indus | rial Park, Wuku District, New Taipei City, Taiwan/新北市五股區 | 區新北產業園區五工路 134 號 |
|-----------------|---------------------------------------|--|------------------|
| 台灣檢驗科技股份有限公司    | t (886-2) 2299-3279                   | f (886-2) 2298-0488                                      | www.sgs.com.tw   |



| Report Number<br>Test Mode<br>Power<br>Probe<br>Note: | :ER-2021-30018<br>:BT<br>:AC 120V/60Hz<br>:N<br>: | Test Site<br>Test Date<br>Temp./Humi.<br>Engineer | :Conduction 6F<br>:2021-03-26<br>:22.3/65<br>:GN Lin |
|---|---|---|--|
| 80 Level (dBuV)                                       |   |   | i  |
| 70  |   |   |  |
| 70  |   | · • • • • • • • • • • • • • • • • • • •           |  |
| 60  |   |   |  |
| 50 1-1  |   |   |  |
| 40  | 7   | 1 1 1 1 1 1 1<br>1 1 1 1 1 1<br>                  |  |
| 30  | m hut any more more thank                         | WWWW  | Da. A  |
| 20  |   | - And   | AA   |
|   |   |   | W. '   |

| 0.15 0.2 | 0.5              | 1<br>Freq                 | 2<br>uency (MHz) | 5 10         | 20 30 |        |
|----------|------------------|---------------------------|------------------|--------------|-------|--------|
| Freq.    | Detector<br>Mode | Spectrum<br>Reading Level | Factor           | Actual<br>FS | Limit | Margin |
| <br>MHz  | PK/QP/AV         | dBµV                      | dB               | dBµV         | dBµV  | dB     |
|          |                  |                           |                  |              |       |        |
| 0.17     | Peak             | 49.19                     | 0.11             | 49.30        | 65.21 | -15.91 |
| 0.22     | Peak             | 44.75                     | 0.11             | 44.86        | 63.01 | -18.15 |
| 0.28     | Peak             | 41.05                     | 0.11             | 41.16        | 60.72 | -19.56 |
| 0.47     | Average          | 37.84                     | 0.21             | 38.05        | 46.49 | -8.44  |
| 0.47     | QP               | 45.57                     | 0.21             | 45.78        | 56.49 | -10.71 |
| 0.70     | Peak             | 34.30                     | 0.18             | 34.48        | 56.00 | -21.52 |
| 4.75     | Peak             | 33.90                     | 0.46             | 34.36        | 56.00 | -21.64 |
|          |                  |                           |                  |              |       |        |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



### PEAK OUTPUT POWER MEASUREMENT 7


### 7.1 **Standard Applicable**

For frequency hopping systems operating in the 2400-2483.5 MHz band employing at least 75 hopping channels, The Limit: 1Watt. For all other frequency hopping systems in the 2400 - 2483.5MHz band: The Limit: 0.125 Watts. The power limit for 1Mbps is 1watt, and 2Mbps, 3Mbps and AFH mode are 0.125 watts.

### 7.2 **Measurement Equipment Used**

| Conducted Emission Test Site: Conducted 1 |               |                 |                  |            |            |  |  |
|---|---------------|-----------------|------------------|------------|------------|--|--|
| EQUIPMENT TYPE                            | MFR           | MODEL<br>NUMBER | SERIAL<br>NUMBER | LAST CAL.  | CAL DUE.   |  |  |
| EXA Spectrum Ana-<br>lyzer                | KEYSIGHT      | N9010B          | MY59071571       | 06/27/2020 | 06/26/2021 |  |  |
| Power Meter                               | Anritsu       | ML2496A         | 1242004          | 11/06/2020 | 11/05/2021 |  |  |
| Power Sensor                              | Anritsu       | MA2411B         | 1207365          | 11/06/2020 | 11/05/2021 |  |  |
| Power Sensor                              | Anritsu       | MA2411B         | 1207368          | 11/06/2020 | 11/05/2021 |  |  |
| Bluetooth Test Set                        | Anritsu       | MT8852B         | 6K00006107       | 08/17/2020 | 08/16/2021 |  |  |
| DC Block                                  | Mini-Circuits | BLK-18-S+       | 1                | 12/16/2020 | 12/15/2021 |  |  |
| Coupler                                   | Mini-Circuits | ZN2PD-<br>9G-S+ | ZN2PD-9G-<br>S+  | 12/16/2020 | 12/15/2021 |  |  |

### 7.3 **Test Set-up:**



### 7.4 **Measurement Procedure:**

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows ANSI C63.10 Measurement Guidelines.
- Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter or spectrum. (Max Hold, Detector = Peak, RBW >= 20dB bandwidth)
- 4. Record the max. reading.
- 5. Repeat above procedures until all default test channel is completed.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製



### 7.5 **Peak & Average Power Measurement Result**

### 1M BR mode (Peak):

| СН   | Freq.<br>(MHz) | Power<br>set | Peak<br>Output<br>Power<br>(dBm) | Output<br>Power<br>(mW) | Limit<br>(mW) |
|------|----------------|--------------|----------------------------------|-------------------------|---------------|
| Low  | 2402           | default      | 6.33                             | 4.295                   | 1000          |
| Mid  | 2441           | default      | 7.11                             | 5.140                   | 1000          |
| High | 2480           | default      | 6.96                             | 4.966                   | 1000          |

| СН   | Freq.<br>(MHz) | Power<br>set | Max. Output<br>include<br>tune up<br>tolerance<br>Power (dBm) | Output<br>Power<br>(mW) | Limit<br>(mW) |  |  |
|------|----------------|--------------|---|-------------------------|---------------|--|--|
| Low  | 2402           | default      | 5.93  | 3.921                   | 1000          |  |  |
| Mid  | 2441           | default      | 5.85  | 3.849                   | 1000          |  |  |
| High | 2480           | default      | 5.90  | 3.894                   | 1000          |  |  |

### 2M EDR mode (Peak):

| СН   | Freq.<br>(MHz) | Power<br>set | Peak<br>Output<br>Power<br>(dBm) | Output<br>Power<br>(mW) | Limit<br>(mW) |
|------|----------------|--------------|----------------------------------|-------------------------|---------------|
| Low  | 2402           | default      | 6.06                             | 4.036                   | 125           |
| Mid  | 2441           | default      | 5.95                             | 3.936                   | 125           |
| High | 2480           | default      | 5.94                             | 3.926                   | 125           |

#### High 2480 default

### 2M EDR mode (Average):

1M BR mode (Average):

| СН   | Freq.<br>(MHz) | Power<br>set | Max. Avg.Output<br>include<br>tune up<br>tolerance<br>Power (dBm) | Output<br>Power<br>(mW) | Limit<br>(mW) |
|------|----------------|--------------|---|-------------------------|---------------|
| Low  | 2402           | default      | 2.53  | 1.792                   | 125           |
| Mid  | 2441           | default      | 2.51  | 1.784                   | 125           |
| High | 2480           | default      | 2.47  | 1.768                   | 125           |

### 3M EDR mode (Average):

| СН         | Freq.<br>(MHz)    | Power<br>set | Max. Avg.Output<br>include<br>tune up<br>tolerance<br>Power (dBm) | Output<br>Power<br>(mW) | Limit<br>(mW) |
|------------|-------------------|--------------|---|-------------------------|---------------|
| Low        | 2402              | default      | 2.60  | 1.821                   | 125           |
| Mid        | 2441              | default      | 2.54  | 1.796                   | 125           |
| High       | 2480              | default      | 2.25  | 1.680                   | 125           |
| *Note: Max | Jutput include tw | na un talare | nee Dewermeeser   | hu waina au             |               |

\*Note: Max. Output include tune up tolerance Power measured by using average detector.

3M EDR mode (Peak):

| СН   | Freq.<br>(MHz) | Power<br>set | Peak<br>Output<br>Power<br>(dBm) | Output<br>Power<br>(mW) | Limit<br>(mW) |
|------|----------------|--------------|----------------------------------|-------------------------|---------------|
| Low  | 2402           | default      | 6.25                             | 4.217                   | 125           |
| Mid  | 2441           | default      | 6.16                             | 4.130                   | 125           |
| High | 2480           | default      | 5.95                             | 3.936                   | 125           |

NOTE: cable loss as 4.7dB that offsets in the spectrum

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

| SGS Taiwan Ltd. | No.134,Wu Kung Road, New T | aipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區 | 區新北產業園區五工路 134 號 |
|-----------------|----------------------------|--|------------------|
| 台灣檢驗科技股份有限公司    | t (886-2) 2299-3279        | f (886-2) 2298-0488  | www.sgs.com.tw   |
|                 |                            |  | 11 1 (000 0      |



### EMISSION BANDWIDTH MEASUREMENT 8


### **Standard Applicable** 8.1

For frequency hopping systems operating in the 2400 MHz-2483.5 MHz no limit for 20dB bandwidth.

### 8.2 **Measurement Equipment Used**

| Conducted Emission Test Site: Conducted 1 |               |                 |                  |            |            |  |
|---|---------------|-----------------|------------------|------------|------------|--|
| EQUIPMENT TYPE                            | MFR           | MODEL<br>NUMBER | SERIAL<br>NUMBER | LAST CAL.  | CAL DUE.   |  |
| EXA Spectrum Ana-<br>lyzer                | KEYSIGHT      | N9010B          | MY59071571       | 06/27/2020 | 06/26/2021 |  |
| Bluetooth Test Set                        | Anritsu       | MT8852B         | 6K00006107       | 08/17/2020 | 08/16/2021 |  |
| DC Block                                  | Mini-Circuits | BLK-18-S+       | 1                | 12/16/2020 | 12/15/2021 |  |
| Coupler                                   | Mini-Circuits | ZN2PD-<br>9G-S+ | ZN2PD-9G-<br>S+  | 12/16/2020 | 12/15/2021 |  |

### 8.3 **Test Set-up**



### 8.4 **Measurement Procedure**

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows ANSI C63.10:2013.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set the spectrum analyzer as RBW = 1 % to 5% of OBW, VBW = 3 X RBW, Span= 2 to 5 times of the OBW, Sweep=auto, Detector = Peak, and Max hold for 20dB Bandwidth test.
- 5. Mark the peak frequency and -20dB (upper and lower) frequency
- 6. Repeat above procedures until all test default channel is completed

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



#### 8.5 20dB Bandwidth

### **GFSK**

| СН   | 20 dB BW | 2/3 BW |  |  |  |  |
|------|----------|--------|--|--|--|--|
|      | (MHz)    | (MHz)  |  |  |  |  |
| Low  | 0.9231   | 0.62   |  |  |  |  |
| Mid  | 0.9231   | 0.62   |  |  |  |  |
| High | 0.9234   | 0.62   |  |  |  |  |
|      |          |        |  |  |  |  |

## π/4-DQPSK

| СН   | 20 dB BW | 2/3 BW |  |
|------|----------|--------|--|
| СП   | (MHz)    | (MHz)  |  |
| Low  | 1.320    | 0.88   |  |
| Mid  | 1.320    | 0.88   |  |
| High | 1.320    | 0.88   |  |

### 8-DPSK


| CH 20 dB BW<br>(MHz) |       | 2/3 BW<br>(MHz) |
|----------------------|-------|-----------------|
| Low                  | 1.338 | 0.89            |
| Mid                  | 1.338 | 0.89            |
| High                 | 1.340 | 0.89            |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

| SGS Taiwan Ltd. | No.134.Wu Kung Road, New Taipei Indu | strial Park, Wuku District, New Taipei City, Taiwan/新北市五股區 | 高新北產業園區五丁路 134 號 |
|-----------------|--------------------------------------|--|------------------|
| 台灣檢驗科技股份有限公司    |                                      | f (886-2) 2298-0488  | www.sgs.com.tw   |
|                 | . ,                                  | · · · ·  |                  |



## Report No.: ER/2021/30018 Page: 21 of 67




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

| SGS Taiwan Ltd. | No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 |                     |                     |  |  |  |
|-----------------|---|---------------------|---------------------|--|--|--|
| 台灣檢驗科技股份有限公司    | t (886-2) 2299-3279   | f (886-2) 2298-0488 | www.sgs.com.tw      |  |  |  |
|                 |   |                     | Member of SGS Group |  |  |  |



### 8DPSK 3M DH5 2402MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

| SGS Taiwan Ltd. | No.134,Wu Kung Road, New Taipei Industrial Pa | ark, Wuku District, New Taipei City, Taiwan/新北市五股 | 區新北產業園區五工路 134 號    |
|-----------------|---|---|---------------------|
| 台灣檢驗科技股份有限公司    | t (886-2) 2299-3279                           | f (886-2) 2298-0488                               | www.sgs.com.tw      |
|                 |   |   | Member of SGS Group |



# 9 CONDUCTED BAND EDGES AND SPURIOUS EMISSION MEASUREMENT


# 9.1 Standard Applicable

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a).

# 9.2 Measurement Equipment Used

| Conducted Emission Test Site: Conducted 1 |               |                 |                  |            |            |  |
|---|---------------|-----------------|------------------|------------|------------|--|
| EQUIPMENT TYPE                            | MFR           | MODEL<br>NUMBER | SERIAL<br>NUMBER | LAST CAL.  | CAL DUE.   |  |
| EXA Spectrum Ana-<br>lyzer                | KEYSIGHT      | N9010B          | MY59071571       | 06/27/2020 | 06/26/2021 |  |
| Bluetooth Test Set                        | Anritsu       | MT8852B         | 6K00006107       | 08/17/2020 | 08/16/2021 |  |
| DC Block                                  | Mini-Circuits | BLK-18-S+       | 1                | 12/16/2020 | 12/15/2021 |  |
| Coupler                                   | Mini-Circuits | ZN2PD-9G-<br>S+ | ZN2PD-9G-<br>S+  | 12/16/2020 | 12/15/2021 |  |

# 9.3 Test SET-UP



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

| SGS Taiwan Ltd. | ······································ | k, Wuku District, New Taipei City, Taiwan/新北市五股 |                     |
|-----------------|--|---|---------------------|
| 台灣檢驗科技股份有限公司    | t (886-2) 2299-3279                    | f (886-2) 2298-0488                             | www.sgs.com.tw      |
|                 |  |   | Member of SGS Group |



## 9.4 Measurement Procedure

# 9.4.1 Conducted Band Edge:

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows ANSI C63.10:2013.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set center frequency of spectrum analyzer = operating frequency.
- 5. Set the spectrum analyzer as RBW=100 kHz, VBW=300 kHz, Sweep = auto
- 6. Mark Peak, 2.3999GHz and 2.4836GHz and record the max. level.
- 7. Repeat above procedures until all frequency measured were complete.

# 9.4.2 Conducted Spurious Emission:

- 1. To connect Antenna Port of EUT to Spectrum.
- 2. The testing follows ANSI C63.10:2013.
- 3. Set RBW = 100 kHz & VBW = 300 kHz, Detector =Peak, Sweep = Auto
- 4. Allow trace to fully stabilize.
- 5. Use the peak marker function to determine the maximum power level in any 100 kHz band segment within the fundamental EBW.
- 6. Repeat above procedures until all default test channel measured were complete.

# 9.5 Measurement Result

See next page for test plots.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



# Report No.: ER/2021/30018 Page: 25 of 67

### Bandedge GFSK 1M DH5 2402MHz



Spectrum Analyzer 1 Swept SA • 🔆 · + Ö Frequency KEYSIGHT Input: RF t Ζ: 50 Ω Avg Type: Log Trig: Free Run Corrections: Off Freq Ref: Int (S) Settings 2 487500000 GHz ↦ Align: Ligh PNNN 2.495 975 GHz 25.0000000 MHz Ref Lvi Offset 4.70 dB Ref Level 20.00 dBm Scale/Div 10 dB -54.61 dB Swept Spar Zero Span Full Spar Start Freq 2.475000000 GHz Stop Freq 2.500000000 GH AUTO TUNE Center 2.48750 GH #Res BW 100 kHz CF Step 2.500000 MHz 5 Marker Table Auto Man Function Function Width Function Val Mode Trace 2.479 950 GHz 2.483 500 GHz 2.495 975 GHz 1.804 dBm -55.36 dBm -54.61 dBm Freq Offset 0 Hz X Axis Scale **■** ? Mar 26, 2021 X 

8DPSK 3M DH5 2480MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sas.c m.tw/Terms-and-Co onditions and for electronic format Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




trict, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 No.134, Wu Kung Road, New Taipei Industrial Park, Wuku Dis t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



# Report No.: ER/2021/30018 Page: 26 of 67

## Hopping Band Edge\_GFSK\_1M\_DH5\_2402MHz



#### Spectrum Analyzer 1 Swept SA • 🔆 · + Ö Frequency KEYSIGHT Input: RF PNO: Fast Gate: Off IE Gain: L t Ζ: 50 Ω Avg Type: Log Trig: Free Run Corrections: Off Freq Ref: Int (S) Center Frequency 2.487500000 GHz Settings ÷÷• Align: Ligh PNNNN 2.487 725 GHz 25.0000000 MHz Ref Lvi Offset 4.70 dB Ref Level 20.00 dBm Scale/Div 10 dB -52.83 dB Swept Spar Zero Span Full Spar Start Freq 2.475000000 GHz Stop Freq 2.5000000 AUTO TUNE Center 2.48750 G #Res BW 100 kHz CF Step 2.500000 MHz 5 Marker Table Auto Man Function Function Width Function Val Mode Trace 2.479 925 GHz 2.483 500 GHz 2.487 725 GHz 0.8620 dBm -56.33 dBm -52.83 dBm Freq Offset 0 Hz X Axis Scale **■** ? Mar 26, 2021 X

8DPSK 3M DH5 2480MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sas.c m.tw/Terms-and-Co onditions and for electronic format Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| ooo raiwan Eta. | L |
|-----------------|---|
| 台灣檢驗科技股份有限公司    |   |

SGS Taiwan Ltd No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



# Report No.: ER/2021/30018 Page: 27 of 67

#### Spurious Emission GFSK 1M DH5 2402MHz $\pi$ /4DQPSK 2M DH5 2402MHz nectrum Analyzer 1 vept SA Spectrum Analyzer 1 Swept SA Ø • 🔆 · + Frequency • 🔆 · + Ċ. Frequency KEYSIGHT Input RF ut Z: 50 Ω 30 dB PNO: Fast Gate: Off KEYSIGHT Input: RF PNO: Fast Gate: Off IF Gain: Low Sig Track: O ut Z: 50 C Avg Type: Log-Po Trig: Erec Pup Corrections: Off Freq Ref: Int (S) Center Frequency 13.015000000 GHz ettings Settings Corrections: Off Freq Ref: Int (S) Align: Light Align: Light PNNNN PNNN Ļя 25.622 6 GHz Span 25.9700000 GHz 25.9700000 GHz Mkr4 25,790 5 GHz Ref Lvi Offset 4.70 dB Ref Level 20.00 dBm 1.94 Ref Lvi Offset 4.70 dB Ref Level 20.00 dBm Scale/Div 10 dB -46.74 dBr Scale/Div 10 dB 46.88 dB Swept Span Zero Span Swept Spar Full Spa Full Span Start Freq 30.000000 MHz tart Freq 30.000000 MH; Stop Freq 26.00000 Stop Freq 0000 GH 26.00000000 GHz AUTO TUNE AUTO TUNE Span 25.97 GHz ep ~2.49 s (30001 pts) Center 13.02 GH #Res BW 100 kH r 13.02 G #Video BW 300 kHz an 25.97 GH Span 25.97 GHz Sweep ~2.49 s (30001 pts) CF Step 2.597000000 GHz #Res BW 100 kHz CF Step 2.597000000 GHz Marker Table Auto Man Auto Man Function Function Width Function Value Mode Trace Function Y 5.685 dBm -55.53 dBm -55.23 dBm -46.74 dBm Mode Trace S Function Function Width X 2.401 9 GHz 4.804 0 GHz 7.206 0 GHz 25.622 6 GHz X Y 2.401 9 GHz 0.1550 dBm 4.804 0 GHz -55.39 dBm 7.206 0 GHz -54.29 dBm 25.790 5 GHz -46.88 dBm N N Freq Offse 0 Hz Freq Offset 0 Hz 3 X Axis Scale Log Lin X Axis Scale ■ ? Mar 26, 2021 12:50:12 PM .# 😽 -- 🔀 5 C I Mar 26, 2021 9 .# 💘 $\mathbb{H}$ **.** GFSK\_1M\_DH5\_2441MHz $\pi$ /4DQPSK\_2M\_DH5\_2441MHz ectrum Analyzer 1 /ept SA · + Ø Frequency • 🔆 Spectrum Analyzer 1 Swept SA - 84 · + Ö Frequency Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) KEYSIGHT Input RF 30 dB PNO: Fast Gate: Off Avg Type: Log-Po Trig: Free Run Frequency KEYSIGHT Input: RF PNO: Fast Gate: Off IF Gain: Low Sig Track: O ut Z: 50 C Settings Avg Type: Log-Pov Trig: Free Run 13.0150 Center Frequency 13.015000000 GHa • Align: Ligh Corrections: Off Freq Ref: Int (S) Settings Align: Light PNNNNI L)U PNNNN LXI 25.675 4 GHz 1 Spectrum 25.9700000 GHz Ref Lvi Offset 4.70 dB Span 25.9700000 GHz Mkr4 25 464 2 GHz 1 Spert Scale/Div 10 dB -46.75 dBn Ref LvI Offset 4.70 dB Ref Level 20.00 dBm Scale/Div 10 dB 46.86 dB Swept Span Zero Span Swept Spar Zero Span Full Span Full Span Start Freq 30.000000 MHz Start Freq 30.000000 MHz top Freq 6 Stop Freq 26.00000000 GHz 26.000000000 GHz AUTO TUNE Span 25.97 GH eep ~2.49 s (30001 pts AUTO TUNE #Video BW 300 kHz Center 13.02 GHz #Res BW 100 kHz CF Step 2.597000000 GHz Center 13.02 GHz #Res BW 100 kHz #Video BW 300 kHz an 25.97 GH Span 25.97 GHz Sweep ~2.49 s (30001 pts) CF Step 2.597000 5 Marker Table Auto Man Auto Man Function Function Width Function Value Y 5.681 dBm -56.47 dBm -56.54 dBm -46.75 dBm Function Function Width Function V 2.440 9 GHz 4.882 0 GHz de Trace S N Frea Offse 2.440 9 GHz -0.9750 dBm 4.882 0 GHz -55.64 dBm Freq Offse 0 Hz 0 Hz 7.323 0 GHz 25.675 4 GHz -57.43 dBr -46.86 dBr X Axis Scale Log Lin 7.323 0 GHz 25.464 2 GHz X Axis Scale Log Lin .# 🖲 🕂 🗙 ? Mar 26, 2021 501 Signal Tr Mar 26, 2021 X GFSK\_1M\_DH5\_2480MHz $\pi$ /4DQPSK\_2M\_DH5\_2480MHz ectrum Analyzer 1 rept SA • 🔆 Ö · + Frequency Spectrum Analyzer 1 Ö • 🔆 · + Frequency Input Z: 50 Ω Corrections: Off Freq Ref: Int (S) KEYSIGHT Input: RF Avg Type: Log-I Trig: Eree Run Center Frequency 13.015000000 GHz Settings KEYSIGHT Input: RF ıt Z: 50 C PNO: Fas Gate: Off Avg Type: Log-Po Trig: Free Run -----Align: Light Center Frequency 13.015000000 GHz Settings Corrections: Off Freq Ref: Int (S) PNNNN Align: Light IJ PNNNN Span 25.9700000 GHz Mkr4 1 487 8 GHz Ļ)J 1 Se Ref Lvi Offset 4.70 dB 25.9700000 GHz cale/Div 10 dE 44.21 dB 1 Spectrum Ref Lvi Offset 4.70 dB Ref Level 20.00 dBm Mkr4 25.674 5 GHz Swept Span Zero Span icale/Div 10 dB 46.19 dB Swept Spar Zero Span Full Span Full Span art Freq 30.000000 MHz tart Freq 44 30.000000 MHz Stop Freq ٥ Stop Freq 26.00000000 GHz 26.00000000 GHz AUTO TUNE Cent enter 13.02 GHz Res BW 100 kHz eo BW 300 kHz an 25.97 GH AUTO TUNE Span 2 Sweep ~2.49 s (3 CF Step 2.597000000 GHz Center 13.02 GHz #Res BW 100 kHz #Video BW 300 kHz Span 25.97 GHz Sweep ~2.49 s (30001 pts) CF Step 2.597000000 Auto Man Function Function Width Function Value Auto Man Mode Trace So Y 5.172 dBm -55.91 dBm -57.58 dBm -44.21 dBm Function Function Width Function Va Freq Offse 0 Hz Trace X Y 2.479 8 GHz -0.1808 dBm 4.960 0 GHz -53.06 dBm 7.440 0 GHz -56.64 dBm 25.674 5 GHz -46.19 dBn Freq Offset 0 Hz X Axis Sc Log Lin E X Axis Scale 📲 🖒 🍽 🕈 Mar 26, 2021 🗩 .# 🕃 🗄 🔀 H X ■ ? C<sup>A</sup> ■ ? Mar 26, 2021

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sas.c m.tw/Terms-and onditions and for electronic format Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| SGS Talwall Ltu. |  |
|------------------|--|
| 台灣檢驗科技股份有限公司     |  |

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



### 8DPSK 3M DH5 2402MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| ooo faiwan Lta. |  |
|-----------------|--|
| 台灣檢驗科技股份有限公司    |  |

SGS Taiwan Ltd No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



# 10 RADIATED BANDEDGE AND SPURIOUS EMISSION MEASUREMENT

### 10.1 **Standard Applicable**

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. In addition, radiated emissions which fall in the restricted bands must also comply with the §15.209 and limit as below. And according to §15.33(a) (1), for an intentional radiator operates below 10GHz, the frequency range of measurements: to the tenth harmonic of the highest fundamental frequency or to 40GHz, whichever is lower.

| Frequency<br>(MHz) | Field strength<br>(microvolts/meter) | Distance<br>(meters) |
|--------------------|--------------------------------------|----------------------|
| 0.009-0.490        | 2400/F(kHz)                          | 300                  |
| 0.490-1.705        | 24000/F(kHz)                         | 30                   |
| 1.705-30           | 30                                   | 30                   |
| 30-88              | 100                                  | 3                    |
| 88-216             | 150                                  | 3                    |
| 216-960            | 200                                  | 3                    |
| Above 960          | 500                                  | 3                    |

## Note:

1. The lower limit shall apply at the transition frequencies.

2. Emission level ( $dB\mu V/m$ ) = 20 log Emission level ( $\mu V/m$ )

### **Measurement Equipment Used** 10.2

| Radiated Emission Test Site: Conduction 1 |                  |                  |                        |            |            |
|---|------------------|------------------|------------------------|------------|------------|
| EQUIPMENT TYPE                            | MFR              | MODEL<br>NUMBER  | SERIAL<br>NUMBER       | LAST CAL.  | CAL DUE.   |
| LISN                                      | SCHWARZ-<br>BECK | NSLK<br>8127     | 8127-465               | 04/09/2020 | 04/08/2021 |
| Coaxial Cables                            | N/A              | Coaxial<br>Cable | 161207                 | 12/07/2020 | 12/06/2021 |
| Test Software                             | audix            | e3               | Ver. 6.11-<br>20180413 | 01/01/2021 | 12/31/2021 |
| EMI Test Receiver                         | R&S              | ESCI 7           | 100759                 | 07/13/2020 | 07/12/2021 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




### 10.3 **Test SET-UP**


(A) Radiated Emission Test Set-UP Frequency Below 30MHz.



(B) Radiated Emission Test Set-Up, Frequency form 30MHz to 1000MHz



(C) Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and the time of the subject to the terms and conditions and the subject to the terms and the subject to terms and terms at the time of the subject to terms and the subject to terms and the subject to terms and the subject to terms at the terms at obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



### Measurement Procedure 10.4

# 10.4.1 Radiated Emission

- 1. The testing follows the Measurement Procedure of ANSI C63.10:2013.
- 2. The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequency> 1GHz above ground plan.
- 3. The turn table shall rotate 360 degrees to determine the position of maximum emission level.
- 4. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- 5. Set the spectrum analyzer as RBW=120 kHz and VBW=300 kHz for Peak Detector (PK) and Quasi-peak (QP) at frequency below 1 GHz.
- 6. Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Peak Detector at frequency above 1 GHz.
- 7. Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW ≥ 1/T (Duty cycle < 98%) for Average Detector at frequency above 1 GHz.</p>
- 8. When measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.
- 9. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 10. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. On spectrum, change spectrum mode in linear display mode, and reduce VBW = 10Hz if average reading is measured.
- 11. Repeat above procedures until all default test channel measured were complete.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



### 10.5 **Field Strength Calculation**

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

# FS = RA + AF + CL - AG

*Where FS* = *Field Strength RA* = *Reading Amplitude* AF = Antenna Factor

*CL* = *Cable Attenuation Factor (Cable Loss)* AG = Amplifier Gain

The limit of the emission level is expressed in dBuV/m, which converts 20\*log(uV/m)

Actual  $FS(dB\mu V/m) = SPA$ . Reading level(dB $\mu V$ ) + Factor(dB)  $Factor(dB) = Antenna Factor(dB\mu V/m) + Cable Loss(dB) - Pre_Amplifier Gain(dB)$ 

### Test Results of Radiated Spurious Emissions form 9 kHz to 30 MHz 10.6

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report No.: ER/2021/30018 Page: 33 of 67



# 10.7 Measurement Result: 10.7.1 Radiated Bandedge Result (Hopping Mode)

| Report Number  | :ER/2021/30018   | Test Site    | :SAC I Chamber |
|----------------|------------------|--------------|----------------|
| Operation Mode | :BR Hopping      | Test Date    | :2021-03-19    |
| Test Frequency | :2402 MHz        | Temp./Humi.  | :24.0/64       |
| Test Mode      | :Bandedge CH Low | Antenna Pol. | :VERTICAL      |
| EUT Pol        | :E2 Plane        | Engineer     | :Neo Tsai      |




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limita -and-Conditions and for Attention is drawn to the limitation of liability, indemniis determined of the documents, subject to terms and conducts for Lectorine boundaries at <u>much ways subject to terms and conducts</u>. Attended is drawn or terms and conducts is advised to the more at the time of this document is advised that information contrained here on reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2021/30018 Page: 34 of 67

| F | Report Number  | :ER/2021/30018   | Test Site    | :SAC I Chamber |
|---|----------------|------------------|--------------|----------------|
| C | Dperation Mode | :BR Hopping      | Test Date    | :2021-03-19    |
| Т | est Frequency  | :2402 MHz        | Temp./Humi.  | :24.0/64       |
| Т | est Mode       | :Bandedge CH Low | Antenna Pol. | :HORIZONTAL    |
| E | UT Pol         | :E2 Plane        | Engineer     | :Neo Tsai      |
|   |                |                  |              |                |



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


勝利子方方式就例 「山根古紀木罐到規調之(株面具員)「同時山橋和田採田御兄」、報告本礎中な可当者間町町)「小口町の授穀。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Taiwan I td



Report No.: ER/2021/30018 Page: 35 of 67

| Report Number  | :ER/2021/30018    | Test Site    | :SAC I Chamber |
|----------------|-------------------|--------------|----------------|
| Operation Mode | :BR Hopping       | Test Date    | :2021-03-19    |
| Test Frequency | :2480 MHz         | Temp./Humi.  | :24.0/64       |
| Test Mode      | :Bandedge CH High | Antenna Pol. | :VERTICAL      |
| EUT Pol        | :E2 Plane         | Engineer     | :Neo Tsai      |
|                |                   |              |                |




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: ER/2021/30018 Page: 36 of 67

| Report Number  | :ER/2021/30018    | Test Site    | :SAC I Chamber |
|----------------|-------------------|--------------|----------------|
| Operation Mode | :BR Hopping       | Test Date    | :2021-03-19    |
| Test Frequency | :2480 MHz         | Temp./Humi.  | :24.0/64       |
| Test Mode      | :Bandedge CH High | Antenna Pol. | :HORIZONTAL    |
| EUT Pol        | :E2 Plane         | Engineer     | :Neo Tsai      |
|                |                   |              |                |




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: ER/2021/30018 Page: 37 of 67

| Report Number  | :ER/2021/30018   | Test Site    | :SAC I Chamber |
|----------------|------------------|--------------|----------------|
| Operation Mode | :EDR Hopping     | Test Date    | :2021-03-19    |
| Test Frequency | :2402 MHz        | Temp./Humi.  | :24.0/64       |
| Test Mode      | :Bandedge CH Low | Antenna Pol. | :VERTICAL      |
| EUT Pol        | :E2 Plane        | Engineer     | :Neo Tsai      |
|                |                  |              |                |



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnielectronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/1erms-and-Conditions">http://www.sgs.com.tw/1erms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



117 Level (dBuV/m)

Report No.: ER/2021/30018 Page: 38 of 67

| Report Number  | :ER/2021/30018   | Test Site    | :SAC I Chamber |
|----------------|------------------|--------------|----------------|
| Operation Mode | :EDR Hopping     | Test Date    | :2021-03-19    |
| Test Frequency | :2402 MHz        | Temp./Humi.  | :24.0/64       |
| Test Mode      | :Bandedge CH Low | Antenna Pol. | :HORIZONTAL    |
| EUT Pol        | :E2 Plane        | Engineer     | :Neo Tsai      |
|                |                  |              |                |


| 110              |   |   |                               |  | 1            |        |
|------------------|---|---|-------------------------------|--|--------------|--------|
| 110              |   |   |                               |  | prenderation |        |
| 90               | · · · · · · · · · · · · · · · · · · ·                                   |   |                               |  |              |        |
| 70               |   |   |                               |  |              |        |
| 10               |   |   |                               |  |              |        |
| 50 man Mader Too | ระกรณีที่ <del>นี้เหม</del> ือสุขามหลุดหนึ่งที่มีเหมิมร้างที่จะจำกังว่า | Alfred a grad | ear-glyther ward river warded | Advertision of the state of the | atrad        |        |
| 30               |   |   |                               |  |              |        |
| 10               |   |   |                               |  |              |        |
| 0<br>2310        | 2330.   | 2350.   | 2370.                         | 2390.  | 2410         |        |
|                  |   | Freque  | ncy (MHz)                     |  |              |        |
| Freq.            | Detector<br>Mode  | Spectrum<br>Reading Level   | Factor                        | Actual<br>FS   | Limit<br>@3m | Margin |
| MHz              | PK/QP/AV  | dBµV  | dB                            | dBµV/m   | dBµV/m       | dB     |
| 2205 00          |   |   | 0.40                          |  | E 4 00       | 0.55   |
| 2385.00          | Average   | 45.55   | -0.10                         | 45.45  | 54.00        | -8.55  |
| 2385.00          | Peak  | 51.39   | -0.10                         | 51.29  | 74.00        | -22.71 |
| 2390.00          | Average   | 45.58   | -0.12                         | 45.46  | 54.00        | -8.54  |
| 2390.00          | Peak  | 50.55   | -0.12                         | 50.43  | 74.00        | -23.57 |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



Report No.: ER/2021/30018 Page: 39 of 67

| Report Number  | :ER/2021/30018    | Test Site    | :SAC I Chamber |
|----------------|-------------------|--------------|----------------|
| Operation Mode | :EDR Hopping      | Test Date    | :2021-03-19    |
| Test Frequency | :2480 MHz         | Temp./Humi.  | :24.0/64       |
| Test Mode      | :Bandedge CH High | Antenna Pol. | :VERTICAL      |
| EUT Pol        | :E2 Plane         | Engineer     | :Neo Tsai      |
|                |                   |              |                |




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

勝利子方方式就例 「山根古紀木罐到規調之(株面具員)「同時山橋和田採田御兄」、報告本礎中な可当者間町町)「小口町の授穀。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



| Report Number  | :ER/2021/30018    | Test Site    | :SAC I Chamber |
|----------------|-------------------|--------------|----------------|
| Operation Mode | :EDR Hopping      | Test Date    | :2021-03-19    |
| Test Frequency | :2480 MHz         | Temp./Humi.  | :24.0/64       |
| Test Mode      | :Bandedge CH High | Antenna Pol. | :HORIZONTAL    |
| EUT Pol        | :E2 Plane         | Engineer     | :Neo Tsai      |
|                |                   |              |                |




勝利子方方式就例 「山根古紀木罐到規調之(株面具員)「同時山橋和田採田御兄」、報告本礎中な可当者間町町)「小口町の授穀。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



### Report No.: ER/2021/30018 Page: 41 of 67

## 10.7.2 Radiated Bandedge Result (Non-Hopping Mode)

| Report Number  | :ER/2021/30018   | Test Site    | :SAC I Chamber |
|----------------|------------------|--------------|----------------|
| Operation Mode | :BR(1M)          | Test Date    | :2021-03-19    |
| Test Frequency | :2402 MHz        | Temp./Humi.  | :24.0/64       |
| Test Mode      | :Bandedge CH Low | Antenna Pol. | :VERTICAL      |
| EUT Pol        | :E2 Plane        | Engineer     | :Neo Tsai      |




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2021/30018 Page: 42 of 67

| Report Number  | :ER/2021/30018   | Test Site    | :SAC I Chamber |
|----------------|------------------|--------------|----------------|
| Operation Mode | :BR(1M)          | Test Date    | :2021-03-19    |
| Test Frequency | :2402 MHz        | Temp./Humi.  | :24.0/64       |
| Test Mode      | :Bandedge CH Low | Antenna Pol. | :HORIZONTAL    |
| EUT Pol        | :E2 Plane        | Engineer     | :Neo Tsai      |
|                |                  |              |                |




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

勝利子方方式就例 「山根古紀木罐到規調之(株面具員)「同時山橋和田採田御兄」、報告本礎中な可当者間町町)「小口町の授穀。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2021/30018 Page: 43 of 67

| Report Number  | :ER/2021/30018    | Test Site    | :SAC I Chamber |
|----------------|-------------------|--------------|----------------|
| Operation Mode | :BR(1M)           | Test Date    | :2021-03-19    |
| Test Frequency | :2480 MHz         | Temp./Humi.  | :24.0/64       |
| Test Mode      | :Bandedge CH High | Antenna Pol. | :VERTICAL      |
| EUT Pol        | :E2 Plane         | Engineer     | :Neo Tsai      |
|                |                   |              |                |




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

勝利子方方式就例 「山根古紀木罐到規調之(株面具員)「同時山橋和田採田御兄」、報告本礎中な可当者間町町)「小口町の授穀。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2021/30018 Page: 44 of 67

| Report Number  | :ER/2021/30018    | Test Site    | :SAC I Chamber |
|----------------|-------------------|--------------|----------------|
| Operation Mode | :BR(1M)           | Test Date    | :2021-03-19    |
| Test Frequency | :2480 MHz         | Temp./Humi.  | :24.0/64       |
| Test Mode      | :Bandedge CH High | Antenna Pol. | :HORIZONTAL    |
| EUT Pol        | :E2 Plane         | Engineer     | :Neo Tsai      |
|                |                   |              |                |




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

勝利子方方式就例 「山根古紀木罐到規調之(株面具員)「同時山橋和田採田御兄」、報告本礎中な可当者間町町)「小口町の授穀。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2021/30018 Page: 45 of 67

| Report Nur  | nber | :ER/2021/30018   | Test Site    | :SAC I Chamber |
|-------------|------|------------------|--------------|----------------|
| Operation I | Node | :EDR(3M)         | Test Date    | :2021-03-19    |
| Test Freque | ency | :2402 MHz        | Temp./Humi.  | :24.0/64       |
| Test Mode   |      | :Bandedge CH Low | Antenna Pol. | :VERTICAL      |
| EUT Pol     |      | :E2 Plane        | Engineer     | :Neo Tsai      |
|             |      |                  |              |                |




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnielectronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/1erms-and-Conditions">http://www.sgs.com.tw/1erms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



| :ER/2021/30018   | Test Site                                 | :SAC I Chamber  |
|------------------|---|---|
| :EDR(3M)         | Test Date                                 | :2021-03-19   |
| :2402 MHz        | Temp./Humi.                               | :24.0/64  |
| :Bandedge CH Low | Antenna Pol.                              | :HORIZONTAL   |
| :E2 Plane        | Engineer                                  | :Neo Tsai   |
|                  | :EDR(3M)<br>:2402 MHz<br>:Bandedge CH Low | :EDR(3M)Test Date:2402 MHzTemp./Humi.:Bandedge CH LowAntenna Pol. |




勝利子方方式就例 「山根古紀木罐到規調之(株面具員)「同時山橋和田採田御兄」、報告本礎中な可当者間町町)「小口町の授穀。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2021/30018 Page: 47 of 67

| Report Number  | :ER/2021/30018    | Test Site    | :SAC I Chamber |
|----------------|-------------------|--------------|----------------|
| Operation Mode | :EDR(3M)          | Test Date    | :2021-03-19    |
| Test Frequency | :2480 MHz         | Temp./Humi.  | :24.0/64       |
| Test Mode      | :Bandedge CH High | Antenna Pol. | :VERTICAL      |
| EUT Pol        | :E2 Plane         | Engineer     | :Neo Tsai      |
|                |                   |              |                |




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

勝利子方方式就例 「山根古紀木罐到規調之(株面具員)「同時山橋和田採田御兄」、報告本礎中な可当者間町町)「小口町の授穀。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: ER/2021/30018 Page: 48 of 67

| Report Number  | :ER/2021/30018    | Test Site    | :SAC I Chamber |
|----------------|-------------------|--------------|----------------|
| Operation Mode | :EDR(3M)          | Test Date    | :2021-03-19    |
| Test Frequency | :2480 MHz         | Temp./Humi.  | :24.0/64       |
| Test Mode      | :Bandedge CH High | Antenna Pol. | :HORIZONTAL    |
| EUT Pol        | :E2 Plane         | Engineer     | :Neo Tsai      |
|                |                   |              |                |




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



## 10.7.3 Radiated Spurious Emission form 30MHz to 1000MHz:

| Report Number  | :ER/2021/30018 | Test Site    | :SAC I Chamber |
|----------------|----------------|--------------|----------------|
| Operation Mode | :BR(1M)        | Test Date    | :2021-03-29    |
| Test Frequency | :2441 MHz      | Temp./Humi.  | :23.5/74       |
| Test Mode      | :Tx CH Mid     | Antenna Pol. | :VERTICAL      |
| EUT Pol        | :E2 Plane      | Engineer     | :GN Lin        |
|                |                |              |                |




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemniis determined of the documents, subject to terms and conducts for Lectorine boundaries at <u>much ways subject to terms and conducts</u>. Attended is drawn or terms and conducts is advised to the more at the time of this document is advised that information contained here on reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



| Report Number  | :ER/2021/30018 | Test Site    | :SAC I Chamber |
|----------------|----------------|--------------|----------------|
| Operation Mode | :BR(1M)        | Test Date    | :2021-03-29    |
| Test Frequency | :2441 MHz      | Temp./Humi.  | :23.5/74       |
| Test Mode      | :Tx CH Mid     | Antenna Pol. | :HORIZONTAL    |
| EUT Pol        | :E2 Plane      | Engineer     | :GN Lin        |
|                |                |              |                |




Report No.: ER/2021/30018 Page: 51 of 67



### 10.7.4 Radiated Spurious Emission above 1 GHz:

| Report Number  | :ER/2021/30018 | Test Site    | :SAC I Chamber |
|----------------|----------------|--------------|----------------|
| Operation Mode | :BR(1M)        | Test Date    | :2021-03-22    |
| Test Frequency | :2402 MHz      | Temp./Humi.  | :24.0/64       |
| Test Mode      | :Tx CH Low     | Antenna Pol. | :VERTICAL      |
| EUT Pol        | :E2 Plane      | Engineer     | :Neo Tsai      |
|                |                |              | -              |



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms">http://www.sgs.com.tw/Terms</a> electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limita -and-Conditions and for Attention is drawn to the limitation of liability, indemniis determined of the documents, subject to terms and conducts for Lectorine boundaries at <u>much ways subject to terms and conducts</u>. Attended is drawn or terms and conducts is advised to the more at the time of this document is advised that information contained here on reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



30

10

0<sup>L</sup> 1000

Freq.

MHz

4804.00

4804.00

7206.00

7206.00

6100.

Detector

Mode

PK/QP/AV

Average

Peak

Average

Peak

21400.

Actual

FS

dBµV/m

35.54

44.90

42.39

51.98

26500

Margin

dB

-18.46

-29.10

-11.61

-22.02

Limit

@3m

dBµV/m

54.00

74.00

54.00

74.00

| Report Number      | :ER/2021/30018 | Test Site    | :SAC I Chamber |
|--------------------|----------------|--------------|----------------|
| Operation Mode     | :BR(1M)        | Test Date    | :2021-03-22    |
| Test Frequency     | :2402 MHz      | Temp./Humi.  | :24.0/64       |
| Test Mode          | :Tx CH Low     | Antenna Pol. | :HORIZONTAL    |
| EUT Pol            | :E2 Plane      | Engineer     | :Neo Tsai      |
|                    |                |              |                |
| 447 Level (dBuV/m) |                |              |                |
| 117<br>110         |                |              |                |
|                    |                |              |                |
| 90                 |                |              |                |
|                    |                |              |                |
| 70                 |                |              |                |
|                    | 4              |              |                |
| 50                 | 2 3            |              |                |

16300.

Factor

dB

7.75

7.75

15.51

15.51

Frequency (MHz)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

11200.

Spectrum

Reading Level

dBµV

27.79

37.15

26.88

36.47

勝利子方方式就例 「山根古紀木罐到規調之(株面具員)「同時山橋和田採田御兄」、報告本礎中な可当者間町町)「小口町の授穀。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| 000      | Turrent Lui |
|----------|-------------|
| 台灣檢驗科技股份 | 有限公司        |

SGS Taiwan Ltd



2

6100.

Detector

Mode

PK/QP/AV

Average

Peak

Average

Peak

30

10

0<sup>L</sup> 1000

Freq.

MHz

4882.00

4882.00

7323.00

7323.00

26500

Margin

dB

-19.66

-30.93

-12.69

-24.40

Limit

@3m

dBµV/m

54.00

74.00

54.00

74.00

21400.

Actual

FS

dBµV/m

34.34

43.07

41.31

49.60

| eport Number              | :ER/2021/30018 | Test Site    | :SAC I Cham |
|---------------------------|----------------|--------------|-------------|
| peration Mode             | :BR(1M)        | Test Date    | :2021-03-22 |
| est Frequency             | :2441 MHz      | Temp./Humi.  | :24.0/64    |
| est Mode                  | :Tx CH Mid     | Antenna Pol. | :VERTICAL   |
| UT Pol                    | :E2 Plane      | Engineer     | :Neo Tsai   |
| 117 Level (dBuV/m)<br>110 |                |              |             |
| 90                        |                |              |             |
| 70                        |                | <br>         |             |
| 50                        | 4              | <br>         |             |

16300.

Factor

dB

6.76

6.76

14.71

14.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

11200.

Spectrum

Reading Level

dBµV

27.58

36.31


26.60

34.89

Frequency (MHz)




| Report Number  | :ER/2021/30018 | Test Site    | :SAC I Chamber |
|----------------|----------------|--------------|----------------|
| Operation Mode | :BR(1M)        | Test Date    | :2021-03-22    |
| Test Frequency | :2441 MHz      | Temp./Humi.  | :24.0/64       |
| Test Mode      | :Tx CH Mid     | Antenna Pol. | :HORIZONTAL    |
| EUT Pol        | :E2 Plane      | Engineer     | :Neo Tsai      |
|                |                |              |                |
| 117            |                |              |                |
| 110            |                |              |                |
|                |                |              |                |
|                |                |              |                |



勝利子方方式就例 「山根古紀木罐到規調之(株面具員)「同時山橋和田採田御兄」、報告本礎中な可当者間町町)「小口町の授穀。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




| Report Number  | :ER/2021/30018 | Test Site    | :SAC I Chamber |
|----------------|----------------|--------------|----------------|
| Operation Mode | :BR(1M)        | Test Date    | :2021-03-22    |
| Test Frequency | :2480 MHz      | Temp./Humi.  | :24.0/64       |
| Test Mode      | :Tx CH High    | Antenna Pol. | :VERTICAL      |
| EUT Pol        | :E2 Plane      | Engineer     | :Neo Tsai      |
|                |                |              |                |





| Report Number  | :ER/2021/30018 | Test Site    | :SAC I Chamber |
|----------------|----------------|--------------|----------------|
| Operation Mode | :BR(1M)        | Test Date    | :2021-03-22    |
| Test Frequency | :2480 MHz      | Temp./Humi.  | :24.0/64       |
| Test Mode      | :Tx CH High    | Antenna Pol. | :HORIZONTAL    |
| EUT Pol        | :E2 Plane      | Engineer     | :Neo Tsai      |
|                |                |              |                |



勝利子方方式就例 「山根古紀木罐到規調之(株面具員)「同時山橋和田採田御兄」、報告本礎中な可当者間町町)「小口町の授穀。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



# **11 FREQUENCY SEPARATION**


## 11.1 Standard Applicable

Frequency hopping systems shall have hopping channel carrier frequencies separated by minimum of 25 kHz or the 2/3\*20dB bandwidth of the hopping channel, whichever is greater.

### 11.2 Measurement Equipment Used

|                            | Conducted Er  | mission Tes     | t Site: Condu    | cted 1     |            |
|----------------------------|---------------|-----------------|------------------|------------|------------|
| EQUIPMENT TYPE             | MFR           | MODEL<br>NUMBER | SERIAL<br>NUMBER | LAST CAL.  | CAL DUE.   |
| EXA Spectrum Ana-<br>lyzer | KEYSIGHT      | N9010B          | MY59071571       | 06/27/2020 | 06/26/2021 |
| Bluetooth Test Set         | Anritsu       | MT8852B         | 6K00006107       | 08/17/2020 | 08/16/2021 |
| DC Block                   | Mini-Circuits | BLK-18-S+       | 1                | 12/16/2020 | 12/15/2021 |
| Coupler                    | Mini-Circuits | ZN2PD-<br>9G-S+ | ZN2PD-9G-<br>S+  | 12/16/2020 | 12/15/2021 |

## 11.3 Test Set-up



### 11.4 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows ANSI C63.10:2013.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set center frequency of spectrum analyzer = middle of hopping channel.
- 5. Set the spectrum analyzer as RBW, VBW=100 kHz, Adjust Span to 5MHz, Sweep = auto.
- 6. Max hold. Mark 3 Peaks of hopping channel and record the 3 peaks frequency.

### 11.5 Measurement Result

| Channel separation<br>(MHz) | Limit                                     | Result |
|-----------------------------|---|--------|
| 1                           | $\geq$ 25 kHz or 2/3 times 20dB bandwidth | PASS   |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



## 11.6 Frequency Separation Test Plots



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

| SGS Taiwan Ltd. | No.134,Wu Kung Road, New Taipei Industria | al Park, Wuku District, New Taipei City, Taiwan/新北市五股區 | 高新北產業園區五工路 134 號 |
|-----------------|---|--|------------------|
| 台灣檢驗科技股份有限公司    | t (886-2) 2299-3279                       | f (886-2) 2298-0488                                    | www.sgs.com.tw   |
|                 |   |  |                  |



# **12 NUMBER OF HOPPING FREQUENCY**


## 12.1 Standard Applicable

Frequency hopping systems operating in the 2400MHz-2483.5 MHz bands shall use at least 15 hopping frequencies.

### 12.2 Measurement Equipment Used

| Conducted Emission Test Site: Conducted 1 |               |                 |                    |            |            |  |  |  |
|---|---------------|-----------------|--------------------|------------|------------|--|--|--|
| EQUIPMENT TYPE                            | MFR           | MODEL<br>NUMBER | SERIAL NUM-<br>BER | LAST CAL.  | CAL DUE.   |  |  |  |
| EXA Spectrum Ana-<br>lyzer                | KEYSIGHT      | N9010B          | MY59071571         | 06/27/2020 | 06/26/2021 |  |  |  |
| Bluetooth Test Set                        | Anritsu       | MT8852B         | 6K00006107         | 08/17/2020 | 08/16/2021 |  |  |  |
| DC Block                                  | Mini-Circuits | BLK-18-S+       | 1                  | 12/16/2020 | 12/15/2021 |  |  |  |
| Coupler                                   | Mini-Circuits | ZN2PD-9G-<br>S+ | ZN2PD-9G-S+        | 12/16/2020 | 12/15/2021 |  |  |  |

### 12.3 Test Set-up



### 12.4 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows ANSI C63.10:2013.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set spectrum analyzer Start=2400MHz, Stop = 2483.5MHz, Sweep = auto.
- 5. Set the spectrum analyzer as RBW=430kHz, VBW=1.5MHz., Detector = Peak
- 6. Max hold, view and count how many channel in the band.

### 12.5 Measurement Result

### Tabular Data of Total Channel Number


|                        | Channel Number | Limit |
|------------------------|----------------|-------|
| 2.4 GHz – 2.441 GHz    | 40             |       |
| 2.441 GHz – 2.4835 GHz | 39             | >15   |
| 2.4 GHz ~2.4835 GHz    | (40+39) = 79   |       |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



### 12.6 Channel Number Test Plots



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

|                 |   |  | M I (000.0       |
|-----------------|---|--|------------------|
| 台灣檢驗科技股份有限公司    | t (886-2) 2299-3279                     | f (886-2) 2298-0488                                    | www.sgs.com.tw   |
| SGS Taiwan Ltd. | NO.134,Wu Kung Road, New Taipei Industr | al Park, Wuku District, New Taipei City, Taiwan/新北市五股區 | 邑新北産亲園區五工路 134 號 |



#### TIME OF OCCUPANCY (DWELL TIME) 13


#### 13.1 **Standard Applicable**

Frequency hopping systems operating in the 2400MHz-2483.5MHz. The average time of occupancy on any frequency shall not greater than 0.4 s within period of 0.4 seconds multiplied by the number of hopping channel employed.

#### **Measurement Equipment Used** 13.2

| Conducted Emission Test Site: Conducted 1 |               |                 |                    |            |            |  |  |  |
|---|---------------|-----------------|--------------------|------------|------------|--|--|--|
| EQUIPMENT<br>TYPE                         | MFR           | MODEL<br>NUMBER | SERIAL NUM-<br>BER | LAST CAL.  | CAL DUE.   |  |  |  |
| EXA Spectrum An-<br>alyzer                | KEYSIGHT      | N9010B          | MY59071571         | 06/27/2020 | 06/26/2021 |  |  |  |
| Bluetooth Test Set                        | Anritsu       | MT8852B         | 6K00006107         | 08/17/2020 | 08/16/2021 |  |  |  |
| DC Block                                  | Mini-Circuits | BLK-18-S+       | 1                  | 12/16/2020 | 12/15/2021 |  |  |  |
| Coupler                                   | Mini-Circuits | ZN2PD-9G-<br>S+ | ZN2PD-9G-S+        | 12/16/2020 | 12/15/2021 |  |  |  |

#### 13.3 **Test Set-up**



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnivitin the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the law.



### 13.4 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. The testing follows ANSI C6310:2015.
- 3. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the spectrum analyzer.
- 4. Set center frequency of spectrum analyzer = operating frequency.

5. Set the spectrum analyzer as RBW, VBW=1MHz, 3MHz, Span = 0Hz , Detector = Peak, Adjust Sweep = 2~8ms.

6. Repeat above procedures until all frequency of the interest measured were complete.

Formula Deduced: time occupancy of one time slot X Hopping rate / total slot in one channel / total channel that hops X period of working channels.

Where, standard hopping rate is 1600 hops/s, slot in one channel for DH1, DH3, and DH5 is 2, 4, and 6, respectively.

DH1 consists of single time slot of the uplink, and one slot of the downlink Total Slot: 2 DH3 consists of three time slot of the uplink, and one slot of the downlink. Total Slot: 4 DH5 consists of five time slot of the uplink, and one slot of the downlink. Total Slot: 6

In AFH mode, hopping rate is 800 hop/s with 6 slots in 20 hopping channels with channel hopping rate (800 / 6 / 20) in Occupancy Time Limit (0.4 \* 20) (S), Hop Over Occupancy Time comes to (800 / 6 / 20)\*(0.4 \* 20) =53.33

Note: the result of the complete test default channel at 1Mbps is recorded on the test report, 2Mbps, and 3Mbps only records the measurement result at middle channel that reveals no much deviation.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



#### **Tabular Result of the Measurement** 13.5

### GFSK (1Mbps)

| Channel | PACKET TYPE | Measurement Result<br>(ms) | Limit<br>(ms) | 1/T (kHz) | VBW<br>setting<br>(kHz) |
|---------|-------------|----------------------------|---------------|-----------|-------------------------|
|         | DH1         | 121.60                     | 400ms         | 2.632     | 3.00                    |
| Mid     | DH3         | 262.40                     | 400ms         | 0.610     | 1.00                    |
|         | DH5         | 308.80                     | 400ms         | 0.345     | 1.00                    |

### π/4 DQPSK (2Mbps)

| Channel | PACKET TYPE | Measurement Result<br>(ms) | Limit<br>(ms) | 1/T (kHz) | VBW<br>setting<br>(kHz) |
|---------|-------------|----------------------------|---------------|-----------|-------------------------|
|         | 2DH1        | 124.80                     | 400ms         | 2.564     | 3.00                    |
| Mid     | 2DH3        | 262.40                     | 400ms         | 0.610     | 1.00                    |
|         | 2DH5        | 308.80                     | 400ms         | 0.345     | 1.00                    |

### 8-DPSK (3Mbps)

| Channel | PACKET TYPE | Measurement Result<br>(ms) | Limit<br>(ms) | 1/T (kHz) | VBW<br>setting<br>(kHz) |
|---------|-------------|----------------------------|---------------|-----------|-------------------------|
|         | 3DH1        | 124.80                     | 400ms         | 2.564     | 3.00                    |
| Mid     | 3DH3        | 262.40                     | 400ms         | 0.610     | 1.00                    |
|         | 3DH5        | 308.80                     | 400ms         | 0.345     | 1.00                    |

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。



### GFSK (1Mbps):

| CH Mid | DH1 time slot<br>DH3 time slot |   |         | ,           |   |      |   |        | . ,  |
|--------|--------------------------------|---|---------|-------------|---|------|---|--------|------|
|        | DH5 time slot                  | = | 2.895 * | (1600/6/79) | * | 31.6 | = | 308.80 | (ms) |

### $\pi/4$ -DQPSK (2Mbps):

| CH Mid | 2DH1 time slot = | 0.390 * | (1600/2/79) | * | 31.6 = | 124.80 (n | ns) |
|--------|------------------|---------|-------------|---|--------|-----------|-----|
|        | 2DH3 time slot = | 1.640 * | (1600/4/79) | * | 31.6 = | 262.40 (n | ns) |
|        | 2DH5 time slot = | 2.895 * | (1600/6/79) | * | 31.6 = | 308.80 (n | ns) |

### 8-DPSK (3Mbps):

| CH Mid | 3DH1 time slot = | 0.390 * | (1600/2/79) | * | 31.6 = | 124.80 (ms) |
|--------|------------------|---------|-------------|---|--------|-------------|
|        | 3DH3 time slot = | 1.640 * | (1600/4/79) | * | 31.6 = | 262.40 (ms) |
|        | 3DH5 time slot = | 2.895 * | (1600/6/79) | * | 31.6 = | 308.80 (ms) |

A period time = 0.4 (s) \* 79 = 31.6 (s)

| GFSK (1Mbps) for AFH Mode |                                |                    |       |  |  |  |  |  |
|---------------------------|--------------------------------|--------------------|-------|--|--|--|--|--|
|                           | π/4 DQPSK (2Mbps) for AFH Mode |                    |       |  |  |  |  |  |
| Hopping Channel           | PACKET TYPE                    | Measurement Result | Limit |  |  |  |  |  |
| Number                    | PACKETTIPE                     | (ms)               | (ms)  |  |  |  |  |  |
| Hopping Channel           | PACKET TYPE                    | Measurement Result | Limit |  |  |  |  |  |
| 20                        | 3DH5                           | 154.40             | 400ms |  |  |  |  |  |

GFSK (1Mbps):

8-DPSK (3Mbps):

3DH5 time s = 2.895 (ms) \* (800/6/20) \* 8 = 154.40 (ms)

#### 13.6 Measurement Result

Note: Refer to next page for plots.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

勝利子方方式就例 「山根古紀木罐到規調之(株面具員)「同時山橋和田採田御兄」、報告本礎中な可当者間町町)「小口町の授穀。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>http://www.sgs.com.tw/Terms-and-Conditions</u> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>http://www.sgs.com.tw/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| SGS Taiwan Ltd. | No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 |                     |                |  |
|-----------------|---|---------------------|----------------|--|
| 台灣檢驗科技股份有限公司    | t (886-2) 2299-3279   | f (886-2) 2298-0488 | www.sgs.com.tw |  |
|                 |   |                     |                |  |

Member of SGS Group

### Report No.: ER/2021/30018 Page: 65 of 67

ttings





Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


台灣檢驗科技股份

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms -and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sqs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnielectronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/1erms-and-Conditions">http://www.sgs.com.tw/1erms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| 5 Taiwan Ltd. <sub>I</sub> | No.134,Wu Kung Road, New Taipei Industrial Pa | ark, Wuku District, New Taipei City, Taiwan/新北市五股區 | 區新北產業園區五工路 134 號    |
|----------------------------|---|--|---------------------|
| 份有限公司                      | t (886-2) 2299-3279                           | f (886-2) 2298-0488                                | www.sgs.com.tw      |
|                            |   |  | Member of SGS Group |



### 8DPSK 3M DH1 2441MHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

| ooo faman Eta. |  |
|----------------|--|
| 台灣檢驗科技股份有限公司   |  |

SGS Taiwan Ltd No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279 f (886-2) 2298-0488 www.sgs.com.tw



# **14 ANTENNA REQUIREMENT**

#### **Standard Applicable** 14.1

For intentional device, according to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

If the transmitting antenna is greater than 6dBi, the power shall be reduced by the same level in dB comparing to gain minus 6dBi.

#### 14.2 Antenna Connected Construction

The antenna is designed as permanently attached and no consideration of replacement. Please see EUT photo for details.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com.tw/Terms-and-Conditions">http://www.sgs.com.tw/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.