


Report Number :TERF2207001115E2  
 Operation Mode :802.11ax20  
 Test Frequency :5320 MHz  
 Test Mode :Bandedge RU 106/54  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5350.000	Average	43.23	0.28	43.50	54.00	-10.50
5350.000	Peak	50.77	0.28	51.04	74.00	-22.96
5425.440	Average	43.11	0.68	43.79	54.00	-10.21
5425.440	Peak	52.37	0.68	53.05	74.00	-20.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax20  
 Test Frequency :5500 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Vertical  
 Engineer :Howard Huang




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5458.520	Average	42.38	0.91	43.29	54.00	-10.71
5458.520	Peak	53.21	0.91	54.12	74.00	-19.88
5460.000	Average	42.31	0.92	43.23	54.00	-10.77
5460.000	Peak	51.69	0.92	52.61	74.00	-21.39
5469.080	Peak	61.06	0.95	62.02	68.20	-6.18
5470.000	Peak	57.95	0.95	58.90	68.20	-9.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax20  
 Test Frequency :5500 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5457.440	Average	41.54	0.91	42.45	54.00	-11.55
5457.440	Peak	52.78	0.91	53.69	74.00	-20.31
5460.000	Average	41.56	0.92	42.48	54.00	-11.52
5460.000	Peak	50.98	0.92	51.90	74.00	-22.10
5468.720	Peak	57.62	0.95	58.57	68.20	-9.63
5470.000	Peak	56.23	0.95	57.18	68.20	-11.02


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax20  
 Test Frequency :5500 MHz  
 Test Mode :Bandedge RU 26/0  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :VERTICAL  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5456.600	Average	43.32	0.82	44.14	54.00	-9.86
5456.600	Peak	53.58	0.82	54.40	74.00	-19.60
5460.000	Average	43.38	0.84	44.22	54.00	-9.78
5460.000	Peak	52.56	0.84	53.40	74.00	-20.60
5461.400	Peak	53.47	0.85	54.31	68.20	-13.89
5470.000	Peak	52.45	0.89	53.34	68.20	-14.86


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax20  
 Test Frequency :5500 MHz  
 Test Mode :Bandedge RU 26/0  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5455.760	Average	43.18	0.82	44.00	54.00	-10.00
5455.760	Peak	52.63	0.82	53.45	74.00	-20.55
5460.000	Average	43.17	0.84	44.01	54.00	-9.99
5460.000	Peak	51.36	0.84	52.20	74.00	-21.80
5460.200	Peak	52.50	0.84	53.34	68.20	-14.86
5470.000	Peak	50.91	0.89	51.81	68.20	-16.39


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax20  
 Test Frequency :5500 MHz  
 Test Mode :Bandedge RU 52/37  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :VERTICAL  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5455.760	Average	43.32	0.82	44.13	54.00	-9.87
5455.760	Peak	53.24	0.82	54.05	74.00	-19.95
5460.000	Average	43.28	0.84	44.12	54.00	-9.88
5460.000	Peak	51.07	0.84	51.91	74.00	-22.09
5465.720	Peak	53.02	0.87	53.89	68.20	-14.31
5470.000	Peak	51.56	0.89	52.46	68.20	-15.74


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax20  
 Test Frequency :5500 MHz  
 Test Mode :Bandedge RU 52/37  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5424.320	Average	43.32	0.67	43.99	54.00	-10.01
5424.320	Peak	53.31	0.67	53.99	74.00	-20.01
5460.000	Average	43.23	0.84	44.07	54.00	-9.93
5460.000	Peak	51.18	0.84	52.02	74.00	-21.98
5467.520	Peak	53.08	0.88	53.96	68.20	-14.24
5470.000	Peak	51.57	0.89	52.47	68.20	-15.73


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax20  
 Test Frequency :5500 MHz  
 Test Mode :Bandedge RU 106/53  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :VERTICAL  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5434.160	Average	43.37	0.72	44.09	54.00	-9.91
5434.160	Peak	52.87	0.72	53.59	74.00	-20.41
5460.000	Average	43.38	0.84	44.22	54.00	-9.78
5460.000	Peak	51.14	0.84	51.98	74.00	-22.02
5468.720	Peak	52.84	0.89	53.73	68.20	-14.47
5470.000	Peak	51.81	0.89	52.71	68.20	-15.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2207001115E2  
 Operation Mode :802.11ax20  
 Test Frequency :5500 MHz  
 Test Mode :Bandedge RU 106/53  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5441.600	Average	43.13	0.75	43.88	54.00	-10.12
5441.600	Peak	51.81	0.75	52.56	74.00	-21.44
5460.000	Average	43.24	0.84	44.08	54.00	-9.92
5460.000	Peak	50.79	0.84	51.63	74.00	-22.37
5461.400	Peak	52.01	0.85	52.86	68.20	-15.34
5470.000	Peak	50.94	0.89	51.84	68.20	-16.36


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax20  
 Test Frequency :5700 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Vertical  
 Engineer :Howard Huang




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5725.000	Peak	56.60	1.28	57.87	68.20	-10.33
5726.840	Peak	65.10	1.30	66.40	68.20	-1.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax20  
 Test Frequency :5700 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5725.000	Peak	53.34	1.28	54.62	68.20	-13.58
5726.360	Peak	62.83	1.29	64.12	68.20	-4.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax20  
 Test Frequency :5700 MHz  
 Test Mode :Bandedge RU 26/8  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :VERTICAL  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5725.000	Peak	51.51	1.18	52.69	68.20	-15.51
5801.840	Peak	53.56	1.86	55.42	68.20	-12.78


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax20  
 Test Frequency :5700 MHz  
 Test Mode :Bandedge RU 26/8  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5725.000	Peak	50.88	1.18	52.05	68.20	-16.15
5802.920	Peak	53.39	1.85	55.24	68.20	-12.96


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax20  
 Test Frequency :5700 MHz  
 Test Mode :Bandedge RU 52/40  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :VERTICAL  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5725.000	Peak	51.86	1.18	53.04	68.20	-15.16
5798.960	Peak	53.30	1.87	55.17	68.20	-13.03


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax20  
 Test Frequency :5700 MHz  
 Test Mode :Bandedge RU 52/40  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5725.000	Peak	51.10	1.18	52.28	68.20	-15.92
5766.800	Peak	54.80	1.59	56.39	68.20	-11.81


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax20  
 Test Frequency :5700 MHz  
 Test Mode :Bandedge RU 106/54  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :VERTICAL  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5725.000	Peak	51.10	1.18	52.28	68.20	-15.92
5767.160	Peak	53.33	1.59	54.92	68.20	-13.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2207001115E2  
 Operation Mode :802.11ax20  
 Test Frequency :5700 MHz  
 Test Mode :Bandedge RU 106/54  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5725.000	Peak	52.06	1.18	53.23	68.20	-14.97
5790.320	Peak	52.78	1.80	54.57	68.20	-13.63


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax20  
 Test Frequency :5720 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Vertical  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5418.900	Average	41.90	0.81	42.71	54.00	-11.29
5418.900	Peak	53.61	0.81	54.43	74.00	-19.57
5460.000	Average	41.37	0.92	42.29	54.00	-11.71
5460.000	Peak	51.22	0.92	52.14	74.00	-21.86
5470.000	Peak	51.74	0.95	52.70	68.20	-15.50
5480.000	Peak	51.62	0.99	52.61	68.20	-15.59
5850.000	Peak	52.80	1.51	54.32	68.20	-13.88
5933.050	Peak	53.27	2.34	55.61	68.20	-12.59


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax20  
 Test Frequency :5720 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5394.850	Average	41.08	0.73	41.80	54.00	-12.20
5394.850	Peak	52.71	0.73	53.44	74.00	-20.56
5460.000	Average	41.26	0.92	42.18	54.00	-11.82
5460.000	Peak	50.33	0.92	51.25	74.00	-22.75
5470.000	Peak	50.68	0.95	51.64	68.20	-16.56
5480.000	Peak	49.89	0.99	50.88	68.20	-17.32
5850.000	Peak	51.22	1.51	52.74	68.20	-15.46
5964.250	Peak	52.97	2.27	55.24	68.20	-12.96


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax20  
 Test Frequency :5745 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Vertical  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5629.140	Peak	53.20	1.05	54.25	68.20	-13.95
5650.000	Peak	51.04	0.98	52.02	68.20	-16.18
5700.000	Peak	52.61	1.01	53.62	105.20	-51.58
5720.000	Peak	60.70	1.22	61.92	110.80	-48.88
5725.000	Peak	66.73	1.28	68.01	122.20	-54.19


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax20  
 Test Frequency :5745 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5637.665	Peak	53.31	1.02	54.33	68.20	-13.87
5650.000	Peak	51.06	0.98	52.03	68.20	-16.17
5700.000	Peak	51.72	1.01	52.73	105.20	-52.47
5720.000	Peak	60.51	1.22	61.73	110.80	-49.07
5725.000	Peak	62.51	1.28	63.79	122.20	-58.41


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax20  
 Test Frequency :5745 MHz  
 Test Mode :Bandedge RU 26/0  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :VERTICAL  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5644.020	Peak	53.24	1.00	54.24	68.20	-13.96
5650.000	Peak	52.51	0.98	53.49	68.20	-14.71
5700.000	Peak	50.74	0.91	51.65	105.20	-53.55
5720.000	Peak	51.43	1.12	52.56	110.80	-58.24
5725.000	Peak	52.52	1.18	53.70	122.20	-68.50


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax20  
 Test Frequency :5745 MHz  
 Test Mode :Bandedge RU 26/0  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5630.690	Peak	53.32	1.04	54.36	68.20	-13.84
5650.000	Peak	50.27	0.98	51.25	68.20	-16.95
5700.000	Peak	51.45	0.91	52.36	105.20	-52.84
5720.000	Peak	51.58	1.12	52.70	110.80	-58.10
5725.000	Peak	51.43	1.18	52.61	122.20	-69.59


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax20  
 Test Frequency :5745 MHz  
 Test Mode :Bandedge RU 52/37  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :VERTICAL  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5632.705	Peak	53.08	1.03	54.11	68.20	-14.09
5650.000	Peak	51.88	0.98	52.86	68.20	-15.34
5700.000	Peak	52.33	0.91	53.24	105.20	-51.96
5720.000	Peak	51.32	1.12	52.44	110.80	-58.36
5725.000	Peak	51.60	1.18	52.78	122.20	-69.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2207001115E2  
 Operation Mode :802.11ax20  
 Test Frequency :5745 MHz  
 Test Mode :Bandedge RU 52/37  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5632.395	Peak	53.56	1.04	54.59	68.20	-13.61
5650.000	Peak	50.92	0.98	51.89	68.20	-16.31
5700.000	Peak	51.30	0.91	52.21	105.20	-52.99
5720.000	Peak	51.98	1.12	53.10	110.80	-57.70
5725.000	Peak	52.03	1.18	53.20	122.20	-69.00


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax20  
 Test Frequency :5745 MHz  
 Test Mode :Bandedge RU 106/53  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :VERTICAL  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5647.895	Peak	53.04	0.98	54.03	68.20	-14.17
5650.000	Peak	51.10	0.98	52.07	68.20	-16.13
5700.000	Peak	50.79	0.91	51.69	105.20	-53.51
5720.000	Peak	53.50	1.12	54.63	110.80	-56.17
5725.000	Peak	52.08	1.18	53.26	122.20	-68.94


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax20  
 Test Frequency :5745 MHz  
 Test Mode :Bandedge RU 106/53  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5613.950	Peak	52.96	1.10	54.06	68.20	-14.14
5650.000	Peak	51.44	0.98	52.42	68.20	-15.78
5700.000	Peak	51.54	0.91	52.45	105.20	-52.75
5720.000	Peak	51.01	1.12	52.13	110.80	-58.67
5725.000	Peak	51.74	1.18	52.92	122.20	-69.28


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax20  
 Test Frequency :5825 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Vertical  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.000	Peak	64.36	1.51	65.88	122.20	-56.32
5855.000	Peak	58.59	1.58	60.16	110.80	-50.64
5875.000	Peak	51.64	1.83	53.47	105.20	-51.73
5925.000	Peak	52.12	2.29	54.41	68.20	-13.79
5928.250	Peak	53.82	2.31	56.13	68.20	-12.07


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax20  
 Test Frequency :5825 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5850.000	Peak	58.27	1.51	59.78	122.20	-62.42
5855.000	Peak	58.32	1.58	59.89	110.80	-50.91
5875.000	Peak	51.99	1.83	53.82	105.20	-51.38
5925.000	Peak	52.86	2.29	55.15	68.20	-13.05
5951.200	Peak	52.78	2.42	55.21	68.20	-12.99


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax20  
 Test Frequency :5825 MHz  
 Test Mode :Bandedge RU 26/8  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :VERTICAL  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5850.000	Peak	51.41	1.41	52.82	122.20	-69.38
5855.000	Peak	52.19	1.49	53.67	110.80	-57.13
5875.000	Peak	51.52	1.78	53.30	105.20	-51.90
5925.000	Peak	51.29	2.29	53.58	68.20	-14.62
5946.610	Peak	53.12	2.42	55.54	68.20	-12.66


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax20  
 Test Frequency :5825 MHz  
 Test Mode :Bandedge RU 26/8  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.000	Peak	51.96	1.41	53.37	122.20	-68.83
5855.000	Peak	52.17	1.49	53.65	110.80	-57.15
5875.000	Peak	52.68	1.78	54.46	105.20	-50.74
5925.000	Peak	50.99	2.29	53.28	68.20	-14.92
5928.590	Peak	53.12	2.31	55.44	68.20	-12.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax20  
 Test Frequency :5825 MHz  
 Test Mode :Bandedge RU 52/40  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :VERTICAL  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.000	Peak	51.36	1.41	52.77	122.20	-69.43
5855.000	Peak	51.51	1.49	53.00	110.80	-57.80
5875.000	Peak	51.08	1.78	52.86	105.20	-52.34
5925.000	Peak	51.39	2.29	53.68	68.20	-14.52
5951.370	Peak	52.77	2.42	55.19	68.20	-13.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2207001115E2  
 Operation Mode :802.11ax20  
 Test Frequency :5825 MHz  
 Test Mode :Bandedge RU 52/40  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.000	Peak	51.57	1.41	52.99	122.20	-69.21
5855.000	Peak	51.37	1.49	52.86	110.80	-57.94
5875.000	Peak	52.54	1.78	54.32	105.20	-50.88
5925.000	Peak	51.00	2.29	53.29	68.20	-14.91
5957.320	Peak	53.63	2.34	55.96	68.20	-12.24


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax20  
 Test Frequency :5825 MHz  
 Test Mode :Bandedge RU 106/54  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :VERTICAL  
 Engineer :Howard Huang




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5850.000	Peak	51.95	1.41	53.36	122.20	-68.84
5855.000	Peak	50.85	1.49	52.33	110.80	-58.47
5875.000	Peak	51.32	1.78	53.10	105.20	-52.10
5925.000	Peak	50.78	2.29	53.07	68.20	-15.13
5945.080	Peak	52.85	2.41	55.26	68.20	-12.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax20  
 Test Frequency :5825 MHz  
 Test Mode :Bandedge RU 106/54  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5850.000	Peak	51.31	1.41	52.73	122.20	-69.47
5855.000	Peak	51.00	1.49	52.49	110.80	-58.31
5875.000	Peak	51.69	1.78	53.47	105.20	-51.73
5925.000	Peak	50.92	2.29	53.21	68.20	-14.99
5952.730	Peak	53.15	2.40	55.55	68.20	-12.65


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax40  
 Test Frequency :5190 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Vertical  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5141.900	Average	47.91	1.12	49.03	54.00	-4.97
5141.900	Peak	61.24	1.12	62.36	74.00	-11.64
5150.000	Average	49.15	1.24	50.39	54.00	-3.61
5150.000	Peak	60.06	1.24	61.30	74.00	-12.70


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax40  
 Test Frequency :5190 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5147.500	Average	47.01	1.20	48.21	54.00	-5.79
5147.500	Peak	58.45	1.20	59.66	74.00	-14.34
5150.000	Average	46.82	1.24	48.06	54.00	-5.94
5150.000	Peak	55.36	1.24	56.59	74.00	-17.41


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax40  
 Test Frequency :5190 MHz  
 Test Mode :Bandedge RU 242/61  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Vertical  
 Engineer :Howard Huang




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5023.600	Average	46.03	0.47	46.50	54.00	-7.50
5023.600	Peak	56.42	0.47	56.89	74.00	-17.11
5150.000	Average	45.38	1.24	46.62	54.00	-7.38
5150.000	Peak	52.32	1.24	53.56	74.00	-20.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax40  
 Test Frequency :5190 MHz  
 Test Mode :Bandedge RU 242/61  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5075.400	Average	44.98	0.43	45.41	54.00	-8.59
5075.400	Peak	54.74	0.43	55.17	74.00	-18.83
5150.000	Average	44.83	1.24	46.07	54.00	-7.93
5150.000	Peak	52.45	1.24	53.69	74.00	-20.31


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax40  
 Test Frequency :5310 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Vertical  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5350.000	Average	51.81	0.38	52.19	54.00	-1.81
5350.000	Peak	66.20	0.38	66.58	74.00	-7.42
5351.960	Average	50.87	0.39	51.26	54.00	-2.74
5351.960	Peak	67.96	0.39	68.35	74.00	-5.65


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2207001115E2  
 Operation Mode :802.11ax40  
 Test Frequency :5310 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5350.000	Average	44.00	0.38	44.38	54.00	-9.62
5350.000	Peak	56.01	0.38	56.39	74.00	-17.61
5355.680	Average	43.47	0.42	43.89	54.00	-10.11
5355.680	Peak	59.03	0.42	59.45	74.00	-14.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax40  
 Test Frequency :5310 MHz  
 Test Mode :Bandedge RU 242/62  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Vertical  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5350.000	Average	43.30	0.38	43.67	54.00	-10.33
5350.000	Peak	51.12	0.38	51.50	74.00	-22.50
5396.840	Average	43.21	0.74	43.95	54.00	-10.05
5396.840	Peak	52.84	0.74	53.58	74.00	-20.42


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax40  
 Test Frequency :5310 MHz  
 Test Mode :Bandedge RU 242/62  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5350.000	Average	43.22	0.38	43.59	54.00	-10.41
5350.000	Peak	51.04	0.38	51.42	74.00	-22.58
5415.080	Average	43.02	0.80	43.82	54.00	-10.18
5415.080	Peak	52.53	0.80	53.34	74.00	-20.66


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax40  
 Test Frequency :5510 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Vertical  
 Engineer :Howard Huang




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5458.080	Average	45.88	0.91	46.79	54.00	-7.21
5458.080	Peak	63.41	0.91	64.33	74.00	-9.67
5460.000	Average	46.49	0.92	47.41	54.00	-6.59
5460.000	Peak	58.06	0.92	58.98	74.00	-15.02
5465.280	Peak	66.78	0.94	67.71	68.20	-0.49
5470.000	Peak	64.01	0.95	64.97	68.20	-3.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax40  
 Test Frequency :5510 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5458.440	Average	44.47	0.91	45.38	54.00	-8.62
5458.440	Peak	60.57	0.91	61.49	74.00	-12.51
5460.000	Average	44.52	0.92	45.44	54.00	-8.56
5460.000	Peak	59.39	0.92	60.31	74.00	-13.69
5465.400	Peak	65.10	0.94	66.04	68.20	-2.16
5470.000	Peak	62.94	0.95	63.89	68.20	-4.31


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax40  
 Test Frequency :5510 MHz  
 Test Mode :Bandedge RU 242/61  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Vertical  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5456.280	Average	43.15	0.91	44.06	54.00	-9.94
5456.280	Peak	52.74	0.91	53.64	74.00	-20.36
5460.000	Average	43.30	0.92	44.22	54.00	-9.78
5460.000	Peak	52.69	0.92	53.61	74.00	-20.39
5462.520	Peak	52.54	0.93	53.47	68.20	-14.73
5470.000	Peak	51.36	0.95	52.32	68.20	-15.88


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax40  
 Test Frequency :5510 MHz  
 Test Mode :Bandedge RU 242/61  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5426.400	Average	42.97	0.83	43.80	54.00	-10.20
5426.400	Peak	52.72	0.83	53.55	74.00	-20.45
5460.000	Average	43.16	0.92	44.07	54.00	-9.93
5460.000	Peak	51.79	0.92	52.71	74.00	-21.29
5466.960	Peak	52.64	0.94	53.59	68.20	-14.61
5470.000	Peak	51.39	0.95	52.34	68.20	-15.86


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax40  
 Test Frequency :5670 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Vertical  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5725.000	Peak	56.77	1.28	58.04	68.20	-10.16
5726.120	Peak	58.57	1.29	59.86	68.20	-8.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2207001115E2  
 Operation Mode :802.11ax40  
 Test Frequency :5670 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5725.000	Peak	54.48	1.28	55.75	68.20	-12.45
5726.720	Peak	56.98	1.29	58.27	68.20	-9.93


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax40  
 Test Frequency :5670 MHz  
 Test Mode :Bandedge RU 242/62  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Vertical  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5725.000	Peak	51.09	1.28	52.36	68.20	-15.84
5772.800	Peak	52.99	1.70	54.69	68.20	-13.51


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax40  
 Test Frequency :5670 MHz  
 Test Mode :Bandedge RU 242/62  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5725.000	Peak	51.44	1.28	52.71	68.20	-15.49
5760.440	Peak	53.36	1.61	54.97	68.20	-13.23


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax40  
 Test Frequency :5710 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Vertical  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5429.300	Average	41.35	0.84	42.19	54.00	-11.81
5429.300	Peak	52.94	0.84	53.77	74.00	-20.23
5460.000	Average	41.41	0.92	42.33	54.00	-11.67
5460.000	Peak	50.71	0.92	51.63	74.00	-22.37
5470.000	Peak	50.72	0.95	51.68	68.20	-16.52
5480.000	Peak	49.88	0.99	50.87	68.20	-17.33
5850.000	Peak	52.42	1.51	53.94	68.20	-14.26
5934.350	Peak	52.94	2.35	55.28	68.20	-12.92


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax40  
 Test Frequency :5710 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5438.400	Average	41.31	0.86	42.17	54.00	-11.83
5438.400	Peak	52.19	0.86	53.05	74.00	-20.95
5460.000	Average	41.41	0.92	42.33	54.00	-11.67
5460.000	Peak	51.14	0.92	52.06	74.00	-21.94
5470.000	Peak	51.51	0.95	52.46	68.20	-15.74
5480.000	Peak	51.19	0.99	52.18	68.20	-16.02
5850.000	Peak	52.78	1.51	54.30	68.20	-13.90
5899.250	Peak	54.21	2.13	56.34	68.20	-11.86


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax40  
 Test Frequency :5755 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Vertical  
 Engineer :Howard Huang




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5619.800	Peak	54.47	1.08	55.55	68.20	-12.65
5650.000	Peak	52.34	0.98	53.32	68.20	-14.88
5700.000	Peak	57.99	1.01	58.99	105.20	-46.21
5720.000	Peak	72.73	1.22	73.95	110.80	-36.85
5725.000	Peak	72.88	1.28	74.15	122.20	-48.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax40  
 Test Frequency :5755 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5623.265	Peak	53.63	1.07	54.70	68.20	-13.50
5650.000	Peak	50.86	0.98	51.84	68.20	-16.36
5700.000	Peak	54.49	1.01	55.49	105.20	-49.71
5720.000	Peak	67.63	1.22	68.85	110.80	-41.95
5725.000	Peak	67.49	1.28	68.76	122.20	-53.44


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax40  
 Test Frequency :5755 MHz  
 Test Mode :Bandedge RU 242/61  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Vertical  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5600.825	Peak	53.47	1.14	54.61	68.20	-13.59
5650.000	Peak	52.26	0.98	53.23	68.20	-14.97
5700.000	Peak	52.15	1.01	53.16	105.20	-52.04
5720.000	Peak	52.21	1.22	53.44	110.80	-57.36
5725.000	Peak	53.38	1.28	54.66	122.20	-67.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2207001115E2  
 Operation Mode :802.11ax40  
 Test Frequency :5755 MHz  
 Test Mode :Bandedge RU 242/61  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5611.385	Peak	52.79	1.11	53.90	68.20	-14.30
5650.000	Peak	51.57	0.98	52.55	68.20	-15.65
5700.000	Peak	51.00	1.01	52.01	105.20	-53.20
5720.000	Peak	51.29	1.22	52.51	110.80	-58.29
5725.000	Peak	50.81	1.28	52.09	122.20	-70.11


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax40  
 Test Frequency :5795 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Vertical  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5850.000	Peak	60.01	1.51	61.53	122.20	-60.67
5855.000	Peak	56.31	1.58	57.89	110.80	-52.91
5875.000	Peak	53.21	1.83	55.04	105.20	-50.16
5925.000	Peak	52.78	2.29	55.07	68.20	-13.13
5956.190	Peak	53.01	2.36	55.37	68.20	-12.83


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax40  
 Test Frequency :5795 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.000	Peak	55.80	1.51	57.31	122.20	-64.89
5855.000	Peak	53.63	1.58	55.21	110.80	-55.59
5875.000	Peak	52.51	1.83	54.34	105.20	-50.86
5925.000	Peak	51.41	2.29	53.70	68.20	-14.50
5952.390	Peak	53.41	2.41	55.82	68.20	-12.38


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax40  
 Test Frequency :5795 MHz  
 Test Mode :Bandedge RU 242/62  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Vertical  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5850.000	Peak	52.23	1.51	53.74	122.20	-68.46
5855.000	Peak	52.40	1.58	53.98	110.80	-56.82
5875.000	Peak	52.06	1.83	53.89	105.20	-51.31
5925.000	Peak	52.32	2.29	54.61	68.20	-13.59
5966.070	Peak	53.35	2.25	55.59	68.20	-12.61


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax40  
 Test Frequency :5795 MHz  
 Test Mode :Bandedge RU 242/62  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5850.000	Peak	51.76	1.51	53.28	122.20	-68.92
5855.000	Peak	51.64	1.58	53.22	110.80	-57.58
5875.000	Peak	50.98	1.83	52.81	105.20	-52.39
5925.000	Peak	50.99	2.29	53.28	68.20	-14.92
5952.010	Peak	53.18	2.41	55.59	68.20	-12.61


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax80  
 Test Frequency :5210 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Vertical  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4873.680	Average	42.13	-0.26	41.87	54.00	-12.13
4873.680	Peak	65.86	-0.26	65.61	74.00	-8.39
5150.000	Average	49.16	1.24	50.40	54.00	-3.60
5150.000	Peak	60.34	1.24	61.58	74.00	-12.42


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax80  
 Test Frequency :5210 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5148.720	Average	47.52	1.22	48.74	54.00	-5.26
5148.720	Peak	58.21	1.22	59.43	74.00	-14.57
5150.000	Average	47.43	1.24	48.67	54.00	-5.33
5150.000	Peak	57.15	1.24	58.39	74.00	-15.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax80  
 Test Frequency :5210 MHz  
 Test Mode :Bandedge RU 484/65  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Vertical  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5145.120	Average	44.80	1.17	45.97	54.00	-8.03
5145.120	Peak	54.57	1.17	55.74	74.00	-18.26
5150.000	Average	45.32	1.24	46.56	54.00	-7.44
5150.000	Peak	52.66	1.24	53.90	74.00	-20.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2207001115E2  
 Operation Mode :802.11ax80  
 Test Frequency :5210 MHz  
 Test Mode :Bandedge RU 484/65  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5143.680	Average	44.68	1.15	45.82	54.00	-8.18
5143.680	Peak	54.50	1.15	55.64	74.00	-18.36
5150.000	Average	44.87	1.24	46.11	54.00	-7.89
5150.000	Peak	53.57	1.24	54.81	74.00	-19.19

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax80  
 Test Frequency :5290 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Vertical  
 Engineer :Howard Huang




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5350.000	Average	52.11	0.38	52.49	54.00	-1.51
5350.000	Peak	62.86	0.38	63.23	74.00	-10.77
5352.800	Average	51.33	0.40	51.73	54.00	-2.27
5352.800	Peak	66.33	0.40	66.73	74.00	-7.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax80  
 Test Frequency :5290 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5350.000	Average	44.07	0.38	44.45	54.00	-9.55
5350.000	Peak	53.68	0.38	54.06	74.00	-19.94
5353.600	Average	43.96	0.40	44.36	54.00	-9.64
5353.600	Peak	56.87	0.40	57.27	74.00	-16.73


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax80  
 Test Frequency :5290 MHz  
 Test Mode :Bandedge RU 484/66  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Vertical  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5350.000	Average	43.23	0.38	43.61	54.00	-10.39
5350.000	Peak	51.67	0.38	52.04	74.00	-21.96
5350.500	Average	43.34	0.38	43.72	54.00	-10.28
5350.500	Peak	53.11	0.38	53.49	74.00	-20.51


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax80  
 Test Frequency :5290 MHz  
 Test Mode :Bandedge RU 484/66  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5350.000	Average	43.19	0.38	43.57	54.00	-10.43
5350.000	Peak	51.50	0.38	51.88	74.00	-22.12
5375.100	Average	42.98	0.57	43.55	54.00	-10.45
5375.100	Peak	52.70	0.57	53.28	74.00	-20.72


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax80  
 Test Frequency :5530 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Vertical  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5459.000	Average	52.00	0.92	52.91	54.00	-1.09
5459.000	Peak	61.67	0.92	62.58	74.00	-11.42
5460.000	Average	51.74	0.92	52.66	54.00	-1.34
5460.000	Peak	62.13	0.92	63.05	74.00	-10.95
5466.800	Peak	65.19	0.94	66.14	68.20	-2.06
5470.000	Peak	63.93	0.95	64.88	68.20	-3.32


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax80  
 Test Frequency :5530 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5459.600	Average	48.44	0.92	49.36	54.00	-4.64
5459.600	Peak	61.50	0.92	62.42	74.00	-11.58
5460.000	Average	48.60	0.92	49.52	54.00	-4.48
5460.000	Peak	58.79	0.92	59.71	74.00	-14.29
5465.300	Peak	61.71	0.94	62.65	68.20	-5.55
5470.000	Peak	60.00	0.95	60.96	68.20	-7.24


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax80  
 Test Frequency :5530 MHz  
 Test Mode :Bandedge RU 484/65  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Vertical  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5441.600	Average	43.39	0.87	44.26	54.00	-9.74
5441.600	Peak	53.88	0.87	54.75	74.00	-19.25
5460.000	Average	43.40	0.92	44.32	54.00	-9.68
5460.000	Peak	50.77	0.92	51.69	74.00	-22.31
5468.000	Peak	55.64	0.95	56.58	68.20	-11.62
5470.000	Peak	51.44	0.95	52.40	68.20	-15.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2207001115E2  
 Operation Mode :802.11ax80  
 Test Frequency :5530 MHz  
 Test Mode :Bandedge RU 484/65  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5451.300	Average	43.44	0.89	44.33	54.00	-9.67
5451.300	Peak	52.31	0.89	53.20	74.00	-20.80
5460.000	Average	43.28	0.92	44.20	54.00	-9.80
5460.000	Peak	50.67	0.92	51.59	74.00	-22.41
5464.700	Peak	52.13	0.94	53.06	68.20	-15.14
5470.000	Peak	50.97	0.95	51.93	68.20	-16.27


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax80  
 Test Frequency :5610 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Vertical  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5725.000	Peak	54.28	1.28	55.56	68.20	-12.64
5730.320	Peak	56.01	1.33	57.34	68.20	-10.86


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax80  
 Test Frequency :5610 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5725.000	Peak	52.90	1.28	54.17	68.20	-14.03
5761.100	Peak	53.97	1.62	55.58	68.20	-12.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax80  
 Test Frequency :5610 MHz  
 Test Mode :Bandedge RU 484/66  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Vertical  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5725.000	Peak	50.65	1.28	51.92	68.20	-16.28
5738.600	Peak	53.63	1.42	55.05	68.20	-13.15


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax80  
 Test Frequency :5610 MHz  
 Test Mode :Bandedge RU 484/66  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5725.000	Peak	50.16	1.28	51.43	68.20	-16.77
5769.920	Peak	53.05	1.68	54.72	68.20	-13.48


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax80  
 Test Frequency :5690 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Vertical  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5445.550	Average	41.58	0.88	42.46	54.00	-11.54
5445.550	Peak	52.56	0.88	53.43	74.00	-20.57
5460.000	Average	41.70	0.92	42.61	54.00	-11.39
5460.000	Peak	51.12	0.92	52.04	74.00	-21.96
5470.000	Peak	51.56	0.95	52.51	68.20	-15.69
5480.000	Peak	51.16	0.99	52.15	68.20	-16.05
5850.000	Peak	52.02	1.51	53.54	68.20	-14.66
5919.400	Peak	53.81	2.26	56.07	68.20	-12.13


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax80  
 Test Frequency :5690 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBUV/m	Margin dB
5438.400	Average	41.38	0.86	42.24	54.00	-11.76
5438.400	Peak	52.92	0.86	53.77	74.00	-20.23
5460.000	Average	41.44	0.92	42.35	54.00	-11.65
5460.000	Peak	50.97	0.92	51.89	74.00	-22.11
5470.000	Peak	51.12	0.95	52.07	68.20	-16.13
5480.000	Peak	52.50	0.99	53.49	68.20	-14.71
5850.000	Peak	51.81	1.51	53.32	68.20	-14.88
5960.350	Peak	53.27	2.32	55.58	68.20	-12.62


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax80  
 Test Frequency :5775 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Vertical  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5649.765	Peak	56.83	0.98	57.81	68.20	-10.39
5650.000	Peak	53.99	0.98	54.97	68.20	-13.23
5700.000	Peak	68.59	1.01	69.60	105.20	-35.60
5720.000	Peak	70.80	1.22	72.02	110.80	-38.78
5725.000	Peak	72.34	1.28	73.61	122.20	-48.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2207001115E2  
 Operation Mode :802.11ax80  
 Test Frequency :5775 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5646.990	Peak	54.34	0.99	55.32	68.20	-12.88
5650.000	Peak	53.07	0.98	54.04	68.20	-14.16
5700.000	Peak	62.71	1.01	63.72	105.20	-41.48
5720.000	Peak	64.92	1.22	66.15	110.80	-44.65
5725.000	Peak	65.62	1.28	66.89	122.20	-55.31


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax80  
 Test Frequency :5775 MHz  
 Test Mode :Bandedge RU 484/65  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Vertical  
 Engineer :Howard Huang




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5613.690	Peak	53.63	1.10	54.73	68.20	-13.47
5650.000	Peak	51.23	0.98	52.21	68.20	-15.99
5700.000	Peak	51.91	1.01	52.92	105.20	-52.28
5720.000	Peak	57.51	1.22	58.73	110.80	-52.07
5725.000	Peak	65.87	1.28	67.15	122.20	-55.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax80  
 Test Frequency :5775 MHz  
 Test Mode :Bandedge RU 484/65  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5645.510	Peak	52.78	0.99	53.77	68.20	-14.43
5650.000	Peak	51.22	0.98	52.19	68.20	-16.01
5700.000	Peak	50.52	1.01	51.53	105.20	-53.67
5720.000	Peak	50.45	1.22	51.67	110.80	-59.13
5725.000	Peak	60.27	1.28	61.54	122.20	-60.66


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax80  
 Test Frequency :5775 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Vertical  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5850.000	Peak	66.55	1.51	68.06	122.20	-54.14
5855.000	Peak	65.64	1.58	67.22	110.80	-43.58
5875.000	Peak	62.47	1.83	64.30	105.20	-40.90
5925.000	Peak	52.21	2.29	54.50	68.20	-13.70
5946.800	Peak	53.83	2.42	56.25	68.20	-11.95


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax80  
 Test Frequency :5775 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5850.000	Peak	62.14	1.51	63.65	122.20	-58.55
5855.000	Peak	61.16	1.58	62.74	110.80	-48.06
5875.000	Peak	55.92	1.83	57.75	105.20	-47.45
5925.000	Peak	51.80	2.29	54.09	68.20	-14.11
5951.400	Peak	53.82	2.42	56.24	68.20	-11.96


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax80  
 Test Frequency :5775 MHz  
 Test Mode :Bandedge RU 484/66  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Vertical  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5850.000	Peak	51.25	1.51	52.76	122.20	-69.44
5855.000	Peak	50.69	1.58	52.27	110.80	-58.53
5875.000	Peak	50.45	1.83	52.28	105.20	-52.92
5925.000	Peak	50.66	2.29	52.95	68.20	-15.25
5961.600	Peak	52.94	2.30	55.24	68.20	-12.96


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax80  
 Test Frequency :5775 MHz  
 Test Mode :Bandedge RU 484/66  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5850.000	Peak	51.05	1.51	52.56	122.20	-69.64
5855.000	Peak	51.13	1.58	52.71	110.80	-58.09
5875.000	Peak	51.28	1.83	53.10	105.20	-52.10
5925.000	Peak	50.35	2.29	52.64	68.20	-15.56
5926.400	Peak	52.66	2.30	54.96	68.20	-13.24


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax160  
 Test Frequency :5250 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Vertical  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5114.840	Average	50.37	0.73	51.10	54.00	-2.90
5114.840	Peak	62.20	0.73	62.93	74.00	-11.07
5150.000	Average	48.41	1.24	49.65	54.00	-4.35
5150.000	Peak	59.06	1.24	60.30	74.00	-13.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2207001115E2  
 Operation Mode :802.11ax160  
 Test Frequency :5250 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5130.800	Average	49.51	0.96	50.47	54.00	-3.53
5130.800	Peak	61.45	0.96	62.41	74.00	-11.59
5150.000	Average	48.77	1.24	50.01	54.00	-3.99
5150.000	Peak	59.34	1.24	60.58	74.00	-13.42


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax160  
 Test Frequency :5250 MHz  
 Test Mode :Bandedge RU 996/67  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Vertical  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5122.440	Average	44.93	0.84	45.77	54.00	-8.23
5122.440	Peak	55.47	0.84	56.31	74.00	-17.69
5150.000	Average	45.01	1.24	46.25	54.00	-7.75
5150.000	Peak	52.35	1.24	53.59	74.00	-20.41


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax160  
 Test Frequency :5250 MHz  
 Test Mode :Bandedge RU 996/67  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5128.520	Average	44.59	0.93	45.52	54.00	-8.48
5128.520	Peak	54.55	0.93	55.48	74.00	-18.52
5150.000	Average	44.59	1.24	45.83	54.00	-8.17
5150.000	Peak	51.98	1.24	53.22	74.00	-20.78


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax160  
 Test Frequency :5250 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Vertical  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5350.000	Average	50.33	0.38	50.70	54.00	-3.30
5350.000	Peak	61.19	0.38	61.57	74.00	-12.43
5355.560	Average	52.53	0.42	52.95	54.00	-1.05
5355.560	Peak	65.24	0.42	65.66	74.00	-8.34


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax160  
 Test Frequency :5250 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5350.000	Average	43.38	0.38	43.75	54.00	-10.25
5350.000	Peak	53.85	0.38	54.22	74.00	-19.78
5378.050	Average	45.08	0.60	45.68	54.00	-8.32
5378.050	Peak	56.30	0.60	56.89	74.00	-17.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2	Test Site :SAC D
Operation Mode :802.11ax160	Test Date :2022-09-20
Test Frequency :5250 MHz	Temp./Humi. :23.7/62
Test Mode :Bandedge RU 996/S67	Antenna Pol. :Vertical
EUT Pol :E1 Plane	Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5350.000	Average	43.27	0.38	43.65	54.00	-10.35
5350.000	Peak	50.76	0.38	51.14	74.00	-22.86
5355.950	Average	43.15	0.42	43.57	54.00	-10.43
5355.950	Peak	52.15	0.42	52.57	74.00	-21.43


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax160  
 Test Frequency :5250 MHz  
 Test Mode :Bandedge RU 996/S67  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5350.000	Average	43.12	0.38	43.50	54.00	-10.50
5350.000	Peak	50.43	0.38	50.81	74.00	-23.19
5368.430	Average	42.94	0.52	43.46	54.00	-10.54
5368.430	Peak	52.06	0.52	52.58	74.00	-21.42


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax160  
 Test Frequency :5570 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Vertical  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5444.760	Average	50.93	0.87	51.81	54.00	-2.19
5444.760	Peak	64.94	0.87	65.81	74.00	-8.19
5460.000	Average	51.55	0.92	52.47	54.00	-1.53
5460.000	Peak	61.18	0.92	62.10	74.00	-11.90
5463.450	Peak	64.80	0.93	65.74	68.20	-2.46
5470.000	Peak	60.76	0.95	61.71	68.20	-6.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report Number :TERF2207001115E2  
 Operation Mode :802.11ax160  
 Test Frequency :5570 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5446.440	Average	48.18	0.88	49.06	54.00	-4.94
5446.440	Peak	59.88	0.88	60.76	74.00	-13.24
5460.000	Average	46.71	0.92	47.63	54.00	-6.37
5460.000	Peak	55.37	0.92	56.29	74.00	-17.71
5465.760	Peak	59.40	0.94	60.34	68.20	-7.86
5470.000	Peak	56.85	0.95	57.80	68.20	-10.40


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax160  
 Test Frequency :5570 MHz  
 Test Mode :Bandedge RU 996/67  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Vertical  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5443.500	Average	43.50	0.87	44.37	54.00	-9.63
5443.500	Peak	57.78	0.87	58.65	74.00	-15.35
5460.000	Average	43.74	0.92	44.66	54.00	-9.34
5460.000	Peak	51.15	0.92	52.07	74.00	-21.93
5462.190	Peak	55.15	0.93	56.08	68.20	-12.12
5470.000	Peak	51.53	0.95	52.48	68.20	-15.72


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax160  
 Test Frequency :5570 MHz  
 Test Mode :Bandedge RU 996/67  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5436.780	Average	43.39	0.85	44.24	54.00	-9.76
5436.780	Peak	54.92	0.85	55.78	74.00	-18.22
5460.000	Average	43.41	0.92	44.32	54.00	-9.68
5460.000	Peak	50.58	0.92	51.50	74.00	-22.50
5468.490	Peak	52.60	0.95	53.55	68.20	-14.65
5470.000	Peak	51.01	0.95	51.96	68.20	-16.24


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax160  
 Test Frequency :5570 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Vertical  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5725.000	Peak	60.64	1.28	61.92	68.20	-6.28
5735.060	Peak	60.88	1.38	62.26	68.20	-5.94


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax160  
 Test Frequency :5570 MHz  
 Test Mode :Bandedge Full RU  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-19  
 Temp./Humi. :23.8/60  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5725.000	Peak	53.93	1.28	55.20	68.20	-13.00
5728.340	Peak	56.76	1.31	58.08	68.20	-10.12


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax160  
 Test Frequency :5570 MHz  
 Test Mode :Bandedge RU 996/S67  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Vertical  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5725.000	Peak	51.87	1.28	53.14	68.20	-15.06
5727.920	Peak	53.97	1.31	55.28	68.20	-12.92


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2207001115E2  
 Operation Mode :802.11ax160  
 Test Frequency :5570 MHz  
 Test Mode :Bandedge RU 996/S67  
 EUT Pol :E1 Plane

Test Site :SAC D  
 Test Date :2022-09-20  
 Temp./Humi. :23.7/62  
 Antenna Pol. :Horizontal  
 Engineer :Howard Huang



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB $\mu$ V	Factor dB	Actual FS dB $\mu$ V/m	Limit @3m dB $\mu$ V/m	Margin dB
5725.000	Peak	51.02	1.28	52.30	68.20	-15.90
5741.570	Peak	53.03	1.45	54.48	68.20	-13.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。  
 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 12 TRANSMISSION IN THE ABSENCE OF DATA

### 12.1 Standard Applicable

According to §15.407(c)

The device shall automatically discontinue transmission in case of either absence of information to transmit or operational failure. These provisions are not intended to preclude the transmission of control or signaling information or the use of repetitive codes used by certain digital technologies to complete frame or burst intervals. Applicants shall include in their application for equipment authorization a description of how this requirement is met.

### 12.2 Result

While the EUT is not transmitting any information, the EUT can automatically discontinue transmission and become standby mode for power saving. The EUT can detect the controlling signal of ASK message transmitting from remote device and verify whether it shall resend or discontinue transmission.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



## 13 ANTENNA REQUIREMENT

### 13.1 Standard Applicable

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited. This requirement does not apply to carrier current devices or to devices operated under the provisions of §§ 15.211, 15.213, 15.217, 15.219, 15.221, or § 15.236. Further, this requirement does not apply to intentional radiators that must be professionally installed, such as perimeter protection systems and some field disturbance sensors, or to other intentional radiators which, in accordance with § 15.31(d), must be measured at the installation site. However, the installer shall be responsible for ensuring that the proper antenna is employed so that the limits in this part are not exceeded.

### 13.2 Antenna Connected Construction

The antenna complies with this requirement and no consideration of replacement. Please see EUT photo for details.

*~ End of Report ~*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.  
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.