


5.15-5.25GHz_802.11ac_VHT40_Nss1,(MCS0)_1TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.40	54.00	-4.60	3.90	3	Vertical	339	1.50	45.50	33.00	5.52	34.62
AV	5.1832G	93.23	Inf	-Inf	3.84	3	Vertical	339	1.50	89.39	32.93	5.52	34.61
PK	5.1476G	58.67	74.00	-15.33	3.89	3	Vertical	339	1.50	54.78	33.00	5.51	34.62
PK	5.1948G	100.39	Inf	-Inf	3.83	3	Vertical	339	1.50	96.56	32.91	5.53	34.61

5.15-5.25GHz_802.11ac_VHT40_Nss1,(MCS0)_1TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.44	54.00	-3.56	3.90	3	Horizontal	149	1.14	46.54	33.00	5.52	34.62
AV	5.1792G	94.64	Inf	-Inf	3.85	3	Horizontal	149	1.14	90.79	32.94	5.52	34.61
PK	5.1488G	58.55	74.00	-15.45	3.89	3	Horizontal	149	1.14	54.66	33.00	5.51	34.62
PK	5.178G	101.12	Inf	-Inf	3.85	3	Horizontal	149	1.14	97.27	32.94	5.52	34.61


5.15-5.25GHz_802.11ac_VHT40_Nss1,(MCS0)_1TX

5190MHz_TX




5.15-5.25GHz_802.11ac_VHT40_Nss1,(MCS0)_1TX

5190MHz_TX



5.15-5.25GHz_802.11ac_VHT40_Nss1,(MCS0)_1TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1388G	46.82	54.00	-7.18	3.89	3	Vertical	338	1.08	42.93	33.00	5.51	34.62
AV	5.2192G	92.65	Inf	-Inf	3.83	3	Vertical	338	1.08	88.82	32.90	5.53	34.60
PK	5.1484G	55.10	74.00	-18.90	3.89	3	Vertical	338	1.08	51.21	33.00	5.51	34.62
PK	5.2276G	100.25	Inf	-Inf	3.84	3	Vertical	338	1.08	96.41	32.90	5.54	34.60

5.15-5.25GHz_802.11ac_VHT40_Nss1,(MCS0)_1TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.134G	46.80	54.00	-7.20	3.89	3	Horizontal	149	1.01	42.91	33.00	5.51	34.62
AV	5.2192G	94.01	Inf	-Inf	3.83	3	Horizontal	149	1.01	90.18	32.90	5.53	34.60
PK	5.1304G	55.16	74.00	-18.84	3.89	3	Horizontal	149	1.01	51.27	33.00	5.51	34.62
PK	5.2436G	100.67	Inf	-Inf	3.84	3	Horizontal	149	1.01	96.83	32.90	5.54	34.60


5.15-5.25GHz_802.11ac_VHT40_Nss1,(MCS0)_1TX

5230MHz_TX




5.15-5.25GHz_802.11ac_VHT40_Nss1,(MCS0)_1TX

5230MHz_TX



5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_1TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.258G	91.99	Inf	-Inf	3.82	3	Vertical	340	1.50	88.17	32.88	5.54	34.60
AV	5.3516G	45.32	54.00	-8.68	3.78	3	Vertical	340	1.50	41.54	32.80	5.56	34.58
PK	5.2796G	98.49	Inf	-Inf	3.79	3	Vertical	340	1.50	94.70	32.84	5.55	34.60
PK	5.354G	54.15	74.00	-19.85	3.79	3	Vertical	340	1.50	50.36	32.81	5.56	34.58

5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_1TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2592G	93.70	Inf	-Inf	3.82	3	Horizontal	149	1.05	89.88	32.88	5.54	34.60
AV	5.37G	45.25	54.00	-8.75	3.82	3	Horizontal	149	1.05	41.43	32.84	5.56	34.58
PK	5.2628G	100.05	Inf	-Inf	3.81	3	Horizontal	149	1.05	96.24	32.87	5.54	34.60
PK	5.3656G	53.83	74.00	-20.17	3.81	3	Horizontal	149	1.05	50.02	32.83	5.56	34.58

5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_1TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.55104G	53.11	68.20	-15.09	11.91	3	Vertical	358	1.65	41.20	38.60	8.02	34.71

5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_1TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	10.53976G	54.81	68.20	-13.39	11.89	3	Horizontal	21	1.50	42.92	38.58	8.02	34.71

5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_1TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2992G	90.44	Inf	-Inf	3.76	3	Vertical	342	1.58	86.68	32.80	5.55	34.59
AV	5.3504G	46.36	54.00	-7.64	3.78	3	Vertical	342	1.58	42.58	32.80	5.56	34.58
PK	5.3056G	98.64	Inf	-Inf	3.76	3	Vertical	342	1.58	94.88	32.80	5.55	34.59
PK	5.35G	54.32	74.00	-19.68	3.78	3	Vertical	342	1.58	50.54	32.80	5.56	34.58

5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_1TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2992G	93.09	Inf	-Inf	3.76	3	Horizontal	141	2.11	89.33	32.80	5.55	34.59
AV	5.3508G	47.40	54.00	-6.60	3.78	3	Horizontal	141	2.11	43.62	32.80	5.56	34.58
PK	5.3052G	100.46	Inf	-Inf	3.76	3	Horizontal	141	2.11	96.70	32.80	5.55	34.59
PK	5.3512G	56.50	74.00	-17.50	3.78	3	Horizontal	141	2.11	52.72	32.80	5.56	34.58

5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_1TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62G	45.61	54.00	-8.39	12.10	3	Vertical	360	1.63	33.51	38.74	8.05	34.69
PK	10.62464G	54.15	74.00	-19.85	12.11	3	Vertical	360	1.63	42.04	38.75	8.05	34.69

5.25-5.35GHz_802.11ac_VHT40_Nss1,(MCS0)_1TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62016G	45.30	54.00	-8.70	12.10	3	Horizontal	25	1.11	33.20	38.74	8.05	34.69
PK	10.61816G	52.71	74.00	-21.29	12.09	3	Horizontal	25	1.11	40.62	38.74	8.04	34.69

5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_1TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	45.71	54.00	-8.29	3.97	3	Vertical	347	1.50	41.74	32.92	5.62	34.57
AV	5.4972G	87.77	Inf	-Inf	4.09	3	Vertical	347	1.50	83.68	32.99	5.66	34.56
PK	5.4276G	55.28	74.00	-18.72	3.92	3	Vertical	347	1.50	51.36	32.90	5.59	34.57
PK	5.4676G	54.65	68.20	-13.55	4.00	3	Vertical	347	1.50	50.65	32.94	5.63	34.57
PK	5.5236G	94.18	Inf	-Inf	4.07	3	Vertical	347	1.50	90.11	32.95	5.68	34.56

5.47-5.725GHz_802.11ac VHT40_Nss1,(MCS0)_1TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4376G	45.85	54.00	-8.15	3.93	3	Horizontal	141	2.02	41.92	32.90	5.60	34.57
AV	5.4992G	91.68	Inf	-Inf	4.10	3	Horizontal	141	2.02	87.58	33.00	5.66	34.56
PK	5.4388G	53.49	74.00	-20.51	3.93	3	Horizontal	141	2.02	49.56	32.90	5.60	34.57
PK	5.468G	55.18	68.20	-13.02	4.00	3	Horizontal	141	2.02	51.18	32.94	5.63	34.57
PK	5.5004G	98.10	Inf	-Inf	4.10	3	Horizontal	141	2.02	94.00	33.00	5.66	34.56

5.47-5.725GHz_802.11ac_VHT40_Nss1,(MCS0)_1TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02712G	45.39	54.00	-8.61	12.16	3	Vertical	351	2.84	33.23	38.57	8.17	34.58
PK	11.03568G	53.65	74.00	-20.35	12.16	3	Vertical	351	2.84	41.49	38.56	8.18	34.58

5.47-5.725GHz_802.11ac_VHT40_Nss1,(MCS0)_1TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01992G	45.34	54.00	-8.66	12.17	3	Horizontal	23	1.21	33.17	38.58	8.17	34.58
PK	11.01776G	53.13	74.00	-20.87	12.17	3	Horizontal	23	1.21	40.96	38.58	8.17	34.58

5.47-5.725GHz_802.11ac_VHT40_Nss1,(MCS0)_1TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4516G	45.72	54.00	-8.28	3.95	3	Vertical	324	1.72	41.77	32.90	5.62	34.57
AV	5.5392G	88.59	Inf	-Inf	4.06	3	Vertical	324	1.72	84.53	32.92	5.70	34.56
PK	5.452G	54.03	74.00	-19.97	3.95	3	Vertical	324	1.72	50.08	32.90	5.62	34.57
PK	5.4636G	52.36	68.20	-15.84	3.99	3	Vertical	324	1.72	48.37	32.93	5.63	34.57
PK	5.5596G	95.70	Inf	-Inf	4.05	3	Vertical	324	1.72	91.65	32.90	5.71	34.56

5.47-5.725GHz_802.11ac_VHT40_Nss1,(MCS0)_1TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4528G	45.57	54.00	-8.43	3.96	3	Horizontal	143	2.10	41.61	32.91	5.62	34.57
AV	5.5392G	91.51	Inf	-Inf	4.06	3	Horizontal	143	2.10	87.45	32.92	5.70	34.56
PK	5.4596G	53.74	74.00	-20.26	3.97	3	Horizontal	143	2.10	49.77	32.92	5.62	34.57
PK	5.4668G	53.41	68.20	-14.79	3.99	3	Horizontal	143	2.10	49.42	32.93	5.63	34.57
PK	5.5476G	99.95	Inf	-Inf	4.04	3	Horizontal	143	2.10	95.91	32.90	5.70	34.56

5.47-5.725GHz_802.11ac_VHT40_Nss1,(MCS0)_1TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1G	45.86	54.00	-8.14	12.12	3	Vertical	346	2.81	33.74	38.50	8.20	34.58
PK	11.09944G	54.08	74.00	-19.92	12.12	3	Vertical	346	2.81	41.96	38.50	8.20	34.58

5.47-5.725GHz_802.11ac_VHT40_Nss1,(MCS0)_1TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10008G	45.05	54.00	-8.95	12.12	3	Horizontal	25	1.73	32.93	38.50	8.20	34.58
PK	11.09416G	53.38	74.00	-20.62	12.12	3	Horizontal	25	1.73	41.26	38.51	8.19	34.58

5.47-5.725GHz_802.11ac_VHT40_Nss1,(MCS0)_1TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6592G	86.70	Inf	-Inf	4.28	3	Vertical	335	1.95	82.42	33.07	5.76	34.55
PK	5.6808G	93.62	Inf	-Inf	4.47	3	Vertical	335	1.95	89.15	33.25	5.77	34.55
PK	5.7984G	56.10	68.20	-12.10	5.15	3	Vertical	335	1.95	50.95	33.89	5.80	34.54

5.47-5.725GHz_802.11ac_VHT40_Nss1,(MCS0)_1TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6592G	89.44	Inf	-Inf	4.28	3	Horizontal	149	2.08	85.16	33.07	5.76	34.55
PK	5.6676G	96.14	Inf	-Inf	4.36	3	Horizontal	149	2.08	91.78	33.14	5.77	34.55
PK	5.8122G	57.17	68.20	-11.03	5.22	3	Horizontal	149	2.08	51.95	33.95	5.81	34.54

5.47-5.725GHz_802.11ac_VHT40_Nss1,(MCS0)_1TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34G	43.83	54.00	-10.17	12.58	3	Vertical	198	1.67	31.25	38.88	8.27	34.57
PK	11.33964G	52.64	74.00	-21.36	12.58	3	Vertical	198	1.67	40.06	38.88	8.27	34.57

5.47-5.725GHz_802.11ac_VHT40_Nss1,(MCS0)_1TX


5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33208G	45.03	54.00	-8.97	12.56	3	Horizontal	23	1.86	32.47	38.86	8.27	34.57
PK	11.33352G	51.35	74.00	-22.65	12.57	3	Horizontal	23	1.86	38.78	38.87	8.27	34.57

5.725-5.85GHz_802.11ac_VHT40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	45.61	54.00	-8.39	3.96	3	Vertical	323	1.60	41.65	32.91	5.62	34.57
AV	5.7454G	84.31	Inf	-Inf	4.83	3	Vertical	323	1.60	79.48	33.58	5.79	34.54
PK	5.6398G	55.99	68.20	-12.21	4.19	3	Vertical	323	1.60	51.80	32.98	5.76	34.55
PK	5.749G	90.92	Inf	-Inf	4.85	3	Vertical	323	1.60	86.07	33.60	5.79	34.54
PK	5.9518G	56.17	68.20	-12.03	5.55	3	Vertical	323	1.60	50.62	34.20	5.87	34.52

5.725-5.85GHz_802.11ac_VHT40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	45.41	54.00	-8.59	3.96	3	Horizontal	142	2.05	41.45	32.91	5.62	34.57
AV	5.7658G	88.05	Inf	-Inf	4.94	3	Horizontal	142	2.05	83.11	33.69	5.79	34.54
PK	5.5606G	55.31	68.20	-12.89	4.05	3	Horizontal	142	2.05	51.26	32.90	5.71	34.56
PK	5.7646G	94.95	Inf	-Inf	4.94	3	Horizontal	142	2.05	90.01	33.69	5.79	34.54
PK	5.9482G	58.17	68.20	-10.03	5.55	3	Horizontal	142	2.05	52.62	34.20	5.87	34.52

5.725-5.85GHz_802.11ac_VHT40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5101G	46.52	54.00	-7.48	12.43	3	Vertical	344	2.93	34.09	38.67	8.33	34.57
PK	11.5101G	55.36	74.00	-18.64	12.43	3	Vertical	344	2.93	42.93	38.67	8.33	34.57

5.725-5.85GHz_802.11ac_VHT40_Nss1,(MCS0)_1TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51005G	45.13	54.00	-8.87	12.43	3	Horizontal	340	2.34	32.70	38.67	8.33	34.57
PK	11.50991G	54.15	74.00	-19.85	12.43	3	Horizontal	340	2.34	41.72	38.67	8.33	34.57

5.725-5.85GHz_802.11ac_VHT40_Nss1,(MCS0)_1TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7842G	84.99	Inf	-Inf	5.07	3	Vertical	343	1.18	79.92	33.81	5.80	34.54
PK	5.5526G	56.12	68.20	-12.08	4.05	3	Vertical	343	1.18	52.07	32.90	5.71	34.56
PK	5.7926G	91.65	Inf	-Inf	5.12	3	Vertical	343	1.18	86.53	33.86	5.80	34.54
PK	6.0014G	57.95	68.20	-10.25	5.47	3	Vertical	343	1.18	52.48	34.10	5.89	34.52

5.725-5.85GHz_802.11ac_VHT40_Nss1,(MCS0)_1TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7854G	88.48	Inf	-Inf	5.07	3	Horizontal	144	2.02	83.41	33.81	5.80	34.54
PK	5.627G	55.99	68.20	-12.21	4.16	3	Horizontal	144	2.02	51.83	32.95	5.76	34.55
PK	5.7902G	96.94	Inf	-Inf	5.10	3	Horizontal	144	2.02	91.84	33.84	5.80	34.54
PK	5.9246G	56.75	68.50	-11.75	5.58	3	Horizontal	144	2.02	51.17	34.25	5.86	34.53

5.725-5.85GHz_802.11ac_VHT40_Nss1,(MCS0)_1TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59014G	47.06	54.00	-6.94	12.18	3	Vertical	349	2.93	34.88	38.43	8.35	34.60
PK	11.5902G	55.74	74.00	-18.26	12.18	3	Vertical	349	2.93	43.56	38.43	8.35	34.60

5.725-5.85GHz_802.11ac_VHT40_Nss1,(MCS0)_1TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59014G	44.37	54.00	-9.63	12.18	3	Horizontal	341	1.40	32.19	38.43	8.35	34.60
PK	11.59039G	54.18	74.00	-19.82	12.18	3	Horizontal	341	1.40	42.00	38.43	8.35	34.60

5.15-5.25GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	52.49	54.00	-1.51	3.89	3	Vertical	341	1.50	48.60	33.00	5.51	34.62
AV	5.191G	90.58	Inf	-Inf	3.84	3	Vertical	341	1.50	86.74	32.92	5.53	34.61
AV	5.454G	46.99	54.00	-7.01	3.96	3	Vertical	341	1.50	43.03	32.91	5.62	34.57
PK	5.141G	60.50	74.00	-13.50	3.89	3	Vertical	341	1.50	56.61	33.00	5.51	34.62
PK	5.183G	96.79	Inf	-Inf	3.84	3	Vertical	341	1.50	92.95	32.93	5.52	34.61
PK	5.403G	53.92	74.00	-20.08	3.89	3	Vertical	341	1.50	50.03	32.90	5.57	34.58

5.15-5.25GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	53.12	54.00	-0.88	3.89	3	Horizontal	149	1.07	49.23	33.00	5.51	34.62
AV	5.188G	91.81	Inf	-Inf	3.84	3	Horizontal	149	1.07	87.97	32.92	5.53	34.61
AV	5.425G	46.80	54.00	-7.20	3.92	3	Horizontal	149	1.07	42.88	32.90	5.59	34.57
PK	5.132G	58.93	74.00	-15.07	3.89	3	Horizontal	149	1.07	55.04	33.00	5.51	34.62
PK	5.191G	99.53	Inf	-Inf	3.84	3	Horizontal	149	1.07	95.69	32.92	5.53	34.61
PK	5.397G	54.87	74.00	-19.13	3.88	3	Horizontal	149	1.07	50.99	32.89	5.57	34.58


5.15-5.25GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX

5210MHz_TX




5.15-5.25GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX

5210MHz_TX



5.25-5.35GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.059G	48.04	54.00	-5.96	3.86	3	Vertical	338	1.30	44.18	33.00	5.49	34.63
AV	5.271G	88.92	Inf	-Inf	3.80	3	Vertical	338	1.30	85.12	32.86	5.54	34.60
AV	5.353G	47.50	54.00	-6.50	3.79	3	Vertical	338	1.30	43.71	32.81	5.56	34.58
PK	5.071G	55.67	74.00	-18.33	3.86	3	Vertical	338	1.30	51.81	33.00	5.49	34.63
PK	5.27G	94.99	Inf	-Inf	3.80	3	Vertical	338	1.30	91.19	32.86	5.54	34.60
PK	5.416G	54.64	74.00	-19.36	3.91	3	Vertical	338	1.30	50.73	32.90	5.58	34.57
PK	5.506G	54.30	68.20	-13.90	4.10	3	Vertical	338	1.30	50.20	32.99	5.67	34.56

5.25-5.35GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.077G	48.48	54.00	-5.52	3.86	3	Horizontal	141	1.98	44.62	33.00	5.49	34.63
AV	5.267G	90.43	Inf	-Inf	3.81	3	Horizontal	141	1.98	86.62	32.87	5.54	34.60
AV	5.352G	47.77	54.00	-6.23	3.78	3	Horizontal	141	1.98	43.99	32.80	5.56	34.58
PK	5.149G	55.50	74.00	-18.50	3.89	3	Horizontal	141	1.98	51.61	33.00	5.51	34.62
PK	5.283G	98.60	Inf	-Inf	3.79	3	Horizontal	141	1.98	94.81	32.83	5.55	34.59
PK	5.357G	54.63	74.00	-19.37	3.79	3	Horizontal	141	1.98	50.84	32.81	5.56	34.58
PK	5.53G	56.90	68.20	-11.30	4.07	3	Horizontal	141	1.98	52.83	32.94	5.69	34.56


5.25-5.35GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX

5290MHz_TX




5.25-5.35GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX

5290MHz_TX



5.47-5.725GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	46.00	54.00	-8.00	3.78	3	Vertical	344	1.38	42.22	32.80	5.56	34.58
AV	5.441G	47.25	54.00	-6.75	3.94	3	Vertical	344	1.38	43.31	32.90	5.61	34.57
AV	5.525G	85.49	Inf	-Inf	4.07	3	Vertical	344	1.38	81.42	32.95	5.68	34.56
PK	5.337G	54.58	68.20	-13.62	3.77	3	Vertical	344	1.38	50.81	32.80	5.56	34.59
PK	5.362G	53.89	74.00	-20.11	3.80	3	Vertical	344	1.38	50.09	32.82	5.56	34.58
PK	5.467G	53.07	68.20	-15.13	3.99	3	Vertical	344	1.38	49.08	32.93	5.63	34.57
PK	5.527G	91.54	Inf	-Inf	4.07	3	Vertical	344	1.38	87.47	32.95	5.68	34.56
PK	5.754G	58.19	68.20	-10.01	4.87	3	Vertical	344	1.38	53.32	33.62	5.79	34.54

5.47-5.725GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	46.48	54.00	-7.52	3.78	3	Horizontal	142	2.08	42.70	32.80	5.56	34.58
AV	5.454G	47.35	54.00	-6.65	3.96	3	Horizontal	142	2.08	43.39	32.91	5.62	34.57
AV	5.535G	89.24	Inf	-Inf	4.06	3	Horizontal	142	2.08	85.18	32.93	5.69	34.56
PK	5.302G	53.94	68.20	-14.26	3.76	3	Horizontal	142	2.08	50.18	32.80	5.55	34.59
PK	5.408G	54.55	74.00	-19.45	3.91	3	Horizontal	142	2.08	50.64	32.90	5.58	34.57
PK	5.461G	53.41	68.20	-14.79	3.97	3	Horizontal	142	2.08	49.44	32.92	5.62	34.57
PK	5.546G	94.98	Inf	-Inf	4.05	3	Horizontal	142	2.08	90.93	32.91	5.70	34.56
PK	5.741G	55.82	68.20	-12.38	4.81	3	Horizontal	142	2.08	51.01	33.56	5.79	34.54

5.47-5.725GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06022G	45.46	54.00	-8.54	12.14	3	Vertical	292	1.92	33.32	38.54	8.18	34.58
PK	11.06133G	54.60	74.00	-19.40	12.14	3	Vertical	292	1.92	42.46	38.54	8.18	34.58

5.47-5.725GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.06017G	47.34	54.00	-6.66	12.14	3	Horizontal	24	1.72	35.20	38.54	8.18	34.58
PK	11.06027G	55.33	74.00	-18.67	12.14	3	Horizontal	24	1.72	43.19	38.54	8.18	34.58

5.47-5.725GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.408G	47.08	54.00	-6.92	3.91	3	Vertical	324	1.78	43.17	32.90	5.58	34.57
AV	5.587G	85.23	Inf	-Inf	4.09	3	Vertical	324	1.78	81.14	32.90	5.74	34.55
PK	5.438G	56.06	74.00	-17.94	3.93	3	Vertical	324	1.78	52.13	32.90	5.60	34.57
PK	5.469G	54.61	68.20	-13.59	4.01	3	Vertical	324	1.78	50.60	32.94	5.63	34.56
PK	5.583G	93.10	Inf	-Inf	4.08	3	Vertical	324	1.78	89.02	32.90	5.73	34.55
PK	5.782G	57.45	68.20	-10.75	5.05	3	Vertical	324	1.78	52.40	33.79	5.80	34.54

5.47-5.725GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.429G	47.06	54.00	-6.94	3.93	3	Horizontal	142	2.04	43.13	32.90	5.60	34.57
AV	5.613G	88.42	Inf	-Inf	4.13	3	Horizontal	142	2.04	84.29	32.93	5.75	34.55
PK	5.373G	53.91	74.00	-20.09	3.83	3	Horizontal	142	2.04	50.08	32.85	5.56	34.58
PK	5.464G	54.22	68.20	-13.98	3.99	3	Horizontal	142	2.04	50.23	32.93	5.63	34.57
PK	5.613G	96.24	Inf	-Inf	4.13	3	Horizontal	142	2.04	92.11	32.93	5.75	34.55
PK	5.785G	55.77	68.20	-12.43	5.07	3	Horizontal	142	2.04	50.70	33.81	5.80	34.54

5.47-5.725GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22019G	46.05	54.00	-7.95	12.37	3	Vertical	320	1.82	33.68	38.72	8.23	34.58
PK	11.22025G	54.46	74.00	-19.54	12.37	3	Vertical	320	1.82	42.09	38.72	8.23	34.58

5.47-5.725GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22004G	46.90	54.00	-7.10	12.37	3	Horizontal	22	1.86	34.53	38.72	8.23	34.58
PK	11.22032G	55.07	74.00	-18.93	12.37	3	Horizontal	22	1.86	42.70	38.72	8.23	34.58

5.725-5.85GHz_802.11ac VHT80_Nss1,(MCS0)_1TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.757G	82.64	Inf	-Inf	4.89	3	Vertical	344	1.02	77.75	33.64	5.79	34.54
PK	5.5842G	54.90	68.20	-13.30	4.09	3	Vertical	344	1.02	50.81	32.90	5.74	34.55
PK	5.7678G	88.41	Inf	-Inf	4.96	3	Vertical	344	1.02	83.45	33.71	5.79	34.54
PK	5.9586G	56.09	68.20	-12.11	5.53	3	Vertical	344	1.02	50.56	34.18	5.87	34.52

5.725-5.85GHz_802.11ac VHT80_Nss1,(MCS0)_1TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7798G	86.26	Inf	-Inf	5.03	3	Horizontal	142	2.04	81.23	33.78	5.79	34.54
PK	5.625G	55.23	68.20	-12.97	4.16	3	Horizontal	142	2.04	51.07	32.95	5.76	34.55
PK	5.7822G	93.00	Inf	-Inf	5.05	3	Horizontal	142	2.04	87.95	33.79	5.80	34.54
PK	5.9598G	56.70	68.20	-11.50	5.53	3	Horizontal	142	2.04	51.17	34.18	5.87	34.52

5.725-5.85GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5503G	45.76	54.00	-8.24	12.30	3	Vertical	229	1.43	33.46	38.55	8.34	34.59
PK	11.55011G	53.73	74.00	-20.27	12.30	3	Vertical	229	1.43	41.43	38.55	8.34	34.59

5.725-5.85GHz_802.11ac_VHT80_Nss1,(MCS0)_1TX

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55012G	45.93	54.00	-8.07	12.30	3	Horizontal	65	2.75	33.63	38.55	8.34	34.59
PK	11.55051G	53.48	74.00	-20.52	12.30	3	Horizontal	65	2.75	41.18	38.55	8.34	34.59



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.95998G	45.77	54.00	-8.23	Horizontal



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.95975G	42.18	54.00	-11.82	3	Vertical	305	1.44
Mode 1	Pass	AV	11.5902G	45.32	54.00	-8.68	3	Vertical	4	1.45
Mode 1	Pass	PK	4.95954G	51.97	74.00	-22.03	3	Vertical	305	1.44
Mode 1	Pass	PK	11.59039G	55.47	74.00	-18.53	3	Vertical	4	1.45
Mode 1	Pass	AV	4.95998G	45.77	54.00	-8.23	3	Horizontal	167	2.11
Mode 1	Pass	AV	11.59021G	43.95	54.00	-10.05	3	Horizontal	34	1.89
Mode 1	Pass	PK	4.95951G	53.14	74.00	-20.86	3	Horizontal	167	2.11
Mode 1	Pass	PK	11.59001G	54.87	74.00	-19.13	3	Horizontal	34	1.89

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.95975G	42.18	54.00	-11.82	3.64	3	Vertical	305	1.44	38.54	32.84	5.44	34.64
AV	11.5902G	45.32	54.00	-8.68	12.18	3	Vertical	4	1.45	33.14	38.43	8.35	34.60
PK	4.95954G	51.97	74.00	-22.03	3.64	3	Vertical	305	1.44	48.33	32.84	5.44	34.64
PK	11.59039G	55.47	74.00	-18.53	12.18	3	Vertical	4	1.45	43.29	38.43	8.35	34.60

Radiated Emissions above 1GHz_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.95998G	45.77	54.00	-8.23	3.64	3	Horizontal	167	2.11	42.13	32.84	5.44	34.64
AV	11.59021G	43.95	54.00	-10.05	12.18	3	Horizontal	34	1.89	31.77	38.43	8.35	34.60
PK	4.95951G	53.14	74.00	-20.86	3.64	3	Horizontal	167	2.11	49.50	32.84	5.44	34.64
PK	11.59001G	54.87	74.00	-19.13	12.18	3	Horizontal	34	1.89	42.69	38.43	8.35	34.60