


802.11ax HE40

CH 102 (Horizontal) Peak

CH 102 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5394.00	58.30	14.48	43.82	74.00	-15.70	372	185 Peak	Horizontal	
2	5465.50	58.74	15.06	43.68	68.20	-9.46	372	185 Peak	Horizontal	
3 *	5510.00	114.09	71.12	43.77	68.20	46.69	372	185 Peak	Horizontal	
4	5848.50	59.22	14.95	44.27	68.20	-8.98	372	185 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5440.00	57.61	13.92	43.69	74.00	-16.39	219	283 Peak	Vertical	
2	5469.00	59.45	15.76	43.69	68.20	-8.75	219	283 Peak	Vertical	
3 *	5510.00	110.06	66.29	43.77	68.20	41.86	219	283 Peak	Vertical	
4	5800.00	58.87	14.74	44.13	68.20	-9.33	219	283 Peak	Vertical	


802.11ax HE40

CH 102 (Horizontal) Average

CH 102 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note				
Level	Line	Limit									
Factor											
dBuV	dB/m	dBuV/m	dB	cm	deg						
1	5392.00	45.70	1.91	43.79	54.00	-8.30	372	185	Average	Horizontal	
2 *	5518.00	102.09	59.12	43.77	54.00	48.89	372	185	Average	Horizontal	



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note				
Level	Line	Limit									
Factor											
dBuV	dB/m	dBuV/m	dB	cm	deg						
1	5459.50	45.50	1.83	43.67	54.00	-8.50	219	283	Average	Vertical	
2 *	5518.00	98.15	54.38	43.77	54.00	44.15	219	283	Average	Vertical	


802.11ax HE40

CH 110 (Horizontal) Peak

CH 110 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5462.00	58.89	15.00	43.89	74.00	-15.11	350	153	Peak	Horizontal	
2	5464.50	58.20	14.52	43.68	68.20	-10.00	350	153	Peak	Horizontal	
3 *	5558.00	110.27	66.55	43.72	68.20	42.07	350	153	Peak	Horizontal	
4	5794.00	58.74	14.62	44.12	68.20	-9.46	350	153	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5388.50	58.32	14.57	43.75	74.00	-15.68	216	283	Peak	Vertical	
2	5467.50	56.62	12.93	43.69	68.20	-11.58	216	283	Peak	Vertical	
3 *	5558.00	110.49	66.77	43.72	68.20	42.29	216	283	Peak	Vertical	
4	5778.00	58.06	13.95	44.11	68.20	-10.14	216	283	Peak	Vertical	


802.11ax HE40

CH 110 (Horizontal) Average

CH 110 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
Freq	Level	Level	Factor	Line	Limit			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	5413.50	44.99	1.16	43.83	54.00	-9.01	350	153 Average Horizontal
2 *	5558.00	97.50	53.78	43.72	54.00	43.50	350	153 Average Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
Freq	Level	Level	Factor	Line	Limit			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	5407.00	44.83	0.97	43.86	54.00	-9.17	216	283 Average Vertical
2 *	5558.00	96.78	54.98	43.72	54.00	44.78	216	283 Average Vertical

802.11ax HE40

CH 134 (Horizontal) Peak


CH 134 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5487.00	57.92	14.06	43.86	74.00	-16.08	322	158 Peak	Horizontal	
2	5462.00	56.70	13.03	43.67	68.20	-11.50	322	158 Peak	Horizontal	
3 *	5670.00	114.51	70.53	43.58	68.20	46.31	322	158 Peak	Horizontal	
4	5772.00	59.33	15.23	44.10	68.20	-8.87	322	158 Peak	Horizontal	



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5366.50	57.35	13.88	43.47	74.00	-16.65	287	221 Peak	Vertical	
2	5463.00	56.50	12.82	43.68	68.20	-11.70	287	221 Peak	Vertical	
3 *	5670.00	107.68	64.10	43.58	68.20	39.48	287	221 Peak	Vertical	
4	5794.50	58.91	14.79	44.12	68.20	-9.29	287	221 Peak	Vertical	


802.11ax HE40

CH 134 (Horizontal) Average

CH 134 (Vertical) Average




TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Level	Line	Limit							
Factor									
dBuV	dBuV/m	dB	cm	deg					
1	5394.58	44.97	1.15	43.82	54.00	-9.03	322	158 Average	Horizontal
2 *	5670.00	101.04	57.46	43.58	54.00	47.04	322	158 Average	Horizontal



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Level	Line	Limit							
Factor									
dBuV	dBuV/m	dB	cm	deg					
1	5390.50	44.56	0.78	43.78	54.00	-9.44	287	221 Average	Vertical
2 *	5670.00	96.37	52.79	43.58	54.00	42.37	287	221 Average	Vertical

802.11ax HE80

CH 106 (Horizontal) Peak


CH 106 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5466.00	65.49	21.82	43.67	68.20	-2.71	307	164	Peak	Horizontal	
2	5469.50	66.53	22.84	43.69	68.20	-1.67	307	164	Peak	Horizontal	
3 *	5530.00	111.05	67.31	43.74	68.20	42.85	307	164	Peak	Horizontal	
4	5823.00	57.92	13.73	44.19	68.20	-10.28	307	164	Peak	Horizontal	



Peak	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	5458.00	58.86	15.19	43.67	74.00	-15.14	302	290	Peak	Vertical	
2	5470.00	58.47	14.77	43.70	68.20	-9.73	302	290	Peak	Vertical	
3 *	5530.00	103.79	68.85	43.74	68.20	35.59	302	290	Peak	Vertical	
4	5845.50	58.38	14.13	44.25	68.20	-9.82	302	290	Peak	Vertical	


802.11ax HE80

CH 106 (Horizontal) Average

CH 106 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
Freq	Level	Level	Factor	Line	Limit			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	5457.58	51.37	7.70	43.67	54.00	-2.63	307	164 Average Horizontal
2 *	5538.00	99.25	55.51	43.74	54.00	45.25	307	164 Average Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
Freq	Level	Level	Factor	Line	Limit			
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	5458.00	46.13	2.46	43.67	54.00	-7.87	302	290 Average Vertical
2 *	5538.00	92.73	46.99	43.74	54.00	38.73	302	290 Average Vertical


802.11ax HE80

CH 122 (Horizontal) Peak

CH 122 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5457.50	62.47	18.80	43.67	74.00	-11.53	343	165	Peak	Horizontal
2	5469.00	61.52	17.83	43.69	68.20	-6.68	343	165	Peak	Horizontal
3 *	5610.00	110.30	66.81	43.57	68.20	42.10	343	165	Peak	Horizontal
4	5769.00	60.30	16.20	44.10	68.20	-7.90	343	165	Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5455.00	57.90	14.33	43.65	74.00	-16.02	285	154	Peak	Vertical
2	5469.50	57.69	14.00	43.69	68.20	-10.51	285	154	Peak	Vertical
3 *	5610.00	105.57	62.80	43.57	68.20	37.37	285	154	Peak	Vertical
4	5725.00	58.33	14.52	43.81	68.20	-9.87	285	154	Peak	Vertical


802.11ax HE80

CH 122 (Horizontal) Average

CH 122 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note				
Level	Line	Limit									
Factor											
dBuV	dB/m	dBuV/m	cm	deg							
1	5458.50	46.10	2.43	43.67	54.00	-7.90	343	165	Average	Horizontal	
2 *	5610.00	99.03	55.46	43.57	54.00	45.03	343	165	Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note				
Level	Line	Limit									
Factor											
dBuV	dB/m	dBuV/m	cm	deg							
1	5402.50	44.75	0.86	43.89	54.00	-9.25	285	154	Average	Vertical	
2 *	5610.00	94.51	50.94	43.57	54.00	40.51	285	154	Average	Vertical	

802.11ax HE160

CH 114 (Horizontal) Peak


CH 114 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5450.50	65.50	21.94	43.64	74.00	-8.42	400	177	Peak	Horizontal
2	5460.00	65.15	21.48	43.67	68.20	-3.05	400	177	Peak	Horizontal
3 *	5570.00	106.50	62.52	43.66	68.20	38.30	400	177	Peak	Horizontal
4	5726.50	61.78	17.94	43.84	68.20	-6.42	400	177	Peak	Horizontal



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5306.50	62.14	18.41	43.73	74.00	-11.86	206	287	Peak	Vertical
2	5469.50	60.42	16.73	43.69	68.20	-7.78	206	287	Peak	Vertical
3 *	5570.00	101.35	57.69	43.66	68.20	35.15	206	287	Peak	Vertical
4	5823.50	59.29	15.09	44.20	68.20	-8.91	206	287	Peak	Vertical


802.11ax HE160

CH 114 (Horizontal) Average

CH 114 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dBuV	dB/m	dBuV/m	dB	cm	deg		
1 5459.50	52.92	9.25	43.67	54.00	-1.08	400	177 Average Horizontal
2 * 5570.00	94.15	50.49	43.66	54.00	48.15	400	177 Average Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Level	Line	Limit					
Factor							
dBuV	dB/m	dBuV/m	dB	cm	deg		
1 5427.00	47.95	4.19	43.76	54.00	-6.05	286	287 Average Vertical
2 * 5570.00	99.26	45.69	43.66	54.00	35.26	286	287 Average Vertical

U-NII-2C & U-NII-3


802.11a

CH 144 (Horizontal) Peak

CH 144 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq MHz	Level dBuV/m	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5415.50	57.04	14.02	43.82	74.00	-16.16	331	158 Peak	Horizontal	
2	5469.00	57.43	13.74	43.69	68.20	-10.77	331	158 Peak	Horizontal	
3	5720.00	114.46	70.70	43.76	122.20	-7.74	331	158 Peak	Horizontal	
4	6849.50	61.78	16.18	45.60	68.20	-6.42	331	158 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq MHz	Level dBuV/m	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5421.50	57.67	13.88	43.79	74.00	-16.33	100	72 Peak	Vertical	
2	5463.50	57.34	13.66	43.68	68.20	-10.86	100	72 Peak	Vertical	
3	5720.00	108.49	64.73	43.76	122.20	-13.71	100	72 Peak	Vertical	
4	6948.00	62.03	16.36	45.67	68.20	-6.17	100	72 Peak	Vertical	


802.11a

CH 144 (Horizontal) Average

CH 144 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5488.58	45.18	1.25	43.85	54.00	-8.90	331	158	Average Horizontal
2 *	5720.00	105.12	61.36	43.76	54.00	51.12	331	158	Average Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fentiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5422.50	44.67	0.88	43.79	54.00	-9.33	100	72	Average Vertical
2 *	5720.00	98.44	54.68	43.76	54.00	44.44	100	72	Average Vertical


802.11ax HE20

CH 144 (Horizontal) Peak

CH 144 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5412.50	57.50	13.67	43.83	74.00	-16.50	346	178	Peak	Horizontal	
2	5470.00	56.50	12.80	43.70	68.20	-11.70	346	178	Peak	Horizontal	
3	5720.00	115.46	71.70	43.76	122.20	-6.74	346	178	Peak	Horizontal	
4	6908.50	61.43	15.87	45.56	68.20	-6.77	346	178	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5403.50	57.95	14.07	43.88	74.00	-16.05	216	76	Peak	Vertical	
2	5469.00	56.65	12.96	43.69	68.20	-11.55	216	76	Peak	Vertical	
3	5720.00	110.35	66.59	43.76	122.20	-11.85	216	76	Peak	Vertical	
4	6902.50	61.09	15.54	45.55	68.20	-7.11	216	76	Peak	Vertical	


802.11ax HE20

CH 144 (Horizontal) Average

CH 144 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level		Line	Limit					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5489.58	44.54	0.69	43.85	54.00	-9.46	346	178	Average Horizontal
2 *	5720.00	103.23	59.47	43.76	54.00	49.23	346	178	Average Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Level	Factor	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level		Line	Limit					
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5395.58	44.41	0.57	43.84	54.00	-9.59	216	76	Average Vertical
2 *	5720.00	97.51	53.75	43.76	54.00	43.51	216	76	Average Vertical

802.11ax HE40

CH 142 (Horizontal) Peak



CH 142 (Vertical) Peak



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq MHz	Level dBuV/m	Read Level Factor	Limit Line dB/m	Over Limit dB	Apos cm	TPos deg	Remark	Pol/Phase	Note
1	5418.00	58.18	14.33	43.85	74.00	-15.82	366	177 Peak	Horizontal	
2	5467.00	56.93	13.25	43.68	68.20	-11.27	366	177 Peak	Horizontal	
3	5718.00	113.86	70.21	43.65	122.20	-8.34	366	177 Peak	Horizontal	
4	6985.00	61.35	15.58	45.77	68.20	-6.85	366	177 Peak	Horizontal	

Peak	Freq MHz	Level dBuV/m	Read Level Factor	Limit Line dB/m	Over Limit dB	Apos cm	TPos deg	Remark	Pol/Phase	Note
1	5421.50	58.48	14.69	43.79	74.00	-15.52	349	158 Peak	Vertical	
2	5485.50	58.95	15.27	43.68	68.20	-9.25	349	158 Peak	Vertical	
3	5718.00	110.88	67.23	43.65	122.20	-11.32	349	158 Peak	Vertical	
4	6979.00	62.11	16.36	45.75	68.20	-6.09	349	158 Peak	Vertical	


802.11ax HE40

CH 142 (Horizontal) Average

CH 142 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
Freq	Level	Level	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	5396.00	44.67	0.83	43.84	54.00	-9.33	366	177 Average Horizontal
2 *	5718.00	102.44	58.79	43.65	54.00	48.44	366	177 Average Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
Freq	Level	Level	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	5405.50	44.69	0.82	43.87	54.00	-9.31	349	158 Average Vertical
2 *	5718.00	98.43	54.78	43.65	54.00	44.43	349	158 Average Vertical


802.11ax HE80

CH 138 (Horizontal) Peak

CH 138 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5432.00	57.62	13.89	43.73	74.00	-16.38	351	182	Peak	Horizontal	
2	5466.50	56.75	13.07	43.68	68.20	-11.45	351	182	Peak	Horizontal	
3	5699.00	107.77	64.21	43.56	122.20	-14.43	351	182	Peak	Horizontal	
4	6952.50	61.52	15.84	45.68	68.20	-6.68	351	182	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Level Factor (dB/m)	Limit Line (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5416.50	57.72	13.91	43.81	74.00	-16.28	110	69	Peak	Vertical	
2	5464.00	56.66	12.98	43.68	68.20	-11.54	110	69	Peak	Vertical	
3	5699.00	101.62	58.06	43.56	122.20	-20.58	110	69	Peak	Vertical	
4	6935.00	61.63	16.00	45.63	68.20	-6.57	110	69	Peak	Vertical	


802.11ax HE80

CH 138 (Horizontal) Average

CH 138 (Vertical) Average




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
Freq	Level	Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	5484.00	44.65	0.77	43.88	54.00	-9.35	351	182 Average Horizontal
2 *	5690.00	96.04	52.48	43.56	54.00	42.04	351	182 Average Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
Freq	Level	Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg	
1	5482.00	44.51	0.62	43.89	54.00	-9.49	110	69 Average Vertical
2 *	5690.00	89.38	45.82	43.56	54.00	35.38	110	69 Average Vertical

Mask, 5.725GHz ~ 5.85GHz
U-NII-3


802.11a

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5523.50	57.32	13.57	43.75	68.20	-10.88	314	161 Peak	Horizontal	
2	5652.00	57.06	13.46	43.60	69.69	-12.63	314	161 Peak	Horizontal	
3	5719.00	65.61	21.86	43.75	110.52	-44.91	314	161 Peak	Horizontal	
4	5724.00	67.95	24.15	43.80	130.16	-62.21	314	161 Peak	Horizontal	
5	5745.00	114.71	70.68	44.03	135.00	-20.29	314	161 Peak	Horizontal	
6	5854.50	57.77	13.48	44.29	113.22	-55.45	314	161 Peak	Horizontal	
7	5868.50	58.34	13.99	44.35	107.92	-48.68	314	161 Peak	Horizontal	
8	5892.50	57.55	13.08	44.47	92.21	-34.66	314	161 Peak	Horizontal	
9	5937.00	58.74	14.27	44.47	68.20	-9.46	314	161 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5573.50	57.87	14.22	43.65	68.20	-10.33	100	74 Peak	Vertical	
2	5677.50	57.31	13.74	43.57	68.59	-31.28	100	74 Peak	Vertical	
3	5718.00	59.84	16.10	43.74	110.24	-50.40	100	74 Peak	Vertical	
4	5722.50	61.94	18.16	43.78	122.90	-60.96	100	74 Peak	Vertical	
5	5745.00	109.45	65.42	44.03	135.00	-25.55	100	74 Peak	Vertical	
6	5853.00	57.92	13.64	44.28	120.48	-62.56	100	74 Peak	Vertical	
7	5868.50	57.68	13.36	44.32	109.26	-51.58	100	74 Peak	Vertical	
8	5878.00	58.87	14.47	44.40	102.97	-44.10	100	74 Peak	Vertical	
9	5938.50	59.68	15.22	44.46	68.20	-8.52	100	74 Peak	Vertical	


802.11a

CH 157 (Horizontal) Peak

CH 157 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



No.	Freq	Level	Read		Limit		Over	APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit						
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5635.00	59.39	15.80	43.59	68.20	-8.81	310	160	Peak	Horizontal		
2	5687.00	57.15	13.59	43.56	95.61	-38.46	310	160	Peak	Horizontal		
3	5706.50	57.43	13.81	43.62	107.02	-49.59	310	160	Peak	Horizontal		
4	5725.00	57.67	13.86	43.81	135.00	-77.33	310	160	Peak	Horizontal		
5	5785.00	114.29	70.18	44.11	135.00	-20.71	310	160	Peak	Horizontal		
6	5850.00	58.02	13.75	44.27	135.00	-76.98	310	160	Peak	Horizontal		
7	5855.00	58.67	14.33	44.34	100.00	-49.33	310	160	Peak	Horizontal		
8	5914.00	58.29	13.80	44.49	76.31	-18.02	310	160	Peak	Horizontal		
9	5936.50	58.94	14.47	44.47	68.20	-9.26	310	160	Peak	Horizontal		



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



No.	Freq	Level	Read		Limit		Over	APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit						
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5638.00	57.50	13.91	43.59	68.20	-10.70	100	73	Peak	Vertical		
2	5676.50	57.70	14.21	43.57	87.05	-30.07	100	73	Peak	Vertical		
3	5715.00	57.15	13.44	43.71	109.40	-52.25	100	73	Peak	Vertical		
4	5723.00	57.69	13.90	43.79	125.32	-67.63	100	73	Peak	Vertical		
5	5785.00	107.68	63.57	44.11	135.00	-27.32	100	73	Peak	Vertical		
6	5855.50	57.13	12.85	44.28	110.00	-60.93	100	73	Peak	Vertical		
7	5855.50	58.45	14.16	44.29	110.66	-52.21	100	73	Peak	Vertical		
8	5881.00	57.99	13.58	44.41	100.74	-42.75	100	73	Peak	Vertical		
9	5929.00	58.39	13.92	44.47	68.20	-9.81	100	73	Peak	Vertical		


802.11a

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB)	Limit (dBuV/m)	Over (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5681.00	56.93	13.37	43.56	68.20	-11.27	320	162	Peak	Horizontal	
2	5687.00	58.61	15.02	43.59	80.82	-22.21	320	162	Peak	Horizontal	
3	5716.50	56.92	13.19	43.73	109.82	-52.90	320	162	Peak	Horizontal	
4	5728.50	57.75	13.98	43.77	113.22	-55.47	320	162	Peak	Horizontal	
5	5825.00	113.67	69.47	44.20	135.00	-21.33	320	162	Peak	Horizontal	
6	5856.00	62.44	18.17	44.27	135.00	-72.56	320	162	Peak	Horizontal	
7	5855.50	58.40	14.11	44.29	118.66	-52.26	320	162	Peak	Horizontal	
8	5881.00	58.13	13.72	44.41	100.74	-42.61	320	162	Peak	Horizontal	
9	5980.00	58.97	14.44	44.53	68.20	-9.23	320	162	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB)	Limit (dBuV/m)	Over (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5550.50	56.96	13.24	43.72	68.20	-11.24	100	75	Peak	Vertical	
2	5670.50	57.22	13.64	43.58	83.41	-26.19	100	75	Peak	Vertical	
3	5715.50	56.55	12.83	43.72	109.54	-52.99	100	75	Peak	Vertical	
4	5724.50	57.08	13.27	43.81	132.58	-75.50	100	75	Peak	Vertical	
5	5825.00	107.37	63.17	44.20	135.00	-27.63	100	75	Peak	Vertical	
6	5851.00	58.38	14.11	44.27	130.16	-71.78	100	75	Peak	Vertical	
7	5875.50	58.90	14.52	44.38	105.62	-46.72	100	75	Peak	Vertical	
8	5921.50	57.92	13.43	44.49	70.78	-12.86	100	75	Peak	Vertical	
9	5980.50	58.64	14.11	44.53	68.20	-9.56	100	75	Peak	Vertical	


802.11ax HE20

CH 149 (Horizontal) Peak

CH 149 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



No.	Freq MHz	Level dBuV/m	Read		Limit		Over	APos cm	TPos deg	Remark	Pol/Phase	Note
			Level dBuV	Factor	Line dB/m	Limit dBuV/m						
1	5574.00	58.26	14.62	43.64	68.20	-9.94	100	112	Peak	Horizontal		
2	5672.50	57.81	14.23	43.58	84.59	-27.08	100	112	Peak	Horizontal		
3	5718.00	64.33	20.59	43.74	110.24	-45.91	100	112	Peak	Horizontal		
4	5725.00	70.79	26.98	43.81	135.00	-64.21	100	112	Peak	Horizontal		
5	5745.00	114.63	70.60	44.03	135.00	-20.37	100	112	Peak	Horizontal		
6	5852.50	57.61	13.33	44.28	122.90	-65.29	100	112	Peak	Horizontal		
7	5869.50	57.91	13.55	44.36	106.74	-48.83	100	112	Peak	Horizontal		
8	5919.50	58.81	14.33	44.48	72.25	-13.44	100	112	Peak	Horizontal		
9	5981.50	59.09	15.16	44.53	68.20	-8.51	100	112	Peak	Horizontal		



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



No.	Freq MHz	Level dBuV/m	Read		Limit		Over	APos cm	TPos deg	Remark	Pol/Phase	Note
			Level dBuV	Factor	Line dB/m	Limit dBuV/m						
1	5628.50	57.00	14.31	43.59	68.20	-10.30	100	68	Peak	Vertical		
2	5671.50	57.54	13.96	43.58	84.15	-26.61	100	68	Peak	Vertical		
3	5720.00	61.28	17.52	43.76	110.80	-49.52	100	68	Peak	Vertical		
4	5724.00	69.03	25.23	43.80	130.16	-61.13	100	68	Peak	Vertical		
5	5745.00	110.12	66.09	44.03	135.00	-24.88	100	68	Peak	Vertical		
6	5851.50	58.21	13.93	44.28	127.74	-69.53	100	68	Peak	Vertical		
7	5856.50	60.52	16.22	44.30	110.38	-49.86	100	68	Peak	Vertical		
8	5890.50	58.54	14.88	44.46	93.70	-35.16	100	68	Peak	Vertical		
9	5951.50	58.97	14.52	44.45	68.20	-9.23	100	68	Peak	Vertical		


802.11ax HE20

CH 157 (Horizontal) Peak

CH 157 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5468.00	58.06	14.37	43.69	68.20	-10.14	100	115 Peak	Horizontal	
2	5664.50	57.55	13.97	43.58	78.96	-21.41	100	115 Peak	Horizontal	
3	5781.50	57.35	13.78	43.57	105.62	-48.27	100	115 Peak	Horizontal	
4	5720.00	57.28	13.52	43.76	110.00	-53.52	100	115 Peak	Horizontal	
5	5785.00	114.44	70.33	44.11	135.00	-20.56	100	115 Peak	Horizontal	
6	5852.50	57.76	13.48	44.28	118.06	-60.30	100	115 Peak	Horizontal	
7	5874.00	58.38	13.99	44.39	105.48	-47.10	100	115 Peak	Horizontal	
8	5987.00	59.04	14.54	44.50	81.48	-22.44	100	115 Peak	Horizontal	
9	5984.50	58.81	14.26	44.55	68.20	-9.39	100	115 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5539.50	57.89	14.16	43.73	68.20	-10.31	100	72 Peak	Vertical	
2	5677.00	57.80	14.22	43.58	88.22	-30.42	100	72 Peak	Vertical	
3	5719.00	57.25	13.50	43.75	110.52	-53.27	100	72 Peak	Vertical	
4	5723.00	57.47	13.68	43.79	125.32	-67.85	100	72 Peak	Vertical	
5	5785.00	110.26	66.15	44.11	135.00	-24.74	100	72 Peak	Vertical	
6	5852.00	58.19	13.91	44.28	125.32	-67.13	100	72 Peak	Vertical	
7	5868.00	58.91	14.56	44.35	107.16	-48.25	100	72 Peak	Vertical	
8	5883.00	59.11	14.69	44.42	99.26	-40.15	100	72 Peak	Vertical	
9	5980.50	59.09	14.56	44.53	68.20	-9.11	100	72 Peak	Vertical	


802.11ax HE20

CH 165 (Horizontal) Peak

CH 165 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5536.00	58.32	14.58	43.74	68.20	-9.88	100	115 Peak	Horizontal	
2	5675.50	68.05	16.48	43.57	87.11	-27.06	100	115 Peak	Horizontal	
3	5714.00	57.20	13.50	43.70	109.12	-51.92	100	115 Peak	Horizontal	
4	5721.50	57.10	13.32	43.78	118.06	-60.96	100	115 Peak	Horizontal	
5	5825.00	114.45	78.25	44.20	135.00	-20.55	100	115 Peak	Horizontal	
6	5858.50	62.33	18.06	44.27	132.58	-70.25	100	115 Peak	Horizontal	
7	5858.00	59.67	15.37	44.30	109.96	-50.29	100	115 Peak	Horizontal	
8	5887.50	59.14	14.69	44.45	95.92	-36.78	100	115 Peak	Horizontal	
9	5927.00	59.06	14.58	44.48	68.20	-9.14	100	115 Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level Factor	Line	Limit	dB	cm	deg		
1	5539.50	58.36	14.63	43.73	68.20	-9.84	100	72 Peak	Vertical	
2	5673.50	57.93	14.36	43.57	85.63	-27.70	100	72 Peak	Vertical	
3	5702.00	56.75	13.18	43.57	105.76	-49.01	100	72 Peak	Vertical	
4	5721.50	56.40	12.62	43.78	118.06	-61.66	100	72 Peak	Vertical	
5	5825.00	110.95	66.75	44.20	135.00	-24.05	100	72 Peak	Vertical	
6	5852.00	60.11	15.83	44.20	125.32	-65.21	100	72 Peak	Vertical	
7	5856.00	58.59	14.39	44.29	110.52	-51.93	100	72 Peak	Vertical	
8	5895.50	59.06	14.58	44.48	89.99	-30.93	100	72 Peak	Vertical	
9	5999.50	59.27	14.68	44.59	68.20	-8.93	100	72 Peak	Vertical	


802.11ax HE40

CH 151 (Horizontal) Peak

CH 151 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



No.	Freq	Level	Read		Limit		Over	APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit						
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5616.00	57.74	14.16	43.58	68.20	-10.46	377	183	Peak	Horizontal		
2	5655.00	57.36	13.76	43.60	71.91	-14.55	377	183	Peak	Horizontal		
3	5719.50	68.34	24.58	43.76	110.66	-42.32	377	183	Peak	Horizontal		
4	5722.00	70.49	26.71	43.78	120.48	-49.99	377	183	Peak	Horizontal		
5	5755.00	113.91	69.82	44.09	135.00	-21.09	377	183	Peak	Horizontal		
6	5853.50	58.45	14.17	44.28	118.06	-59.61	377	183	Peak	Horizontal		
7	5860.00	59.26	14.94	44.32	109.40	-50.14	377	183	Peak	Horizontal		
8	5895.00	59.27	14.79	44.48	90.36	-31.09	377	183	Peak	Horizontal		
9	5928.50	58.29	13.82	44.47	68.20	-9.91	377	183	Peak	Horizontal		



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



No.	Freq	Level	Read		Limit		Over	APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit						
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg				
1	5567.50	57.05	14.28	43.67	68.20	-10.25	218	255	Peak	Vertical		
2	5696.00	58.11	14.57	43.54	109.73	-45.62	218	255	Peak	Vertical		
3	5716.50	64.23	20.50	43.73	109.82	-45.59	218	255	Peak	Vertical		
4	5725.00	68.53	24.72	43.81	135.00	-66.47	218	255	Peak	Vertical		
5	5755.00	109.40	65.31	44.09	135.00	-25.60	218	255	Peak	Vertical		
6	5851.00	58.29	14.02	44.27	130.16	-71.87	218	255	Peak	Vertical		
7	5869.00	58.38	14.02	44.36	106.88	-48.50	218	255	Peak	Vertical		
8	5921.00	58.58	14.01	44.49	71.15	-12.65	218	255	Peak	Vertical		
9	5950.00	58.64	14.19	44.45	68.20	-9.56	218	255	Peak	Vertical		


802.11ax HE40

CH 159 (Horizontal) Peak

CH 159 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
1	Level	Line	Limit	cm	deg				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5476.00	57.06	13.36	43.70	68.20	-11.14	304	254 Peak	Horizontal
2	5654.50	58.17	14.57	43.60	71.54	-13.37	304	254 Peak	Horizontal
3	5714.50	57.22	13.51	43.71	109.26	-52.04	304	254 Peak	Horizontal
4	5721.00	57.34	13.57	43.77	115.64	-58.30	304	254 Peak	Horizontal
5	5795.00	110.89	66.77	44.12	135.00	-24.11	304	254 Peak	Horizontal
6	5853.00	58.60	14.32	44.28	120.48	-61.80	304	254 Peak	Horizontal
7	5857.00	58.25	13.95	44.30	110.24	-51.99	304	254 Peak	Horizontal
8	5892.00	58.87	14.40	44.47	92.58	-33.71	304	254 Peak	Horizontal
9	5949.50	58.24	13.79	44.45	68.20	-9.96	304	254 Peak	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1100 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
1	Level	Line	Limit	cm	deg				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	5502.00	57.81	14.03	43.78	68.20	-10.39	294	256 Peak	Vertical
2	5682.00	58.16	14.59	43.57	91.92	-33.76	294	256 Peak	Vertical
3	5719.00	57.58	13.83	43.75	110.52	-52.94	294	256 Peak	Vertical
4	5722.00	57.70	13.92	43.78	120.48	-62.78	294	256 Peak	Vertical
5	5795.00	108.59	64.47	44.12	135.00	-26.41	294	256 Peak	Vertical
6	5854.50	58.05	13.76	44.29	113.22	-55.17	294	256 Peak	Vertical
7	5863.00	59.17	14.84	44.33	100.56	-49.39	294	256 Peak	Vertical
8	5908.00	59.51	15.00	44.51	86.66	-27.15	294	256 Peak	Vertical
9	5999.50	59.21	14.62	44.59	68.20	-8.99	294	256 Peak	Vertical


802.11ax HE80

CH 155 (Horizontal) Peak

CH 155 (Vertical) Peak




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5547.00	58.11	14.38	43.73	68.20	-10.09	100	115	Peak	Horizontal	
2	5698.50	66.41	22.87	43.54	104.09	-37.68	100	115	Peak	Horizontal	
3	5714.50	78.90	27.19	43.71	109.26	-38.36	100	115	Peak	Horizontal	
4	5724.00	78.86	27.06	43.80	130.16	-59.30	100	115	Peak	Horizontal	
5	5775.00	108.65	64.54	44.11	135.00	-26.35	100	115	Peak	Horizontal	
6	5858.00	63.24	18.97	44.27	135.00	-71.76	100	115	Peak	Horizontal	
7	5858.00	65.97	21.67	44.30	169.96	-43.99	100	115	Peak	Horizontal	
8	5877.50	59.90	15.50	44.40	183.34	-43.44	100	115	Peak	Horizontal	
9	5955.50	59.08	14.62	44.46	68.20	-9.12	100	115	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq (MHz)	Level (dBuV/m)	Read Level (dBuV)	Factor (dB/m)	Limit (dBuV/m)	Over Limit (dB)	APos (cm)	TPos (deg)	Remark	Pol/Phase	Note
1	5572.50	58.27	14.62	43.65	68.20	-9.93	100	72	Peak	Vertical	
2	5700.00	62.75	19.21	43.54	105.20	-42.45	100	72	Peak	Vertical	
3	5728.00	64.08	20.32	43.76	110.80	-46.72	100	72	Peak	Vertical	
4	5728.00	64.08	20.32	43.76	110.80	-46.72	100	72	Peak	Vertical	
5	5775.00	104.91	60.80	44.11	135.00	-30.09	100	72	Peak	Vertical	
6	5855.00	62.55	18.27	44.28	120.48	-57.93	100	72	Peak	Vertical	
7	5856.00	61.51	17.32	44.29	110.52	-48.91	100	72	Peak	Vertical	
8	5899.00	59.17	14.66	44.51	87.40	-28.23	100	72	Peak	Vertical	
9	5998.50	58.82	14.23	44.59	68.20	-9.38	100	72	Peak	Vertical	

Spurious Emissions, Tx Mode, 9kHz ~30MHz
U-NII-2C


802.11ax HE40

CH 110(Open) (9kHz ~ 150kHz)

CH 110(Open) (150kHz ~ 30MHz)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq MHz	Level dBuV/m	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
1	0.01	61.65	43.34	18.31	127.68	-65.95	100	182 Peak	Open	
2	0.03	62.72	42.91	19.81	119.13	-56.41	100	194 Peak	Open	
3	0.06	59.30	40.53	18.77	111.51	-52.21	100	208 Peak	Open	
4	0.07	58.84	40.09	18.75	111.19	-52.35	100	230 Peak	Open	
5	0.13	50.67	32.00	18.67	105.54	-54.87	100	229 Peak	Open	
6	0.13	49.63	30.93	18.70	105.19	-55.56	100	230 Peak	Open	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Peak	Freq MHz	Level dBuV/m	Read Level Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
1	0.24	56.08	37.00	19.08	100.01	-43.93	100	258 Peak	Open	
2	4.36	36.39	16.90	19.49	69.50	-33.11	100	275 Peak	Open	
3	7.13	34.81	13.96	20.85	69.50	-34.69	100	241 Peak	Open	
4	13.02	34.73	13.31	21.42	69.50	-34.77	100	69 Peak	Open	
5	18.66	35.29	12.85	22.44	69.50	-34.21	100	2 Peak	Open	
6	23.97	35.44	13.35	22.09	69.50	-34.06	100	320 Peak	Open	

Spurious Emissions, Tx Mode, 1GHz ~ 40GHz
U-NII-1


802.11a

CH 36 (Horizontal)


CH 36 (Vertical)



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TÜV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




802.11a

CH 40 (Horizontal)

CH 40 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Factor	Line	Limit		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg
1 10440.00	64.93	65.63	-0.70	68.20	-3.27	282	314 Peak Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Factor	Line	Limit		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg
1 10440.00	66.85	67.55	-0.70	68.20	-1.35	300	322 Peak Vertical


802.11a

CH 48 (Horizontal)

CH 48 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10488.00	62.27	62.88	-0.53	68.20	-5.93	100	92	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10488.00	66.96	67.49	-0.53	68.20	-1.24	100	41	Peak	Vertical	


802.11ax HE20

CH 36 (Horizontal)

CH 36 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10360.00	64.15	64.86	-0.71	68.20	-4.05	100	41	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10360.00	66.27	66.98	-0.71	68.20	-1.93	100	131	Peak	Vertical	


802.11ax HE20

CH 40 (Horizontal)

CH 40 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Factor	Line	Limit		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg
1 10440.00	63.56	64.26	-0.70	68.20	-4.64	100	34 Peak Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Factor	Line	Limit		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg
1 10440.00	66.92	67.62	-0.70	68.20	-1.28	100	113 Peak Vertical


802.11ax HE20

CH 48 (Horizontal)

CH 48 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10488.00	62.49	63.02	-0.53	68.20	-5.71	200	12	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10488.00	66.91	67.44	-0.53	68.20	-1.29	300	319	Peak	Vertical	

802.11ax HE40

CH 38 (Horizontal)


CH 38 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenhiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10388.00	61.61	62.31	-0.70	68.20	-6.59	100	46	Peak	Horizontal
---	----------	-------	-------	-------	-------	-------	-----	----	------	------------



1	10388.00	65.18	65.88	-0.70	68.20	-3.02	100	168	Peak	Vertical
---	----------	-------	-------	-------	-------	-------	-----	-----	------	----------


802.11ax HE40

CH 46 (Horizontal)

CH 46 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10460.00	68.06	68.64	-0.58	68.20	-8.14	100	89	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10460.00	62.54	63.12	-0.58	68.20	-5.66	100	174	Peak	Vertical	


802.11ax HE80

CH 42 (Horizontal)

CH 42 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10420.00	56.83	57.48	-0.65	68.20	-11.37	100	35	Peak	Horizontal
---	----------	-------	-------	-------	-------	--------	-----	----	------	------------



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10420.00	58.77	59.42	-0.65	68.20	-9.43	300	297	Peak	Vertical
---	----------	-------	-------	-------	-------	-------	-----	-----	------	----------

U-NII-2A


802.11a

CH 52 (Horizontal)

CH 52 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Factor	Line	Limit		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg
1 10520.00	63.77	64.26	-0.49	68.20	-4.43	200	275 Peak Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Factor	Line	Limit		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg
1 10520.00	67.13	67.62	-0.49	68.20	-1.07	100	154 Peak Vertical


802.11a

CH 60 (Horizontal)

CH 60 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level	Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10600.00	63.89	64.34	-0.45	74.00	-10.11	100	309 Peak	Horizontal
2	10600.00	50.78	51.23	-0.45	54.00	-3.22	100	309 Average	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level	Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10600.00	66.41	66.86	-0.45	74.00	-7.59	100	132 Peak	Vertical
2	10600.00	52.44	52.89	-0.45	54.00	-1.56	100	132 Average	Vertical


802.11a

CH 64 (Horizontal)

CH 64 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
1	10640.00	68.58	68.97	-0.39	74.00	-13.42	100	305 Peak	Horizontal
2	10640.00	49.99	50.38	-0.39	54.00	-4.01	100	305 Average	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note	
1	10640.00	65.94	66.33	-0.39	74.00	-8.06	100	53 Peak	Vertical
2	10640.00	52.41	52.80	-0.39	54.00	-1.59	100	53 Average	Vertical


802.11ax HE20

CH 52 (Horizontal)

CH 52 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10520.00	65.80	66.29	-0.49	68.20	-2.40	303	302	Peak	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10520.00	66.22	66.71	-0.49	68.20	-1.98	100	164	Peak	Vertical	


802.11ax HE20

CH 60 (Horizontal)

CH 60 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level	Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10690.00	65.92	66.37	-0.45	74.00	-8.08	323	342 Peak	Horizontal
2	10690.00	48.81	49.26	-0.45	54.00	-5.19	323	342 Average	Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note		
Freq	Level	Level	Factor	Line	Limit				
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	10690.00	67.09	67.54	-0.45	74.00	-6.91	300	352 Peak	Vertical
2	10690.00	52.77	53.22	-0.45	54.00	-1.23	300	352 Average	Vertical


802.11ax HE20

CH 64 (Horizontal)

CH 64 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
1	Level	Line	Limit	cm	deg			
2	Level	Line	Limit	cm	deg			
1	10640.00	65.77	66.16	-0.39	74.00	-8.23	300	317 Peak Horizontal
2	10640.00	58.44	58.83	-0.39	54.00	-3.56	300	317 Average Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
1	Level	Line	Limit	cm	deg			
2	Level	Line	Limit	cm	deg			
1	10640.00	66.76	67.15	-0.39	74.00	-7.24	300	308 Peak Vertical
2	10640.00	52.37	52.76	-0.39	54.00	-1.63	300	308 Average Vertical


802.11ax HE40

CH 54 (Horizontal)

CH 54 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10540.00	59.41	59.88	-0.47	68.20	-8.79	100	308	Peak	Horizontal
---	----------	-------	-------	-------	-------	-------	-----	-----	------	------------



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10540.00	61.98	62.45	-0.47	68.20	-6.22	100	136	Peak	Vertical
---	----------	-------	-------	-------	-------	-------	-----	-----	------	----------


802.11ax HE40

CH 62 (Horizontal)

CH 62 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10620.00	59.73	60.16	-0.43	74.00	-14.27	100	310	Peak	Horizontal	
2	10620.00	46.50	46.93	-0.43	54.00	-7.50	100	310	Average	Horizontal	



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliiao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read		Limit		APos	TPos	Remark	Pol/Phase	Note
			Level	Factor	Line	Limit					
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg			
1	10620.00	63.47	63.90	-0.43	74.00	-10.53	100	167	Peak	Vertical	
2	10620.00	49.40	49.83	-0.43	54.00	-4.60	100	167	Average	Vertical	


802.11ax HE80

CH 58 (Horizontal)

CH 58 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10580.00	57.22	57.69	-0.47	68.20	-10.98	300	309	Peak	Horizontal	
---	----------	-------	-------	-------	-------	--------	-----	-----	------	------------	--



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



1	10580.00	57.84	58.31	-0.47	68.20	-10.36	300	347	Peak	Vertical	
---	----------	-------	-------	-------	-------	--------	-----	-----	------	----------	--


802.11ax HE160

CH 50 (Horizontal)

CH 50 (Vertical)




TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Factor	Line	Limit		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg
1 10500.00	51.59	52.08	-0.49	68.20	-16.61	100	72 Peak Horizontal



TUV Rheinland Taiwan Ltd.
No. 438-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
Freq	Level	Level	Factor	Line	Limit		
MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg
1 10500.00	53.96	54.45	-0.49	68.20	-14.24	100	133 Peak Vertical