




802.11a-Channel 60




802.11a-Channel 64







802.11a-Channel 100





802.11a-Channel 116



802.11a-Channel 140

802.11a-Channel 144


802.11a-Channel 144

802.11a-Channel 149



802.11a-Channel 157

802.11a-Channel 165


802.11ax HE20


Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/MHz)		Total PSD with Duty Factor (dBm/MHz)	Maximum Limit (dBm/MHz)	Pass / Fail
			Chain 0	Chain 1			
U-NII-1	36	5180	5.99	6.43	9.23	11.00	Pass
	40	5200	5.90	6.33	9.13	11.00	Pass
	48	5240	4.79	5.15	7.98	11.00	Pass
U-NII-2A	52	5260	6.16	6.63	9.41	11.00	Pass
	60	5300	6.07	6.50	9.30	11.00	Pass
	64	5320	6.12	6.16	9.15	11.00	Pass
U-NII-2C	100	5500	6.35	6.79	9.59	11.00	Pass
	116	5580	6.02	6.55	9.30	11.00	Pass
	140	5700	6.67	6.64	9.67	11.00	Pass
	144	5720	6.66	6.75	9.72	11.00	Pass

Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/500kHz)		Total PSD with Duty Factor (dBm/500kHz)	Maximum Limit (dBm/500kHz)	Pass / Fail
			Chain 0	Chain 1			
U-NII-3	144	5720	3.57	3.15	6.38	30.00	Pass
	149	5745	3.69	3.96	6.84	30.00	Pass
	157	5785	3.38	3.61	6.51	30.00	Pass
	165	5825	4.21	3.36	6.82	30.00	Pass


802.11ax HE20-Channel 36




802.11ax HE20-Channel 40





802.11ax HE20-Channel 48




802.11ax HE20-Channel 52






802.11ax HE20-Channel 60

802.11ax HE20-Channel 64




802.11ax HE20-Channel 100




802.11ax HE20-Channel 116




802.11ax HE20-Channel 140

802.11ax HE20-Channel 144


802.11ax HE20-Channel 144

802.11ax HE20-Channel 149


802.11ax HE20-Channel 157



802.11ax HE20-Channel 165




802.11ax HE40


Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/MHz)		Total PSD with Duty Factor (dBm/MHz)	Maximum Limit (dBm/MHz)	Pass / Fail
			Chain 0	Chain 1			
U-NII-1	38	5190	3.63	3.70	6.68	11.00	Pass
	46	5230	3.21	3.17	6.20	11.00	Pass
U-NII-2A	54	5270	3.28	3.54	6.42	11.00	Pass
	62	5310	3.02	3.28	6.16	11.00	Pass
U-NII-2C	102	5510	3.46	3.85	6.67	11.00	Pass
	110	5550	2.97	3.93	6.49	11.00	Pass
	134	5670	2.53	3.67	6.15	11.00	Pass
	142	5710	3.84	3.71	6.79	11.00	Pass

Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/500kHz)		Total PSD with Duty Factor (dBm/500kHz)	Maximum Limit (dBm/500kHz)	Pass / Fail
			Chain 0	Chain 1			
U-NII-3	142	5710	-0.20	-0.53	2.65	30.00	Pass
	151	5755	1.47	0.32	3.94	30.00	Pass
	159	5795	0.90	-0.35	3.33	30.00	Pass


802.11ax HE40-Channel 38




802.11ax HE40-Channel 46







802.11ax HE40-Channel 54





802.11ax HE40-Channel 62




802.11ax HE40-Channel 102

802.11ax HE40-Channel 110


802.11ax HE40-Channel 134

802.11ax HE40-Channel 142


802.11ax HE40-Channel 142

802.11ax HE40-Channel 151



802.11ax HE40-Channel 159




802.11ax HE80

Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/MHz)		Total PSD with Duty Factor (dBm/MHz)	Maximum Limit (dBm/MHz)	Pass / Fail
			Chain 0	Chain 1			
U-NII-1	42	5210	0.06	0.02	3.05	11.00	Pass
U-NII-2A	58	5290	0.36	-0.20	3.10	11.00	Pass
U-NII-2C	106	5530	0.66	0.53	3.61	11.00	Pass
	122	5610	1.07	0.57	3.84	11.00	Pass
	138	5690	-0.79	0.19	2.74	11.00	Pass


Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/500kHz)		Total PSD with Duty Factor (dBm/500kHz)	Maximum Limit (dBm/500kHz)	Pass / Fail
			Chain 0	Chain 1			
U-NII-3	138	5690	-5.23	-4.41	-1.79	30.00	Pass
	155	5775	-1.99	-2.55	0.75	30.00	Pass



802.11ax HE80-Channel 42




802.11ax HE80-Channel 58



802.11ax HE80-Channel 106






802.11ax HE80-Channel 122

802.11ax HE80-Channel 138


802.11ax HE80-Channel 138

802.11ax HE80-Channel 155


802.11ax HE160

Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/MHz)		Total PSD with Duty Factor (dBm/MHz)	Maximum Limit (dBm/MHz)	Pass / Fail
			Chain 0	Chain 1			
U-NII-1	50	5250	-5.90	-5.87	-2.87	11.00	Pass
U-NII-2A	50	5250	-5.53	-5.46	-2.48	11.00	Pass
U-NII-2C	114	5570	-4.80	-3.92	-1.33	11.00	Pass

802.11ax HE160-Channel 50-(U-NII-1)



802.11ax HE160-Channel 50-(U-NII-2A)

802.11ax HE160-Channel 114


<Partial RU>
802.11ax HE20_RU26


Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/MHz)		Total PSD with Duty Factor (dBm/MHz)	Maximum Limit (dBm/MHz)	Pass / Fail
			Chain 0	Chain 1			
U-NII-1	36	5180	6.28	5.06	8.72	11.00	Pass
	40	5200	6.46	4.68	8.67	11.00	Pass
	48	5240	4.76	4.37	7.58	11.00	Pass
U-NII-2A	52	5260	6.12	5.36	8.77	11.00	Pass
	60	5300	6.23	5.65	8.96	11.00	Pass
	64	5320	5.70	5.88	8.80	11.00	Pass
U-NII-2C	100	5500	6.24	6.35	9.31	11.00	Pass
	116	5580	5.79	6.08	8.95	11.00	Pass
	140	5700	6.51	6.57	9.55	11.00	Pass
	144	5720	5.83	5.30	8.58	11.00	Pass

Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/500kHz)		Total PSD with Duty Factor (dBm/500kHz)	Maximum Limit (dBm/500kHz)	Pass / Fail
			Chain 0	Chain 1			
U-NII-3	144	5720	3.74	2.87	6.34	30.00	Pass
	149	5745	2.83	3.59	6.24	30.00	Pass
	157	5785	3.37	3.19	6.29	30.00	Pass
	165	5825	3.96	3.48	6.74	30.00	Pass


802.11ax HE20-Channel 36




802.11ax HE20-Channel 40




802.11ax HE20-Channel 48




802.11ax HE20-Channel 52




802.11ax HE20-Channel 60




802.11ax HE20-Channel 64




802.11ax HE20-Channel 100




802.11ax HE20-Channel 116





802.11ax HE20-Channel 140




802.11ax HE20-Channel 144




802.11ax HE20-Channel 144

802.11ax HE20-Channel 149


802.11ax HE20-Channel 157



802.11ax HE20-Channel 165




802.11ax HE20_RU52


Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/MHz)		Total PSD with Duty Factor (dBm/MHz)	Maximum Limit (dBm/MHz)	Pass / Fail
			Chain 0	Chain 1			
U-NII-1	36	5180	6.15	5.01	8.63	11.00	Pass
	40	5200	6.15	4.94	8.60	11.00	Pass
	48	5240	4.99	3.42	7.29	11.00	Pass
U-NII-2A	52	5260	6.34	4.85	8.67	11.00	Pass
	60	5300	6.45	5.14	8.85	11.00	Pass
	64	5320	5.99	5.46	8.74	11.00	Pass
U-NII-2C	100	5500	6.87	6.07	9.50	11.00	Pass
	116	5580	5.83	5.76	8.81	11.00	Pass
	140	5700	6.17	5.92	9.06	11.00	Pass
	144	5720	5.84	5.20	8.54	11.00	Pass



Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/500kHz)		Total PSD with Duty Factor (dBm/500kHz)	Maximum Limit (dBm/500kHz)	Pass / Fail
			Chain 0	Chain 1			
U-NII-3	144	5720	3.35	2.76	6.08	30.00	Pass
	149	5745	3.46	3.03	6.26	30.00	Pass
	157	5785	3.44	3.27	6.37	30.00	Pass
	165	5825	3.89	3.07	6.51	30.00	Pass

802.11ax HE20-Channel 36




802.11ax HE20-Channel 40




802.11ax HE20-Channel 48

802.11ax HE20-Channel 52



802.11ax HE20-Channel 60




802.11ax HE20-Channel 64




802.11ax HE20-Channel 100




802.11ax HE20-Channel 116





802.11ax HE20-Channel 140




802.11ax HE20-Channel 144




802.11ax HE20-Channel 144

802.11ax HE20-Channel 149


802.11ax HE20-Channel 157



802.11ax HE20-Channel 165




802.11ax HE20_RU106


Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/MHz)		Total PSD with Duty Factor (dBm/MHz)	Maximum Limit (dBm/MHz)	Pass / Fail
			Chain 0	Chain 1			
U-NII-1	36	5180	6.50	5.07	8.97	11.00	Pass
	40	5200	6.40	4.94	8.85	11.00	Pass
	48	5240	5.52	3.59	7.78	11.00	Pass
U-NII-2A	52	5260	6.92	5.24	9.28	11.00	Pass
	60	5300	6.73	5.00	9.07	11.00	Pass
	64	5320	6.44	5.36	9.06	11.00	Pass
U-NII-2C	100	5500	6.36	6.47	9.54	11.00	Pass
	116	5580	6.30	5.73	9.15	11.00	Pass
	140	5700	6.66	6.43	9.67	11.00	Pass
	144	5720	5.81	4.98	8.54	11.00	Pass

Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/500kHz)		Total PSD with Duty Factor (dBm/500kHz)	Maximum Limit (dBm/500kHz)	Pass / Fail
			Chain 0	Chain 1			
U-NII-3	144	5720	3.12	2.27	5.84	30.00	Pass
	149	5745	4.22	3.15	6.84	30.00	Pass
	157	5785	3.34	2.71	6.16	30.00	Pass
	165	5825	4.43	2.41	6.66	30.00	Pass


802.11ax HE20-Channel 36




802.11ax HE20-Channel 40




802.11ax HE20-Channel 48




802.11ax HE20-Channel 52




802.11ax HE20-Channel 60




802.11ax HE20-Channel 64




802.11ax HE20-Channel 100




802.11ax HE20-Channel 116





802.11ax HE20-Channel 140




802.11ax HE20-Channel 144




802.11ax HE20-Channel 144

802.11ax HE20-Channel 149


802.11ax HE20-Channel 157



802.11ax HE20-Channel 165




802.11ax HE20_RU242


Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/MHz)		Total PSD with Duty Factor (dBm/MHz)	Maximum Limit (dBm/MHz)	Pass / Fail
			Chain 0	Chain 1			
U-NII-1	36	5180	3.74	4.75	7.50	11.00	Pass
	40	5200	3.66	4.70	7.44	11.00	Pass
	48	5240	2.58	3.95	6.55	11.00	Pass
U-NII-2A	52	5260	4.02	5.20	7.88	11.00	Pass
	60	5300	3.95	4.82	7.64	11.00	Pass
	64	5320	3.70	4.81	7.52	11.00	Pass
U-NII-2C	100	5500	3.64	5.34	7.80	11.00	Pass
	116	5580	3.72	4.97	7.62	11.00	Pass
	140	5700	4.19	4.50	7.58	11.00	Pass
	144	5720	3.77	4.28	7.26	11.00	Pass



Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/500kHz)		Total PSD with Duty Factor (dBm/500kHz)	Maximum Limit (dBm/500kHz)	Pass / Fail
			Chain 0	Chain 1			
U-NII-3	144	5720	0.93	1.60	4.51	30.00	Pass
	149	5745	1.41	1.89	4.89	30.00	Pass
	157	5785	-1.28	0.14	2.72	30.00	Pass
	165	5825	-1.08	-0.15	2.64	30.00	Pass

802.11ax HE20-Channel 36




802.11ax HE20-Channel 40




802.11ax HE20-Channel 48

802.11ax HE20-Channel 52



802.11ax HE20-Channel 60




802.11ax HE20-Channel 64




802.11ax HE20-Channel 100




802.11ax HE20-Channel 116




802.11ax HE20-Channel 140




802.11ax HE20-Channel 144





802.11ax HE20-Channel 144



802.11ax HE20-Channel 149







802.11ax HE20-Channel 157

802.11ax HE20-Channel 165




802.11ax HE40_RU484



Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/MHz)		Total PSD with Duty Factor (dBm/MHz)	Maximum Limit (dBm/MHz)	Pass / Fail
			Chain 0	Chain 1			
U-NII-1	38	5190	-5.98	-4.39	6.34	11.00	Pass
	46	5230	-5.89	-5.23	5.90	11.00	Pass
U-NII-2A	54	5270	-5.70	-4.80	6.22	11.00	Pass
	62	5310	-6.56	-5.06	5.70	11.00	Pass
U-NII-2C	102	5510	-6.01	-3.91	6.61	11.00	Pass
	110	5550	-5.62	-4.99	6.16	11.00	Pass
	134	5670	-5.96	-5.41	5.77	11.00	Pass
	142	5710	-6.15	-6.37	5.19	11.00	Pass



Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/500kHz)		Total PSD with Duty Factor (dBm/500kHz)	Maximum Limit (dBm/500kHz)	Pass / Fail
			Chain 0	Chain 1			
U-NII-3	142	5710	-9.01	-9.87	2.03	30.00	Pass
	151	5755	-8.27	-7.03	3.84	30.00	Pass
	159	5795	-8.81	-7.81	3.17	30.00	Pass

802.11ax HE40-Channel 38

802.11ax HE40-Channel 46



802.11ax HE40-Channel 54

802.11ax HE40-Channel 62


802.11ax HE40-Channel 102

802.11ax HE40-Channel 110


802.11ax HE40-Channel 134

802.11ax HE40-Channel 142


802.11ax HE40-Channel 142

802.11ax HE40-Channel 151



802.11ax HE40-Channel 159







802.11ax HE80_RU996



Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/MHz)		Total PSD with Duty Factor (dBm/MHz)	Maximum Limit (dBm/MHz)	Pass / Fail
			Chain 0	Chain 1			
U-NII-1	42	5210	-11.24	-10.89	2.93	11.00	Pass
U-NII-2A	58	5290	-11.36	-10.91	2.86	11.00	Pass
U-NII-2C	106	5530	-11.27	-10.09	3.35	11.00	Pass
	122	5610	-10.87	-9.83	3.67	11.00	Pass
	138	5690	-11.51	-11.85	2.32	11.00	Pass

Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/500kHz)		Total PSD with Duty Factor (dBm/500kHz)	Maximum Limit (dBm/500kHz)	Pass / Fail
			Chain 0	Chain 1			
U-NII-3	138	5690	-15.16	-17.83	-2.30	30.00	Pass
	155	5775	-13.48	-13.02	0.75	30.00	Pass

802.11ax HE80-Channel 42



802.11ax HE80-Channel 58

802.11ax HE80-Channel 106



802.11ax HE80-Channel 122

802.11ax HE80-Channel 138


802.11ax HE80-Channel 138

802.11ax HE80-Channel 155


802.11ax HE160_RU1992

Band	Channel	Frequency (MHz)	PSD without Duty Factor (dBm/MHz)		Total PSD with Duty Factor (dBm/MHz)	Maximum Limit (dBm/MHz)	Pass / Fail
			Chain 0	Chain 1			
U-NII-1	50	5250	-18.01	-16.49	-3.40	11.00	Pass
U-NII-2A	50	5250	-17.47	-16.79	-3.33	11.00	Pass
U-NII-2C	114	5570	-15.67	-14.97	-1.52	11.00	Pass

802.11ax HE160-Channel 50-(U-NII-1)


802.11ax HE160-Channel 50-(U-NII-2A)

802.11ax HE160-Channel 114
