Report No. : ES/2008/20001 Page : 374 of 387

# **Contents**

#### **APPENDIX**

1. Photographs of Test Setup	375
2. Photographs of EUT	381
3. Photographs of the Battery	386

Page: 375 of 387

### 1. Photographs of Test Setup




Fig.1 Photograph of the SAR measurement System




Fig.2.1 Photograph of the Tissue Simulant Fluid liquid depth 15cm for Left-head Side

Fig.2.2 Photograph of the Tissue Simulant Fluid liquid depth 15cm for Right-head Side

Page: 376 of 387




Fig.2.3 Photograph of the Tissue Simulant Fluid liquid depth 15cm for Right-head Side




Fig.2.4 Photograph of the Tissue Simulant Fluid liquid depth 15cm for Flat (Body)




Fig.2.5 Photograph of the Tissue Simulant Fluid liquid depth 15cm for Flat (Body)




Fig. 2.6 Photograph of the Tissue Simulant Fluid liquid depth 15cm for Flat (Body)




Fig.3 Right Head at Slider-off Section / Cheek-Touch Position

Page: 377 of 387



Fig.4 Right Head at Slider-on Section / Cheek-Touch Position




Fig.5 Right Head at Hold up Section / Cheek-Touch Position




Fig.6 Right Head at Slider-off Section / Ear-Tilt Position(15°)

Page: 378 of 387



Fig.7 Right Head at Slider-on Section / Ear-Tilt Position(15°)




Fig.8 Left Head at Slider-off Section / Cheek-Touch Position




Fig.9 Left Head at Slider-on Section / Cheek-Touch Position

Page: 379 of 387



Fig.10 Left Head at Hold up Section / Cheek-Touch Position




Fig11 Left Head at Slider-off Section / Ear-Tilt Position(15°)



Fig.12 Left Head at Slider-on Section / Ear-Tilt Position(15°)

Page: 380 of 387




Fig.13 Body worn- EUT front to flat phantom and distance between flat phantom and mobile phone is 1.5 cm




Fig.14 Body worn- EUT back to flat phantom and distance between flat phantom and mobile phone is 1.5 cm

Report No. : ES/2008/20001 Page : 381 of 387

# 2. Photographs of the EUT



Fig.15 Front view of device



Fig.16 Back view of device

Report No. : ES/2008/20001 Page : 382 of 387



Fig.17 Front view of device (Slider on)



Fig.18 Back view of device (Slider on)

Report No.: ES/2008/20001 Page: 383 of 387



Fig.19 Right side view of device



Fig.20 Left side view of device

Report No.: ES/2008/20001 Page: 384 of 387



Fig.21 Mobile with AC Charger



Fig.22 Accessories (Headset 1 and Headset 2)

Report No.: ES/2008/20001 Page: 385 of 387



Fig.23 Second solution (changed LCM & Camera)



Fig.24 Third solution (changed PA)

Report No. : ES/2008/20001 Page : 386 of 387

# 3. Photographs of the Battery



Fig.25 Front view of DynaPack Battery




Fig.26 Back view of DynaPack Battery

Report No. : ES/2008/20001 Page : 387 of 387



Fig.27 Front view of Samsung Battery




Fig.28 Back view of Samsung Battery

End of Report