



# RF EXPOSURE REPORT (FOR BLUETOOTH)

**REPORT NO.:** SA110705C18

**MODEL NO.:** PH98100

**FCC ID:** NM8PH98100

**APPLICANT:** HTC Corporation

**ADDRESS:** 6-3, Baoquang Rd., Xindian City, Taipei County,  
Taiwan

**ISSUED BY:** Bureau Veritas Consumer Products Services (H.K.)  
Ltd., Taoyuan Branch

**LAB ADDRESS:** No. 47, 14th Ling, Chia Pau Tsuen, Lin Kou Hsiang,  
Taipei Hsien 244, Taiwan, R.O.C.

**TEST LOCATION:** No. 19, Hwa Ya 2nd Rd, Wen Hwa Tsuen, Kwei Shan  
Hsiang, Taoyuan Hsien 333, Taiwan, R.O.C.



A D T

## RELEASE CONTROL RECORD


ISSUE NO.	REASON FOR CHANGE	DATE ISSUED
Original release	NA	Aug. 03, 2011



## CERTIFICATION

**PRODUCT:** Bar Smartphone  
**MODEL:** PH98100  
**BRAND:** HTC  
**APPLICANT:** HTC Corporation  
**TESTED:** Jul. 18 ~ Jul. 29, 2011  
**TEST SAMPLE:** Production Unit  
**STANDARDS:** **FCC Part 2 (Section 2.1093)**  
**FCC OET Bulletin 65, Supplement C (01-01)**

The above equipment (model: PH98100) have been tested by **Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch**, and found compliance with the requirement of the above standards. The test record, data evaluation & Equipment Under Test (EUT) configurations represented herein are true and accurate accounts of the measurements of the sample's EMC characteristics under the conditions specified in this report.

**PREPARED BY :**  , **DATE :** Aug. 03, 2011  
Pettie Chen / Specialist

**APPROVED BY :**  , **DATE :** Aug. 03, 2011  
Gary Chang / Technical Manager

No Evaluation Required if power is below this threshold:

F(GHz)		mW
Low	2.402	24.58
High	2.480	

Maximum measured transmitter power:

	Pout (dBm)	Pout (mW)
Conducted Power	3.150	2.065
EIRP Power	1.150	1.303

**\*Note:** The antenna is PIFA antenna with -2dBi gain

Threshold for no SAR evaluation is 24.58mW

Transmitter power is 2.065mW

Conclusion: No SAR evaluation required since Transmitter Pout is below FCC threshold