

CONSTRUCTION PHOTOS OF EUT




The EUT were powered by the following adapters, battery & accessories:

NO.	PRODUCT	BRAND	MODEL	DESCRIPTION
1	Power Adapter	HTC	TC U250	I/P: 100-240Vac, 50-60Hz, 200mA O/P: 5Vdc, 1A Manufacturer: Emerson
2			TC U250	I/P: 100-240Vac, 50-60Hz, 200mA O/P: 5Vdc, 1A Manufacturer: Delta
3	Battery 1	HTC	BH98100	Rating: 3.8Vdc, 1620mAh, 6.15Whr
4	Battery 2	HTC	BTR6425B	Rating: 3.8Vdc, 1620mAh, 6.15Whr
5	Extend Battery 3	HTC	BG05200	Rating: 3.7Vdc, 2750mAh, 10.17Whr
6	Extend Battery 4	HTC	BTE6425B	Rating: 3.7Vdc, 2750mAh, 10.17Whr
7	USB cable	HTC	DC T500	1.25m shielded cable without core
8	Earphone	HTC	RC E160	1.25m shielded cable without core
9	beats earphone	HTC	RC E180	1.30m shielded cable without core

Battery 1 & 2, Battery 3 & 4 are the same layout and design and only different from model name for marketing.











A D T

