

# HAC TEST REPORT FOR T-coil

**Test Item: Summary Result T-coil Category = T4**

**REPORT NO.:** TL980505L11

**MODEL NO.:** WHIT100

**RECEIVED:** May 05, 2009

**TESTED :** Jul. 13, 2009

**ISSUED:** Jul. 22, 2009

**APPLICANT:** HTC Corporation

**ADDRESS:** No. 23, Xinghua Rd., Taoyuan City, 330, Taiwan,  
R.O.C.

**ISSUED BY:** Bureau Veritas Consumer Products Services  
(H.K.) Ltd., Taoyuan Branch

**LAB ADDRESS:** No. 47, 14th Ling, Chia Pau Tsuen, Lin Kou  
Hsiang, Taipei Hsien 244, Taiwan, R.O.C.

**TEST LOCATION:** No. 19, Hwa Ya 2nd Rd, Wen Hwa Tsuen, Kwei  
Shan Hsiang, Taoyuan Hsien 333, Taiwan,  
R.O.C.

This test report consists of 29 pages in total except Appendix. It may be duplicated completely for legal use with the approval of the applicant. It should not be reproduced except in full, without the written approval of our laboratory. The client should not use it to claim product endorsement by any government agencies. The test results in the report only apply to the tested sample.

## TABLE OF CONTENTS

1.	CERTIFICATION .....	3
2.	GENERAL INFORMATION .....	4
2.1	GENERAL DESCRIPTION OF THE EUT .....	4
2.2	DESCRIPTION OF SUPPORT UNITS .....	6
2.3	GENERAL DESCRIPTION OF APPLIED STANDARDS .....	6
2.4	MEASUREMENTS FOR CERTIFICATION OF 3G DEVICES .....	7
3.	SUMMARY OF THE TEST RESULTS .....	8
4.	GENERAL INFORMATION OF THE DASY 5 SYSTEM .....	9
4.1	GENERAL INFORMATION OF TEST EQUIPMENT .....	9
4.2	TEST SYSTEM CONFIGURATION .....	13
4.3	TEST EQUIPMENT LIST .....	14
4.4	T-COIL MEASUREMENT UNCERTAINTY .....	15
5.	SYSTEM VALIDATION & CALIBRATION .....	16
5.1	CABLING OF SYSTEM .....	16
5.2	INPUT CHANNEL CALIBRATION .....	16
5.3	PROBE CALIBRATION IN AMCC .....	17
5.4	REFERENCE INPUT LEVEL .....	18
5.4.1	TARGET LEVEL FOR "AUDIO OUT" OF THE AMMI .....	18
5.4.2	THE SIGNAL LEVEL FOR "AUDIO OUT" OF THE AMMI .....	18
5.5	REFERENCE INPUT OF AUDIO SIGNAL SPECTRUM .....	19
6.	T-COIL TEST PROCEDURE .....	20
7.	DESCRIPTION FOR EUT TESTING CONFIGURATION .....	23
8.	T-COIL REQUIREMENTS AND CATEGORY .....	24
8.1	RF EMISSIONS .....	24
8.2	AXIAL FIELD INTENSITY .....	24
8.3	SIGNAL QUALITY .....	24
8.4	FREQUENCY RESPONSE .....	25
9.	T-COIL TEST RESULT .....	26
9.2	FREQUENCY RESPONSE AT AXIAL MEASUREMENT POINT .....	28
10.	INFORMATION ON THE TESTING LABORATORIES .....	29

APPENDIX A1: PROBE CALIBRATION TEST PLOTS

APPENDIX A2: REFERENCE INPUT OF AUDIO SIGNAL SPECTRUM PLOTS

APPENDIX A3: AMBIENT NOISE SPECTRUM PLOTS

APPENDIX B1: SNR TEST PLOTS

APPENDIX B2: FREQUENCY RESPONSE TEST PLOTS

APPENDIX C: SYSTEM EQUIPMENT & CALIBRATION

## 1. CERTIFICATION

**PRODUCT** : Pocket PC Phone

**MODEL NO.** : WHIT100

**APPLICANT** : HTC Corporation

**TESTED** : Jul. 13, 2009

**TEST SAMPLE** : ENGINEERING SAMPLE

**STANDARDS** : FCC 47CFR Part 20.19

ANSI C63.19 2007

**TEST ITEM**: T-coil performance

The above equipment (Model: WHIT100) has been tested by **Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch**, and found compliance with the requirement of the above standards. The test record, data evaluation & Equipment Under Test (EUT) configurations represented herein are true and accurate accounts of the measurements of the sample's EMC characteristics under the conditions specified in this report.

**PREPARED BY** : Andrea Hsia , **DATE**: Jul. 22, 2009  
Andrea Hsia / Specialist

**TECHNICAL ACCEPTANCE** : Long Chen , **DATE**: Jul. 22, 2009  
Responsible for RF Long Chen / Senior Engineer

**APPROVED BY** : Gary Chang , **DATE**: Jul. 22, 2009  
Gary Chang / Assistant Manager

## 2. GENERAL INFORMATION

### 2.1 GENERAL DESCRIPTION OF THE EUT

<b>PRODUCT</b>	Pocket PC Phone
<b>MODEL NO.</b>	WHIT100
<b>FCC ID</b>	NM8WHIT100
<b>POWER SUPPLY</b>	3.7Vdc from rechargeable lithium battery 5.0Vdc from power adapter 5.0Vdc from host equipment
<b>CLASSIFICATION</b>	Portable device, production unit
<b>MODULATION TYPE</b>	OQPSK, HPSK
<b>FREQUENCY RANGE</b>	824MHz ~ 849MHz (CDMA850) 1850MHz ~ 1910MHz (CDMA1900)
<b>CHANNEL FREQUENCIES UNDER TEST AND ITS CONDUCTED OUTPUT POWER</b>	Refer to Section 2.4
<b>T-COIL CATEGORY</b>	T4
<b>ANTENNA TYPE</b>	PIFA antenna with -1dBi gain (For 850 Band) PIFA antenna with 0dBi gain (For 1900 Band)
<b>DATA CABLE</b>	1.25m non-shielded USB cable without core (Brand: MEC & Foxlink)
<b>I/O PORTS</b>	Refer to user's manual
<b>ACCESSORY DEVICES</b>	Adapter, Battery, USB cable

#### NOTE:

- The communicated functions of EUT listed as below:

		850MHz	1900MHz	With WLAN 802.11b/g + BT 2.0 with EDR + GPS
3G	CDMA	√	√	
	1*EVDO Release A	√	√	

- The following accessory is for support units only.

PRODUCT	MODEL	DESCRIPTION
Earphone	RC E150	3.5mm connector 1.3m non-shielded without core

3. The EUT has following accessories.

NO.	PRODUCT	BRAND	MODEL	DESCRIPTION
1	Power Adapter	hTC	TC P300	I/P: 100-240Vac, 50-60Hz, 0.2A O/P: 5Vdc, 1A 1.25m non-shielded cable without core Manufacturer: Delta
2				I/P: 100-240Vac, 50-60Hz, 0.2A O/P: 5Vdc, 1A 1.25m non-shielded cable without core Manufacturer: Foxlink
3	Battery	hTC	RHOD160	Rating: 3.7Vdc, 1500mAh, 5.55Whr P/N: 35H00123-00M Manufacturer: HT
4				Rating: 3.7Vdc, 1500mAh, 5.55Whr P/N: 35H00123-02M Manufacturer: Formosa
5	USB cable	MEC	DC U200	1.25m shielded cable without core
6		Foxlink		
7	Camera	Foxconn	CER968-5M_AF_ASSY	
8		Liteon	08PM15	
9	LCM	EID	L4F00390T00	
10		AUO	H361VL01V0	

\* Item 3, 7, 9 were the worst for the final test.

4. Refer to following table for MEID no.:

MEID NO.
35191703*****

5. Hardware version: NA

6. Software version: NA

7. The above EUT information was declared by manufacturer and for more detailed features description, please refer to the manufacturer's specifications or User's Manual.

## 2.2 DESCRIPTION OF SUPPORT UNITS

The EUT has been tested as an independent unit together with other necessary accessories or support units. The following support units or accessories were used to form a representative test configuration during the tests.

NO.	PRODUCT	BRAND	MODEL NO.	SERIAL NO.	CALIBRATED UNTIL
1	Universal Radio Communication Tester	R&S	CMU200	104484	Feb. 02, 2010

NO.	SIGNAL CABLE DESCRIPTION OF THE ABOVE SUPPORT UNITS
1	NA

**NOTE:** All power cords of the above support units are non shielded (1.8m).

## 2.3 GENERAL DESCRIPTION OF APPLIED STANDARDS

According to the specifications of the manufacturer, this product must comply with the requirements of the following standards:

**FCC 47CFR Part 20.19**

**ANSI C63.19 - 2007**

All test items have been performed and recorded as per the above standards.

## 2.4 MEASUREMENTS FOR CERTIFICATION OF 3G DEVICES

For CDMA devices, RC1 and RC3 CDMA modes are considered in S055 service option. In addition, RC1 and RC3 modes are considered in S02 service option. The conducted power measurements for each mode are shown in the table below.

CDMA 2000 CONDUCTED POWER													
CHAN.	FREQ. (MHz)	CDMA 2000	RAW VALUE (dBm)					CORR. FACTOR (dB)	OUTPUT POWER (dBm)				
		RC	SO2	SO55	TDSO SO32 (FCH)	TDSO SO32 (FCH +SCH)	SO3		SO2	SO55	TDSO SO32 (FCH)	TDSO SO32 (FCH +SCH)	SO3
1013	824.70	RC1	19.01	19.07	-	-	18.69	4.20	23.21	23.27	-	-	22.89
		RC3	18.91	19.29	19.31	18.83	18.78	4.20	23.11	23.49	23.51	23.03	22.98
384	836.52	RC1	19.20	19.09	-	-	18.95	4.20	23.40	23.29	-	-	23.15
		RC3	19.13	19.30	19.38	19.01	19.15	4.20	23.33	23.50	23.58	23.21	23.35
777	848.31	RC1	19.02	19.21	-	-	18.75	4.20	23.22	23.41	-	-	22.95
		RC3	19.03	19.49	19.51	19.25	18.93	4.20	23.23	23.69	23.71	23.45	23.13

CDMA 2000 CONDUCTED POWER													
CHAN.	FREQ. (MHz)	CDMA 2000	RAW VALUE (dBm)					CORR. FACTOR (dB)	OUTPUT POWER (dBm)				
		RC	SO2	SO55	TDSO SO32 (FCH)	TDSO SO32 (FCH +SCH)	SO3		SO2	SO55	TDSO SO32 (FCH)	TDSO SO32 (FCH +SCH)	SO3
25	1851.25	RC1	18.54	18.35	-	-	18.68	4.50	23.04	22.85	-	-	23.18
		RC3	18.59	18.40	18.39	18.37	18.52	4.50	23.09	22.90	22.89	22.87	23.02
600	1880.00	RC1	18.55	18.47	-	-	18.51	4.50	23.05	22.97	-	-	23.01
		RC3	18.60	18.72	18.63	18.45	18.48	4.50	23.10	23.22	23.13	22.95	22.98
1175	1908.75	RC1	18.33	18.11	-	-	18.35	4.50	22.83	22.61	-	-	22.85
		RC3	18.32	18.29	18.45	18.35	18.27	4.50	22.82	22.79	22.95	22.85	22.77

For CDMA devices, **RC1 S03 mode is used for T-coil compliance evaluation.** This RC1 S03 is used for measurements in section x of this report. As per the recent presentation by Qualcomm to the FCC on March 15, 2007, RC1 S03 combination represents the appropriate configuration for T-coil testing.

### 3. SUMMARY OF THE TEST RESULTS

ANSI C63.19 (2007)			
T-coil result			
Mode	(signal + noise)-to-noise ratio in dB	T-Rating	Verdit
CDMA850	34.9	4	PASS
CDMA1900	39.4	4	PASS



## 4. GENERAL INFORMATION OF THE DASY 5 SYSTEM

### 4.1 GENERAL INFORMATION OF TEST EQUIPMENT

**DASY5 (Software 5.0 Build 125)** consists of high precision robot, probe alignment sensor, phantom, robot controller, controlled measurement server and near-field probe. The robot includes six axes that can move to the precision position of the DASY 5 software defined. The DASY 5 software can define the area that is detected by the probe. The robot is connected to controlled box. Controlled measurement server is connected to the controlled robot box. The DAE includes amplifier, signal multiplexing, AD converter, offset measurement and surface detection. It is connected to the Electro-optical coupler (ECO). The ECO performs the conversion from the optical into digital electric signal of the DAE and transfers data to the PC. This system consists of the following items:

#### AM1DV3 Audio Magnetic Field Probe

The AM1D probe is an active probe with a single sensor. It is fully RF-shielded and has a rounded tip 6mm in diameter incorporating a pickup coil with its center offset 3mm from the tip and the sides. The symmetric signal preamplifier in the probe is fed via the shielded symmetric output cable from the AMMI with a 48V “phantom” voltage supply. The 7-pin connector on the back in the axis of the probe does not carry any signals. It is mounted to the DAE for the correct orientation of the sensor. If the probe axis is tilted 54.7 degree from the vertical, the sensor is approximately vertical when the signal connector is at the underside of the probe (cable hanging downwards).

#### Specification:

<b>Frequency range</b>	0.1 ~ 20 kHz (RF sensitivity <-100dB, fully RF shielded )
<b>Sensitivity</b>	<-50dB A/m @ 1 kHz
<b>Pre-amplifier</b>	40 dB, symmetric
<b>Dimensions</b>	Tip diameter/ length: 6/ 290 mm, sensor according to ANSI-C63.19



## DATA ACQUISITION ELECTRONICS ( DAE )

### CONSTRUCTION

The data acquisition electronics (DAE 4) consists of a highly sensitive electrometer grade preamplifier with auto-zeroing, a channel and gain-switching multiplex, a fast 16 bit AD converter and a command decoder and control logic unit. Transmission to the measurement server is accomplished through an optical downlink for data and status information as well as an optical uplink for commands and the clock. The mechanical probe is mounting device includes two different sensor systems for frontal and sideways probe contacts. They are used for mechanical surface detection and probe collision detection. The input impedance of the DAE3,4 box is 200M $\Omega$ m; the inputs are symmetrical and floating. Common mode rejection is above 80dB.



## AMMI

The Audio Magnetic Measuring Instrument (AMMI) is a desktop 19-inch unit containing a sampling unit, a waveform generator for test and calibration signals, and a USB interface.

### Specification:

Sampling rate	48 kHz/24 bit
Dynamic range	85 dB
Test signal generation	User selectable and predefined (via PC)
Calibration	Auto-calibration/full system calibration using AMCC with monitor output

### Connection:

Front connectors  
 Audio Out - audio signal to the base station simulator  
 Coil Out - test and calibration signal to the AMCC  
 Coil In - monitor signal from the AMCC BNO connector  
 Probe In - probe signal

### Dimensions

482 x 65 x 270 mm





## AMCC


The Audio Magnetic Calibration coil is a Helmholtz Coil designed according to ANSI C63.19-2007 section D.9, for calibration of the AM1D probe. The two horizontal coils generate a homogeneous magnetic field in the z direction. The DC input resistance is adjusted to approximately 50 Ohm by a series resistor, and a shunt resistor of 10 Ohm allows monitoring the current with a scale of 1:10.

### Specification:

Coil In	typically 50 Ohm
Coil Monitor	10Ohm $\pm 1\%$ (100mV corresponding to 1 A/m)
Dimensions	370 x 370 x 196 mm



## HAC ARCH



**DIMENSIONS** 370 x 370 x 370mm

## DEVICE HOLDER



**CONSTRUCTION** Supports accurate and reliable positioning of any phone effect on near field <+/- 0.5dB

## 4.2 TEST SYSTEM CONFIGURATION




Figure 4.2: T-Coil setup with HAC Test Arch and AMCC

### 4.3 TEST EQUIPMENT LIST

ITEM	NAME	BAND	TYPE	SERIES NO.	DATE OF CALIBRATION	DUE DATE OF CALIBRATION
1	Audio Band Magnetic Probe	SPEAG	AM1DV3	3060	Dec. 03, 2008	Dec. 02, 2009
2	DAE	SPEAG	DAE4	861	Sep. 22, 2008	Sep. 21, 2009
3	Audio Band Magnetic Measuring Instrument	SPEAG	AMMI	1075	NA	NA
4	Helmholtz Coil	SPEAG	AMCC	1076	NA	NA
5	HAC Arch	SPEAG	HAC ARCH	1034	NA	NA
6	Robot Positioner	Staubli Unimation	NA	NA	NA	NA

**NOTE1:** All test equipment has been calibrated by the SPEAG. Please reference" APPENDIX B "for the calibration report.

**NOTE2:** Before starting the measurement, all test equipment shall be warmed up for 30min.

#### 4.4 T-COIL MEASUREMENT UNCERTAINTY

HAC UNCERTAINTY BUDGET ACCORDING TO ANSI C63.19							
ERROR DESCRIPTION	UNCERTAINTY VALUE	PROBABILITY DISTRIBUTION	DIV.	(Ci) ABM1	(Ci) ABM2	STD. UNC. AMB1	STD. UNC. AMB2
<b>PROBE SENSITIVITY</b>							
Reference level	±3.0%	Normal	1	1	1	±3.0%	±3.0%
AMCC geometry	±0.4%	Rectangular	√3	1	1	±0.2%	±0.2%
AMCC current	±1.0%	Rectangular	√3	1	1	±0.6%	±0.6%
Probe positioning during calibration	±0.1%	Rectangular	√3	1	1	±0.1%	±0.1%
Noise contribution	±0.7%	Rectangular	√3	0.0143	1	±0.0%	±0.4%
Frequency slope	±5.9%	Rectangular	√3	0.1	1	±0.3%	±3.5%
<b>PROBE SYSTEM</b>							
Repeatability / Drift	±1.0%	Rectangular	√3	1	1	±0.6%	±0.6%
Linearity / Dynamic range	±0.6%	Rectangular	√3	1	1	±0.4%	±0.4%
Acoustic noise	±1.0%	Rectangular	√3	0.1	1	±0.1%	±0.6%
Probe angle	±2.3%	Rectangular	√3	1	1	±1.4%	±1.4%
Spectral processing	±0.9%	Rectangular	√3	1	1	±0.5%	±0.5%
Integration time	±0.6%	Normal	1	1	5	±0.6%	±3.0%
Field distribution	±0.2%	Rectangular	√3	1	1	±0.1%	±0.1%
<b>TEST SIGNAL</b>							
Reference signal spectral response	±0.6%	Rectangular	√3	0	1	±0.0%	±0.4%
<b>POSITIONING</b>							
Probe positioning	±1.9%	Rectangular	√3	1	1	±1.1%	±1.1%
Phantom thickness	±0.9%	Rectangular	√3	1	1	±0.5%	±0.5%
DUT positioning	±1.9%	Rectangular	√3	1	1	±1.1%	±1.1%
<b>EXTERNAL CONTRIBUTIONS</b>							
RF interference	±0.0%	Rectangular	√3	1	0.3	±0.0%	±0.0%
Test signal variation	±2.0%	Rectangular	√3	1	1	±1.2%	±1.2%
<b>Combined Standard Uncertainty (ABM):</b>						<b>±4.1%</b>	<b>±6.1%</b>
<b>Extended Standard Uncertainty (k=2) [%]:</b>						<b>±8.1%</b>	<b>±12.3%</b>

The uncertainty budget for HAC Audio Band Magnetic Field (AMB) assessment according to ANSI C63.19-2007. The budget is valid for the DASY system and represents a worst- case analysis. For specific tests and configurations, the uncertainty could be smaller.



## 5. SYSTEM VALIDATION & CALIBRATION

At the beginning of the HAC T-coil measurement, a 3-phase calibration was performed per Speag instruction to ensure accurate measurement of the voltages and ABM field. Reference input level was also validated and calibrated per C63.19.

### 5.1 CABLING OF SYSTEM

The principal cabling of the T-Coil setup is shown in Figure 6.1 All cables provided with the basic setup have a length of approximately 5 m.




Figure 5.1: -Coil setup cabling

### 5.2 INPUT CHANNEL CALIBRATION

Phase 1: The AMMI audio output was switched off, and a 200 mV<sub>pp</sub> symmetric rectangular signal of 1 kHz was generated and internally connected directly to both channels of the sampling unit (coil in, probe in).

Phase 2: The AMMI audio output was off, and a 20 mV<sub>pp</sub> symmetric 100 Hz signal was internally connected.

The signals during phases 1 and 2 were available at the output on the rear panel of the AMMI. The output must however not be loaded in order not to influence the calibration. After the first two phases, the two input channels were both calibrated for absolute measurements of voltages. The resulting factors were displayed above the multimeter window.

After phases 1 and 2, the input channels were calibrated to measure exact voltages.



### 5.3 PROBE CALIBRATION IN AMCC

#### Phase 3: Probe Calibration in AMCC

The probe sensitivity at **1 kHz is 0.00731303V / (A/m)** was calibrated by AMCC coil for verification of setup performance. The evaluated probe sensitivity was able to be compared to the calibration of the AM1D probe. The frequency response and sensitivity was shown in appendix A1. The probe signal is represented after application of an ideal integrator. The green curve represents the current through the AMCC, the blue curve the integrated probe signal. The difference between the two curves is equivalent to the frequency response of the probe system and shows the characteristics. The probe/system complies with the frequency response and linearity requirements in C63.19 according to the Speag's calibrated report as shown in appendix C1

- (1)The frequency response has been tested within +/- 0.5 dB of ideal differentiator from 100 Hz to 10 kHz.
- (2)The linearity has also been tested within 0.1dB from 5 dB below limitation to 16 dB above noise level. The AMCC coil is qualified according to certificate report that shown in appendix C2.

## 5.4 REFERENCE INPUT LEVEL

An Input Level is measured to verify that it is within  $\pm 0.2$  dB from the Reference Input Level in section 6.3.2.1 of ANSI C63.19-2007.

According to ANSI C63.19:2007 section 6.3.2.1, the normal speech input level for HAC T-coil tests shall be set to -16dBm0 for GSM and UMTS (WCDMA), and to -18 dBm0 for CDMA. This technical note shows a possibility to evaluate and set the correct level with the HAC T-Coil setup with a Rohde & Schwarz communication tester CMU200 with audio option B52 and B85.

### 5.4.1 TARGET LEVEL FOR “AUDIO OUT” OF THE AMMI

#### (CMU200 Audio Codec Calibration)

Measured data is shown in Table 5.4.1. This target level takes into account the difference between AMMI’s and CMU’s reference levels.

**Table 5.4.1: Measured Input Level**

Modulation	Reference Input Level from ANSI C63.19 (dBm0)	CMU’s 0dBm0 Input Reference Value (dB)	Target Level for “Audio Out” of AMMI (dBm0)
CDMA	-18	-2.50	-20.5

### 5.4.2 THE SIGNAL LEVEL FOR “AUDIO OUT” OF THE AMMI

#### (AMMI Signal Verification)

Signal Verification has been conducted on the same days as DUT measurements. If it is not within  $\pm 0.2$  dB, the gain settings in the DASY template are adjusted. The obtained results are displayed in Table 5.4.2.

**Table 5.4.2: Measured Input Level**


Modulation	Signal	Measured Level for “Audio Out” of AMMI (dBm0)	Target Level for “Audio Out” of AMMI (dBm0)	Delta (dB)
CDMA	Narrowband	-20.17	-20.5	0.33
	Broadband	-20.27		0.23

## 5.5 REFERENCE INPUT OF AUDIO SIGNAL SPECTRUM

With the reference job "use as reference" in the beginning of a procedure, measure the spectrum of the current when applied to the AMCC, i.e. the input magnetic field spectrum, as shown in the **appendix A2**. For this, the delay of the window shall be set to a multiple of the signal period and at least 2s. From the measurement on the device, using the same signal, the postprocessor deducts the input spectrum, so the result represents the net DUT response.

## 6. T-COIL TEST PROCEDURE

The device was positioned and setup according to ANSI C63.19-2007. The following shows the T-Coil Signal measurement flowchart:



The following steps were a typical test scan for the wireless communications device:



1. Geometry and signal check: system probe alignment, proper operation of the field probe, probe measurement system, other instrumentation, and the positioning system was confirmed.  
A surface calibration was performed before each setup change to ensure repeatable spacing and proper maintenance of the measurement plane using the test Arch.
2. Set the reference drive level of signal voice defined in C63.19 per 6.3.2.1, as shown in the **appendix A2** of this report
3. The ambient and test system background noise (dB A/m) was measured as well as ABM2 over the full measurement. The maximum noise level must be at least 10dB below the limit of C63.19 per 7.3.2.  
For the three probe positions, noise spectrum plots for the highest ambient noise are given in **appendix A3**.
4. The DUT was positioned in its intended test position, acoustic output point of the device perpendicular to the field probe.
5. The DUT operation for maximum rated RF output power was configured and connected by using of coaxial cable connection to the base station simulator at the test channel and other normal operating parameters as intended for the test. The battery was ensured to be fully charged before each test. The center sub-grid was centered over the center of the acoustic output (also audio band magnetic output, if applicable). The DUT audio output was positioned tangent (as physically possible) to the measurement plane.
6. The DUT's RF emission field was eliminated from T-coil results by using a well RF-shielding of the probe, AM1D, and by using of coaxial cable connection to a Base Station Simulator. One test channel was pre-measurement to avoid this possibility.
7. Determined the optimal measurement locations for the DUT by following the three steps, coarse resolution scan, fine resolution scans, and point measurement, as described in C63.19 per 6.3.4.4. At each measurement locations, samples in the measurement window duration were evaluated to get ABM1 and the signal spectrum. The noise measurement was performed after the scan with the signal, the same happened, just with the voice signal switched off. The ABM2 was calculated from this second scan.
  - (1) Coarse resolution scans (1 KHz signal at 50 x 50 mm grid area with 10 mm spacing). Only ABM1 was measured in order to find the location of T-Coil source.
  - (2) Fine resolution scans (1 KHz signal at 10 x 10 mm grid area with 2 mm spacing). The positioned appropriately based on optimal AMB1 of coarse resolution scan. Both ABM1 and ABM2 were measured in order to find the location of the SNR point.
  - (3) Point measurement (1 KHz signal) for ABM1 and ABM2 in axial, radial transverse and radial longitudinal. The positioned appropriately based on optimal SNR of fine resolution scan. The SNR was calculated for axial, radial transverse and radial longitudinal orientation.

- (4) Point measurement (300Hz to 3 KHz signal) for frequency response in axial. The positioned appropriately based on optimal SNR of fine resolution axial scan.
- 8. All results resulting from a measurement point in a T-Coil job were calculated from the signal samples during this window interval. ABM values were averaged over the sequence of these samples.
- 9. At an optimal point measurement, the SNR(ABM1/ABM2) was calculated for axial, radial transverse and radial longitudinal orientation, and the frequency response was measured in axial axis.
- 10. Corrected for the frequency response after the DUT measurement since the DASY5 system had known the spectrum of the input signal by using a reference job, as shown in the **appendix B2** of this report.
- 11. In SEMCAD post-processing, the spectral points are in addition scaled with the high-pass (half-band) and the A-weighting, bandwidth compensated factor (BWC) and those results are final as shown in this report.
- 12. Classified the signal quality based on the T-Coil Signal Quality Categories.

## 7. DESCRIPTION FOR EUT TESTING CONFIGURATION

The phone was tested in normal configurations for the ear use. The DASY5 measurement system specified in section 3.1 was utilized within the intended operations as set by the SPEAG™ setup. The Test Arch provided by SPEAG is used to position the DUT. All tests are done via conducted setup with CMU 200.

The distance is established by positioning the device beneath the test arch phantom so that it is touching the frame. The location and thickness of the arch, and the location/orientation of the coil within the probe housing, are precisely known values in the DASY software. The height of the measurement plane is further fine-tuned by performing a Surface Detection job at the beginning of each test. The end result is that the probe sensor is very precisely located 10mm above the device reference plane.



## 8. T-COIL REQUIREMENTS AND CATEGORY

### 8.1 RF EMISSIONS

EUT has to fulfill RF emission requirements at the axial measurement location.

### 8.2 AXIAL FIELD INTENSITY

The minimum limits of ABM1 field intensity shall be  $\geq -18$  dB (A/m) at 1 kHz, in a 1/3 octave band filter for all orientations.

### 8.3 SIGNAL QUALITY

Table 9.3 provides the signal quality requirement for the intended T-Coil signal from a Wireless Device. The worst Signal Quality of the axial and radial components of the magnetic field was used to determine the T-Coil category

Category	Telephone parameters WD signal quality [(signal + noise)-to-noise ratio in decibels]
Category T1	0 dB to 10 dB
Category T2	10 dB to 20 dB
Category T3	20 dB to 30 dB
Category T4	> 30 dB



## 8.4 FREQUENCY RESPONSE

The frequency response of the axial component must follow the frequency curve specified in ANSI C63.19-2007 section 7.3.3, over the frequency range 300-3000 Hz.




Figure 8.4a Magnetic field frequency response for WDs with a field  $\leq -15$  dB (A/m) at 1 kHz




Figure 8.4b Magnetic field frequency response for WDs with a field that exceeds  $-15$  dB(A/m) at 1 kHz

## 9. T-COIL TEST RESULT

### 9.1 SNR MEASUREMENT RESULT

For WHIT 100 1st (For Camera Brand: Foxconn & LCM Brand: EID)

Probe Position	Band	Channel	Measurement Position (x mm, y mm)	Ambient Background Noise (dB A/m)	ABM2 (dB A/m)	ABM1 (dB A/m)	SNR (dB)	T-coil SNR Rating
Radial 1 (Longitudinal)	CDMA 850	1013	-8, -2	-54.76	-43.65	-3.95	39.7	T4
		384	-8, -2	-54.95	-42.69	-4.39	38.3	T4
		777	-6, 0	-54.89	-38.93	-4.03	34.9	T4
	CDMA 1900	25	6, -4	-54.93	-45.57	-6.17	39.4	T4
		600	-8, -4	-55.02	-51.71	-3.81	47.9	T4
		1175	-6, -2	-54.90	-51.66	-4.26	47.4	T4
Radial2 (Transversal)	CDMA 850	1013	2, -8	-54.61	-51.34	-5.34	46.0	T4
		384	2, -8	-54.63	-51.02	-4.42	46.6	T4
		777	2, -8	-54.71	-48.64	-4.14	44.5	T4
	CDMA 1900	25	0, -8	-54.51	-52.92	-5.42	47.5	T4
		600	-2, -8	-54.12	-54.10	-5.80	48.3	T4
		1175	0, -10	-53.93	-53.68	-5.68	48.0	T4
Axial	CDMA 850	1013	0, -4	-53.99	-39.71	4.19	43.9	T4
		384	0, -4	-54.07	-38.63	2.57	41.2	T4
		777	-2, -4	-54.06	-39.25	1.75	41.0	T4
	CDMA 1900	25	0, -4	-54.19	-45.34	3.56	48.9	T4
		600	0, 0	-54.21	-48.20	2.40	50.6	T4
		1175	0, -4	-54.24	-46.42	4.08	50.5	T4

For WHIT 100 2nd (For Camera Brand: Liteon & LCM Brand: AUO)

Probe Position	Band	Channel	Measurement Position (x mm, y mm)	Ambient Background Noise (dB A/m)	ABM2 (dB A/m)	ABM1 (dB A/m)	SNR (dB)	T-coil SNR Rating
Radial 1 (Longitudinal)	CDMA 850	777	-8, -2	-54.94	-52.53	-5.33	47.2	T4
	CDMA 1900	25	-6, -2	-55.01	-46.65	-3.65	43.0	T4
Radial2 (Transversal)	CDMA 850	777	0, -8	-54.76	-52.53	-5.63	46.9	T4
	CDMA 1900	25	0, 8	-54.82	-52.73	-4.73	48.0	T4
Axial	CDMA 850	777	0, 0	-54.24	-50.13	2.87	53.0	T4
	CDMA 1900	25	0, -4	-54.25	-49.29	2.51	51.8	T4

#### Remark:

#### Device operated condition:

The LCD backlight off, Bluetooth and WLAN functions are turn off, and volume is adjusted to maximum level, and microphone muted during T-Coil testing.

**Table 9.1: Test Result for Various Positions**

**Note:**

- Minimum Limit:  $ABM1 \geq -18 \text{ dB A/m}$
- Signal Quality =  $ABM1/ABM2$
- Bold Number = worst case at each frequency band
- Data plots are showed in **appendix B1**

## 9.2 FREQUENCY RESPONSE AT AXIAL MEASUREMENT POINT

Cell Phone Mode	Verdict
CDMA 850	Pass
CDMA1900	Pass

Note: Please see **appendix B2** for the frequency response test raw data.

## 10. INFORMATION ON THE TESTING LABORATORIES

We, Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch, were founded in 1988 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are accredited and approved by the following approval agencies according to ISO/IEC 17025.

<b>USA</b>	FCC, NVLAP
<b>GERMANY</b>	TUV Rheinland
<b>JAPAN</b>	VCCI
<b>NORWAY</b>	NEMKO
<b>CANADA</b>	INDUSTRY CANADA, CSA
<b>R.O.C.</b>	TAF, BSMI, NCC
<b>NETHERLANDS</b>	Telefication
<b>SINGAPORE</b>	GOST-ASIA (MOU)
<b>RUSSIA</b>	CERTIS (MOU)

Copies of accreditation certificates of our laboratories obtained from approval agencies can be downloaded from our web site: [www.adt.com.tw/index.5/phtml](http://www.adt.com.tw/index.5/phtml).  
If you have any comments, please feel free to contact us at the following:

**Linko EMC/RF Lab:**

Tel: 886-2-26052180

Fax: 886-2-26051924

**Hsin Chu EMC/RF Lab:**

Tel: 886-3-5935343

Fax: 886-3-5935342

**Hwa Ya EMC/RF/Safety/Telecom Lab:**

Tel: 886-3-3183232

Fax: 886-3-3185050

**Web Site:** [www.adt.com.tw](http://www.adt.com.tw)

The address and road map of all our labs can be found in our web site also.

---END---

# HAC TEST REPORT FOR T-coil

**Test Item: Summary Result T-coil Category = T4**

**REPORT NO.:** TL980505L11

**MODEL NO.:** WHIT100

**RECEIVED:** May 05, 2009

**TESTED :** Jul. 13, 2009

**ISSUED:** Jul. 22, 2009

**APPLICANT:** HTC Corporation

**ADDRESS:** No. 23, Xinghua Rd., Taoyuan City, 330, Taiwan,  
R.O.C.

**ISSUED BY:** Bureau Veritas Consumer Products Services  
(H.K.) Ltd., Taoyuan Branch

**LAB ADDRESS:** No. 47, 14th Ling, Chia Pau Tsuen, Lin Kou  
Hsiang, Taipei Hsien 244, Taiwan, R.O.C.

**TEST LOCATION:** No. 19, Hwa Ya 2nd Rd, Wen Hwa Tsuen, Kwei  
Shan Hsiang, Taoyuan Hsien 333, Taiwan,  
R.O.C.

This test report consists of 29 pages in total except Appendix. It may be duplicated completely for legal use with the approval of the applicant. It should not be reproduced except in full, without the written approval of our laboratory. The client should not use it to claim product endorsement by any government agencies. The test results in the report only apply to the tested sample.

## TABLE OF CONTENTS

1.	CERTIFICATION .....	3
2.	GENERAL INFORMATION .....	4
2.1	GENERAL DESCRIPTION OF THE EUT .....	4
2.2	DESCRIPTION OF SUPPORT UNITS .....	6
2.3	GENERAL DESCRIPTION OF APPLIED STANDARDS .....	6
2.4	MEASUREMENTS FOR CERTIFICATION OF 3G DEVICES .....	7
3.	SUMMARY OF THE TEST RESULTS .....	8
4.	GENERAL INFORMATION OF THE DASY 5 SYSTEM .....	9
4.1	GENERAL INFORMATION OF TEST EQUIPMENT .....	9
4.2	TEST SYSTEM CONFIGURATION .....	13
4.3	TEST EQUIPMENT LIST .....	14
4.4	T-COIL MEASUREMENT UNCERTAINTY .....	15
5.	SYSTEM VALIDATION & CALIBRATION .....	16
5.1	CABLING OF SYSTEM .....	16
5.2	INPUT CHANNEL CALIBRATION .....	16
5.3	PROBE CALIBRATION IN AMCC .....	17
5.4	REFERENCE INPUT LEVEL .....	18
5.4.1	TARGET LEVEL FOR "AUDIO OUT" OF THE AMMI .....	18
5.4.2	THE SIGNAL LEVEL FOR "AUDIO OUT" OF THE AMMI .....	18
5.5	REFERENCE INPUT OF AUDIO SIGNAL SPECTRUM .....	19
6.	T-COIL TEST PROCEDURE .....	20
7.	DESCRIPTION FOR EUT TESTING CONFIGURATION .....	23
8.	T-COIL REQUIREMENTS AND CATEGORY .....	24
8.1	RF EMISSIONS .....	24
8.2	AXIAL FIELD INTENSITY .....	24
8.3	SIGNAL QUALITY .....	24
8.4	FREQUENCY RESPONSE .....	25
9.	T-COIL TEST RESULT .....	26
9.2	FREQUENCY RESPONSE AT AXIAL MEASUREMENT POINT .....	28
10.	INFORMATION ON THE TESTING LABORATORIES .....	29

APPENDIX A1: PROBE CALIBRATION TEST PLOTS

APPENDIX A2: REFERENCE INPUT OF AUDIO SIGNAL SPECTRUM PLOTS

APPENDIX A3: AMBIENT NOISE SPECTRUM PLOTS

APPENDIX B1: SNR TEST PLOTS

APPENDIX B2: FREQUENCY RESPONSE TEST PLOTS

APPENDIX C: SYSTEM EQUIPMENT & CALIBRATION

## 1. CERTIFICATION

**PRODUCT** : Pocket PC Phone

**MODEL NO.** : WHIT100

**APPLICANT** : HTC Corporation

**TESTED** : Jul. 13, 2009

**TEST SAMPLE** : ENGINEERING SAMPLE

**STANDARDS** : FCC 47CFR Part 20.19

ANSI C63.19 2007

**TEST ITEM**: T-coil performance

The above equipment (Model: WHIT100) has been tested by **Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch**, and found compliance with the requirement of the above standards. The test record, data evaluation & Equipment Under Test (EUT) configurations represented herein are true and accurate accounts of the measurements of the sample's EMC characteristics under the conditions specified in this report.

**PREPARED BY** : Andrea Hsia , **DATE**: Jul. 22, 2009  
Andrea Hsia / Specialist

**TECHNICAL ACCEPTANCE** : Long Chen , **DATE**: Jul. 22, 2009  
Responsible for RF Long Chen / Senior Engineer

**APPROVED BY** : Gary Chang , **DATE**: Jul. 22, 2009  
Gary Chang / Assistant Manager



## 2. GENERAL INFORMATION

### 2.1 GENERAL DESCRIPTION OF THE EUT

<b>PRODUCT</b>	Pocket PC Phone
<b>MODEL NO.</b>	WHIT100
<b>FCC ID</b>	NM8WHIT100
<b>POWER SUPPLY</b>	3.7Vdc from rechargeable lithium battery 5.0Vdc from power adapter 5.0Vdc from host equipment
<b>CLASSIFICATION</b>	Portable device, production unit
<b>MODULATION TYPE</b>	OQPSK, HPSK
<b>FREQUENCY RANGE</b>	824MHz ~ 849MHz (CDMA850) 1850MHz ~ 1910MHz (CDMA1900)
<b>CHANNEL FREQUENCIES UNDER TEST AND ITS CONDUCTED OUTPUT POWER</b>	Refer to Section 2.4
<b>T-COIL CATEGORY</b>	T4
<b>ANTENNA TYPE</b>	PIFA antenna with -1dBi gain (For 850 Band) PIFA antenna with 0dBi gain (For 1900 Band)
<b>DATA CABLE</b>	1.25m non-shielded USB cable without core (Brand: MEC & Foxlink)
<b>I/O PORTS</b>	Refer to user's manual
<b>ACCESSORY DEVICES</b>	Adapter, Battery, USB cable

#### NOTE:

- The communicated functions of EUT listed as below:

		850MHz	1900MHz	With WLAN 802.11b/g + BT 2.0 with EDR + GPS
3G	CDMA	√	√	
	1*EVDO Release A	√	√	

- The following accessory is for support units only.

PRODUCT	MODEL	DESCRIPTION
Earphone	RC E150	3.5mm connector 1.3m non-shielded without core

3. The EUT has following accessories.

NO.	PRODUCT	BRAND	MODEL	DESCRIPTION
1	Power Adapter	hTC	TC P300	I/P: 100-240Vac, 50-60Hz, 0.2A O/P: 5Vdc, 1A 1.25m non-shielded cable without core Manufacturer: Delta
2				I/P: 100-240Vac, 50-60Hz, 0.2A O/P: 5Vdc, 1A 1.25m non-shielded cable without core Manufacturer: Foxlink
3	Battery	hTC	RHOD160	Rating: 3.7Vdc, 1500mAh, 5.55Whr P/N: 35H00123-00M Manufacturer: HT
4				Rating: 3.7Vdc, 1500mAh, 5.55Whr P/N: 35H00123-02M Manufacturer: Formosa
5	USB cable	MEC	DC U200	1.25m shielded cable without core
6		Foxlink		
7	Camera	Foxconn	CER968-5M_AF_ASSY	
8		Liteon	08PM15	
9	LCM	EID	L4F00390T00	
10		AUO	H361VL01V0	

\* Item 3, 7, 9 were the worst for the final test.

4. Refer to following table for MEID no.:

MEID NO.
35191703*****

5. Hardware version: NA

6. Software version: NA

7. The above EUT information was declared by manufacturer and for more detailed features description, please refer to the manufacturer's specifications or User's Manual.

## 2.2 DESCRIPTION OF SUPPORT UNITS

The EUT has been tested as an independent unit together with other necessary accessories or support units. The following support units or accessories were used to form a representative test configuration during the tests.

NO.	PRODUCT	BRAND	MODEL NO.	SERIAL NO.	CALIBRATED UNTIL
1	Universal Radio Communication Tester	R&S	CMU200	104484	Feb. 02, 2010

NO.	SIGNAL CABLE DESCRIPTION OF THE ABOVE SUPPORT UNITS
1	NA

**NOTE:** All power cords of the above support units are non shielded (1.8m).

## 2.3 GENERAL DESCRIPTION OF APPLIED STANDARDS

According to the specifications of the manufacturer, this product must comply with the requirements of the following standards:

**FCC 47CFR Part 20.19**

**ANSI C63.19 - 2007**

All test items have been performed and recorded as per the above standards.

## 2.4 MEASUREMENTS FOR CERTIFICATION OF 3G DEVICES

For CDMA devices, RC1 and RC3 CDMA modes are considered in S055 service option. In addition, RC1 and RC3 modes are considered in S02 service option. The conducted power measurements for each mode are shown in the table below.

CDMA 2000 CONDUCTED POWER													
CHAN.	FREQ. (MHz)	CDMA 2000	RAW VALUE (dBm)					CORR. FACTOR (dB)	OUTPUT POWER (dBm)				
		RC	SO2	SO55	TDSO SO32 (FCH)	TDSO SO32 (FCH +SCH)	SO3		SO2	SO55	TDSO SO32 (FCH)	TDSO SO32 (FCH +SCH)	SO3
1013	824.70	RC1	19.01	19.07	-	-	18.69	4.20	23.21	23.27	-	-	22.89
		RC3	18.91	19.29	19.31	18.83	18.78	4.20	23.11	23.49	23.51	23.03	22.98
384	836.52	RC1	19.20	19.09	-	-	18.95	4.20	23.40	23.29	-	-	23.15
		RC3	19.13	19.30	19.38	19.01	19.15	4.20	23.33	23.50	23.58	23.21	23.35
777	848.31	RC1	19.02	19.21	-	-	18.75	4.20	23.22	23.41	-	-	22.95
		RC3	19.03	19.49	19.51	19.25	18.93	4.20	23.23	23.69	23.71	23.45	23.13

CDMA 2000 CONDUCTED POWER													
CHAN.	FREQ. (MHz)	CDMA 2000	RAW VALUE (dBm)					CORR. FACTOR (dB)	OUTPUT POWER (dBm)				
		RC	SO2	SO55	TDSO SO32 (FCH)	TDSO SO32 (FCH +SCH)	SO3		SO2	SO55	TDSO SO32 (FCH)	TDSO SO32 (FCH +SCH)	SO3
25	1851.25	RC1	18.54	18.35	-	-	18.68	4.50	23.04	22.85	-	-	23.18
		RC3	18.59	18.40	18.39	18.37	18.52	4.50	23.09	22.90	22.89	22.87	23.02
600	1880.00	RC1	18.55	18.47	-	-	18.51	4.50	23.05	22.97	-	-	23.01
		RC3	18.60	18.72	18.63	18.45	18.48	4.50	23.10	23.22	23.13	22.95	22.98
1175	1908.75	RC1	18.33	18.11	-	-	18.35	4.50	22.83	22.61	-	-	22.85
		RC3	18.32	18.29	18.45	18.35	18.27	4.50	22.82	22.79	22.95	22.85	22.77

For CDMA devices, **RC1 S03 mode is used for T-coil compliance evaluation.** This RC1 S03 is used for measurements in section x of this report. As per the recent presentation by Qualcomm to the FCC on March 15, 2007, RC1 S03 combination represents the appropriate configuration for T-coil testing.

### 3. SUMMARY OF THE TEST RESULTS

ANSI C63.19 (2007)			
T-coil result			
Mode	(signal + noise)-to-noise ratio in dB	T-Rating	Verdit
CDMA850	34.9	4	PASS
CDMA1900	39.4	4	PASS

\* M-rating obtained from HAC RF report.

## 4. GENERAL INFORMATION OF THE DASY 5 SYSTEM

### 4.1 GENERAL INFORMATION OF TEST EQUIPMENT

**DASY5 (Software 5.0 Build 125)** consists of high precision robot, probe alignment sensor, phantom, robot controller, controlled measurement server and near-field probe. The robot includes six axes that can move to the precision position of the DASY 5 software defined. The DASY 5 software can define the area that is detected by the probe. The robot is connected to controlled box. Controlled measurement server is connected to the controlled robot box. The DAE includes amplifier, signal multiplexing, AD converter, offset measurement and surface detection. It is connected to the Electro-optical coupler (ECO). The ECO performs the conversion from the optical into digital electric signal of the DAE and transfers data to the PC. This system consists of the following items:

#### AM1DV3 Audio Magnetic Field Probe

The AM1D probe is an active probe with a single sensor. It is fully RF-shielded and has a rounded tip 6mm in diameter incorporating a pickup coil with its center offset 3mm from the tip and the sides. The symmetric signal preamplifier in the probe is fed via the shielded symmetric output cable from the AMMI with a 48V “phantom” voltage supply. The 7-pin connector on the back in the axis of the probe does not carry any signals. It is mounted to the DAE for the correct orientation of the sensor. If the probe axis is tilted 54.7 degree from the vertical, the sensor is approximately vertical when the signal connector is at the underside of the probe (cable hanging downwards).

#### Specification:

<b>Frequency range</b>	0.1 ~ 20 kHz (RF sensitivity <-100dB, fully RF shielded )
<b>Sensitivity</b>	<-50dB A/m @ 1 kHz
<b>Pre-amplifier</b>	40 dB, symmetric
<b>Dimensions</b>	Tip diameter/ length: 6/ 290 mm, sensor according to ANSI-C63.19



## DATA ACQUISITION ELECTRONICS ( DAE )

### CONSTRUCTION

The data acquisition electronics (DAE 4) consists of a highly sensitive electrometer grade preamplifier with auto-zeroing, a channel and gain-switching multiplex, a fast 16 bit AD converter and a command decoder and control logic unit. Transmission to the measurement server is accomplished through an optical downlink for data and status information as well as an optical uplink for commands and the clock. The mechanical probe is mounting device includes two different sensor systems for frontal and sideways probe contacts. They are used for mechanical surface detection and probe collision detection. The input impedance of the DAE3,4 box is 200M $\Omega$ m; the inputs are symmetrical and floating. Common mode rejection is above 80dB.



## AMMI

The Audio Magnetic Measuring Instrument (AMMI) is a desktop 19-inch unit containing a sampling unit, a waveform generator for test and calibration signals, and a USB interface.

### Specification:

Sampling rate	48 kHz/24 bit
Dynamic range	85 dB
Test signal generation	User selectable and predefined (via PC)
Calibration	Auto-calibration/full system calibration using AMCC with monitor output

### Connection:

Front connectors  
Audio Out - audio signal to the base station simulator  
Coil Out - test and calibration signal to the AMCC  
Coil In - monitor signal from the AMCC BNO connector  
Probe In - probe signal

### Dimensions

482 x 65 x 270 mm





## AMCC

The Audio Magnetic Calibration coil is a Helmholtz Coil designed according to ANSI C63.19-2007 section D.9, for calibration of the AM1D probe. The two horizontal coils generate a homogeneous magnetic field in the z direction. The DC input resistance is adjusted to approximately 50 Ohm by a series resistor, and a shunt resistor of 10 Ohm allows monitoring the current with a scale of 1:10.


### Specification:

Coil In	typically 50 Ohm
Coil Monitor	10Ohm $\pm 1\%$ (100mV corresponding to 1 A/m)
Dimensions	370 x 370 x 196 mm





## HAC ARCH



**DIMENSIONS** 370 x 370 x 370mm

## DEVICE HOLDER



**CONSTRUCTION** Supports accurate and reliable positioning of any phone effect on near field  $\pm 0.5\text{dB}$

## 4.2 TEST SYSTEM CONFIGURATION



Figure 4.2: T-Coil setup with HAC Test Arch and AMCC

### 4.3 TEST EQUIPMENT LIST

ITEM	NAME	BAND	TYPE	SERIES NO.	DATE OF CALIBRATION	DUE DATE OF CALIBRATION
1	Audio Band Magnetic Probe	SPEAG	AM1DV3	3060	Dec. 03, 2008	Dec. 02, 2009
2	DAE	SPEAG	DAE4	861	Sep. 22, 2008	Sep. 21, 2009
3	Audio Band Magnetic Measuring Instrument	SPEAG	AMMI	1075	NA	NA
4	Helmholtz Coil	SPEAG	AMCC	1076	NA	NA
5	HAC Arch	SPEAG	HAC ARCH	1034	NA	NA
6	Robot Positioner	Staubli Unimation	NA	NA	NA	NA

**NOTE1:** All test equipment has been calibrated by the SPEAG. Please reference" APPENDIX B "for the calibration report.

**NOTE2:** Before starting the measurement, all test equipment shall be warmed up for 30min.

#### 4.4 T-COIL MEASUREMENT UNCERTAINTY

HAC UNCERTAINTY BUDGET ACCORDING TO ANSI C63.19							
ERROR DESCRIPTION	UNCERTAINTY VALUE	PROBABILITY DISTRIBUTION	DIV.	(Ci) ABM1	(Ci) ABM2	STD. UNC. AMB1	STD. UNC. AMB2
<b>PROBE SENSITIVITY</b>							
Reference level	±3.0%	Normal	1	1	1	±3.0%	±3.0%
AMCC geometry	±0.4%	Rectangular	√3	1	1	±0.2%	±0.2%
AMCC current	±1.0%	Rectangular	√3	1	1	±0.6%	±0.6%
Probe positioning during calibration	±0.1%	Rectangular	√3	1	1	±0.1%	±0.1%
Noise contribution	±0.7%	Rectangular	√3	0.0143	1	±0.0%	±0.4%
Frequency slope	±5.9%	Rectangular	√3	0.1	1	±0.3%	±3.5%
<b>PROBE SYSTEM</b>							
Repeatability / Drift	±1.0%	Rectangular	√3	1	1	±0.6%	±0.6%
Linearity / Dynamic range	±0.6%	Rectangular	√3	1	1	±0.4%	±0.4%
Acoustic noise	±1.0%	Rectangular	√3	0.1	1	±0.1%	±0.6%
Probe angle	±2.3%	Rectangular	√3	1	1	±1.4%	±1.4%
Spectral processing	±0.9%	Rectangular	√3	1	1	±0.5%	±0.5%
Integration time	±0.6%	Normal	1	1	5	±0.6%	±3.0%
Field distribution	±0.2%	Rectangular	√3	1	1	±0.1%	±0.1%
<b>TEST SIGNAL</b>							
Reference signal spectral response	±0.6%	Rectangular	√3	0	1	±0.0%	±0.4%
<b>POSITIONING</b>							
Probe positioning	±1.9%	Rectangular	√3	1	1	±1.1%	±1.1%
Phantom thickness	±0.9%	Rectangular	√3	1	1	±0.5%	±0.5%
DUT positioning	±1.9%	Rectangular	√3	1	1	±1.1%	±1.1%
<b>EXTERNAL CONTRIBUTIONS</b>							
RF interference	±0.0%	Rectangular	√3	1	0.3	±0.0%	±0.0%
Test signal variation	±2.0%	Rectangular	√3	1	1	±1.2%	±1.2%
<b>Combined Standard Uncertainty (ABM):</b>						<b>±4.1%</b>	<b>±6.1%</b>
<b>Extended Standard Uncertainty (k=2) [%]:</b>						<b>±8.1%</b>	<b>±12.3%</b>

The uncertainty budget for HAC Audio Band Magnetic Field (AMB) assessment according to ANSI C63.19-2007. The budget is valid for the DASY system and represents a worst- case analysis. For specific tests and configurations, the uncertainty could be smaller.

## 5. SYSTEM VALIDATION & CALIBRATION

At the beginning of the HAC T-coil measurement, a 3-phase calibration was performed per Speag instruction to ensure accurate measurement of the voltages and ABM field. Reference input level was also validated and calibrated per C63.19.

### 5.1 CABLING OF SYSTEM

The principal cabling of the T-Coil setup is shown in Figure 6.1 All cables provided with the basic setup have a length of approximately 5 m.




Figure 5.1: -Coil setup cabling

### 5.2 INPUT CHANNEL CALIBRATION

Phase 1: The AMMI audio output was switched off, and a 200 mV<sub>pp</sub> symmetric rectangular signal of 1 kHz was generated and internally connected directly to both channels of the sampling unit (coil in, probe in).

Phase 2: The AMMI audio output was off, and a 20 mV<sub>pp</sub> symmetric 100 Hz signal was internally connected.

The signals during phases 1 and 2 were available at the output on the rear panel of the AMMI. The output must however not be loaded in order not to influence the calibration. After the first two phases, the two input channels were both calibrated for absolute measurements of voltages. The resulting factors were displayed above the multimeter window.

After phases 1 and 2, the input channels were calibrated to measure exact voltages.

### 5.3 PROBE CALIBRATION IN AMCC

#### Phase 3: Probe Calibration in AMCC

The probe sensitivity at **1 kHz is 0.00731303V / (A/m)** was calibrated by AMCC coil for verification of setup performance. The evaluated probe sensitivity was able to be compared to the calibration of the AM1D probe. The frequency response and sensitivity was shown in appendix A1. The probe signal is represented after application of an ideal integrator. The green curve represents the current through the AMCC, the blue curve the integrated probe signal. The difference between the two curves is equivalent to the frequency response of the probe system and shows the characteristics. The probe/system complies with the frequency response and linearity requirements in C63.19 according to the Speag's calibrated report as shown in appendix C1

- (1)The frequency response has been tested within +/- 0.5 dB of ideal differentiator from 100 Hz to 10 kHz.
- (2)The linearity has also been tested within 0.1dB from 5 dB below limitation to 16 dB above noise level. The AMCC coil is qualified according to certificate report that shown in appendix C2.

## 5.4 REFERENCE INPUT LEVEL

An Input Level is measured to verify that it is within  $\pm 0.2$  dB from the Reference Input Level in section 6.3.2.1 of ANSI C63.19-2007.

According to ANSI C63.19:2007 section 6.3.2.1, the normal speech input level for HAC T-coil tests shall be set to -16dBm0 for GSM and UMTS (WCDMA), and to -18 dBm0 for CDMA. This technical note shows a possibility to evaluate and set the correct level with the HAC T-Coil setup with a Rohde & Schwarz communication tester CMU200 with audio option B52 and B85.

### 5.4.1 TARGET LEVEL FOR “AUDIO OUT” OF THE AMMI

#### (CMU200 Audio Codec Calibration)

Measured data is shown in Table 5.4.1. This target level takes into account the difference between AMMI’s and CMU’s reference levels.

**Table 5.4.1: Measured Input Level**

Modulation	Reference Input Level from ANSI C63.19 (dBm0)	CMU’s 0dBm0 Input Reference Value (dB)	Target Level for “Audio Out” of AMMI (dBm0)
CDMA	-18	-2.50	-20.5

### 5.4.2 THE SIGNAL LEVEL FOR “AUDIO OUT” OF THE AMMI

#### (AMMI Signal Verification)

Signal Verification has been conducted on the same days as DUT measurements. If it is not within  $\pm 0.2$  dB, the gain settings in the DASY template are adjusted. The obtained results are displayed in Table 5.4.2.

**Table 5.4.2: Measured Input Level**

Modulation	Signal	Measured Level for “Audio Out” of AMMI (dBm0)	Target Level for “Audio Out” of AMMI (dBm0)	Delta (dB)
CDMA	Narrowband	-20.17	-20.5	0.33
	Broadband	-20.27		0.23


## 5.5 REFERENCE INPUT OF AUDIO SIGNAL SPECTRUM

With the reference job "use as reference" in the beginning of a procedure, measure the spectrum of the current when applied to the AMCC, i.e. the input magnetic field spectrum, as shown in the **appendix A2**. For this, the delay of the window shall be set to a multiple of the signal period and at least 2s. From the measurement on the device, using the same signal, the postprocessor deducts the input spectrum, so the result represents the net DUT response.



## 6. T-COIL TEST PROCEDURE

The device was positioned and setup according to ANSI C63.19-2007. The following shows the T-Coil Signal measurement flowchart:



The following steps were a typical test scan for the wireless communications device:



1. Geometry and signal check: system probe alignment, proper operation of the field probe, probe measurement system, other instrumentation, and the positioning system was confirmed.  
A surface calibration was performed before each setup change to ensure repeatable spacing and proper maintenance of the measurement plane using the test Arch.
2. Set the reference drive level of signal voice defined in C63.19 per 6.3.2.1, as shown in the **appendix A2** of this report
3. The ambient and test system background noise (dB A/m) was measured as well as ABM2 over the full measurement. The maximum noise level must be at least 10dB below the limit of C63.19 per 7.3.2.  
For the three probe positions, noise spectrum plots for the highest ambient noise are given in **appendix A3**.
4. The DUT was positioned in its intended test position, acoustic output point of the device perpendicular to the field probe.
5. The DUT operation for maximum rated RF output power was configured and connected by using of coaxial cable connection to the base station simulator at the test channel and other normal operating parameters as intended for the test. The battery was ensured to be fully charged before each test. The center sub-grid was centered over the center of the acoustic output (also audio band magnetic output, if applicable). The DUT audio output was positioned tangent (as physically possible) to the measurement plane.
6. The DUT's RF emission field was eliminated from T-coil results by using a well RF-shielding of the probe, AM1D, and by using of coaxial cable connection to a Base Station Simulator. One test channel was pre-measurement to avoid this possibility.
7. Determined the optimal measurement locations for the DUT by following the three steps, coarse resolution scan, fine resolution scans, and point measurement, as described in C63.19 per 6.3.4.4. At each measurement locations, samples in the measurement window duration were evaluated to get ABM1 and the signal spectrum. The noise measurement was performed after the scan with the signal, the same happened, just with the voice signal switched off. The ABM2 was calculated from this second scan.
  - (1) Coarse resolution scans (1 KHz signal at 50 x 50 mm grid area with 10 mm spacing). Only ABM1 was measured in order to find the location of T-Coil source.
  - (2) Fine resolution scans (1 KHz signal at 10 x 10 mm grid area with 2 mm spacing). The positioned appropriately based on optimal AMB1 of coarse resolution scan. Both ABM1 and ABM2 were measured in order to find the location of the SNR point.
  - (3) Point measurement (1 KHz signal) for ABM1 and ABM2 in axial, radial transverse and radial longitudinal. The positioned appropriately based on optimal SNR of fine resolution scan. The SNR was calculated for axial, radial transverse and radial longitudinal orientation.

- (4) Point measurement (300Hz to 3 KHz signal) for frequency response in axial. The positioned appropriately based on optimal SNR of fine resolution axial scan.
- 8. All results resulting from a measurement point in a T-Coil job were calculated from the signal samples during this window interval. ABM values were averaged over the sequence of these samples.
- 9. At an optimal point measurement, the SNR(ABM1/ABM2) was calculated for axial, radial transverse and radial longitudinal orientation, and the frequency response was measured in axial axis.
- 10. Corrected for the frequency response after the DUT measurement since the DASY5 system had known the spectrum of the input signal by using a reference job, as shown in the **appendix B2** of this report.
- 11. In SEMCAD post-processing, the spectral points are in addition scaled with the high-pass (half-band) and the A-weighting, bandwidth compensated factor (BWC) and those results are final as shown in this report.
- 12. Classified the signal quality based on the T-Coil Signal Quality Categories.

## 7. DESCRIPTION FOR EUT TESTING CONFIGURATION

The phone was tested in normal configurations for the ear use. The DASY5 measurement system specified in section 3.1 was utilized within the intended operations as set by the SPEAG™ setup. The Test Arch provided by SPEAG is used to position the DUT. All tests are done via conducted setup with CMU 200.

The distance is established by positioning the device beneath the test arch phantom so that it is touching the frame. The location and thickness of the arch, and the location/orientation of the coil within the probe housing, are precisely known values in the DASY software. The height of the measurement plane is further fine-tuned by performing a Surface Detection job at the beginning of each test. The end result is that the probe sensor is very precisely located 10mm above the device reference plane.



## 8. T-COIL REQUIREMENTS AND CATEGORY

### 8.1 RF EMISSIONS

EUT has to fulfill RF emission requirements at the axial measurement location.

### 8.2 AXIAL FIELD INTENSITY

The minimum limits of ABM1 field intensity shall be  $\geq -18$  dB (A/m) at 1 kHz, in a 1/3 octave band filter for all orientations.

### 8.3 SIGNAL QUALITY

Table 9.3 provides the signal quality requirement for the intended T-Coil signal from a Wireless Device. The worst Signal Quality of the axial and radial components of the magnetic field was used to determine the T-Coil category

Category	Telephone parameters WD signal quality [(signal + noise)-to-noise ratio in decibels]
Category T1	0 dB to 10 dB
Category T2	10 dB to 20 dB
Category T3	20 dB to 30 dB
Category T4	> 30 dB

## 8.4 FREQUENCY RESPONSE

The frequency response of the axial component must follow the frequency curve specified in ANSI C63.19-2007 section 7.3.3, over the frequency range 300-3000 Hz.




Figure 8.4a Magnetic field frequency response for WDs with a field  $\leq -15$  dB (A/m) at 1 kHz




Figure 8.4b Magnetic field frequency response for WDs with a field that exceeds  $-15$  dB(A/m) at 1 kHz

## 9. T-COIL TEST RESULT

### 9.1 SNR MEASUREMENT RESULT

For WHIT 100 1st (For Camera Brand: Foxconn & LCM Brand: EID)

Probe Position	Band	Channel	Measurement Position (x mm, y mm)	Ambient Background Noise (dB A/m)	ABM2 (dB A/m)	ABM1 (dB A/m)	SNR (dB)	T-coil SNR Rating
Radial 1 (Longitudinal)	CDMA 850	1013	-8, -2	-54.76	-43.65	-3.95	39.7	T4
		384	-8, -2	-54.95	-42.69	-4.39	38.3	T4
		777	-6, 0	-54.89	-38.93	-4.03	34.9	T4
	CDMA 1900	25	6, -4	-54.93	-45.57	-6.17	39.4	T4
		600	-8, -4	-55.02	-51.71	-3.81	47.9	T4
		1175	-6, -2	-54.90	-51.66	-4.26	47.4	T4
Radial2 (Transversal)	CDMA 850	1013	2, -8	-54.61	-51.34	-5.34	46.0	T4
		384	2, -8	-54.63	-51.02	-4.42	46.6	T4
		777	2, -8	-54.71	-48.64	-4.14	44.5	T4
	CDMA 1900	25	0, -8	-54.51	-52.92	-5.42	47.5	T4
		600	-2, -8	-54.12	-54.10	-5.80	48.3	T4
		1175	0, -10	-53.93	-53.68	-5.68	48.0	T4
Axial	CDMA 850	1013	0, -4	-53.99	-39.71	4.19	43.9	T4
		384	0, -4	-54.07	-38.63	2.57	41.2	T4
		777	-2, -4	-54.06	-39.25	1.75	41.0	T4
	CDMA 1900	25	0, -4	-54.19	-45.34	3.56	48.9	T4
		600	0, 0	-54.21	-48.20	2.40	50.6	T4
		1175	0, -4	-54.24	-46.42	4.08	50.5	T4

For WHIT 100 2nd (For Camera Brand: Liteon & LCM Brand: AUO)

Probe Position	Band	Channel	Measurement Position (x mm, y mm)	Ambient Background Noise (dB A/m)	ABM2 (dB A/m)	ABM1 (dB A/m)	SNR (dB)	T-coil SNR Rating
Radial 1 (Longitudinal)	CDMA 850	777	-8, -2	-54.94	-52.53	-5.33	47.2	T4
	CDMA 1900	25	-6, -2	-55.01	-46.65	-3.65	43.0	T4
Radial2 (Transversal)	CDMA 850	777	0, -8	-54.76	-52.53	-5.63	46.9	T4
	CDMA 1900	25	0, 8	-54.82	-52.73	-4.73	48.0	T4
Axial	CDMA 850	777	0, 0	-54.24	-50.13	2.87	53.0	T4
	CDMA 1900	25	0, -4	-54.25	-49.29	2.51	51.8	T4

#### Remark:

#### Device operated condition:

The LCD backlight off, Bluetooth and WLAN functions are turn off, and volume is adjusted to maximum level, and microphone muted during T-Coil testing.

**Table 9.1: Test Result for Various Positions**

**Note:**

- Minimum Limit:  $ABM1 \geq -18$  dB A/m
- Signal Quality =  $ABM1/ABM2$
- Bold Number = worst case at each frequency band
- Data plots are showed in **appendix B1**



## 9.2 FREQUENCY RESPONSE AT AXIAL MEASUREMENT POINT

Cell Phone Mode	Verdict
CDMA 850	Pass
CDMA1900	Pass

Note: Please see **appendix B2** for the frequency response test raw data.

## 10. INFORMATION ON THE TESTING LABORATORIES

We, Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch, were founded in 1988 to provide our best service in EMC, Radio, Telecom and Safety consultation. Our laboratories are accredited and approved by the following approval agencies according to ISO/IEC 17025.

<b>USA</b>	FCC, NVLAP
<b>GERMANY</b>	TUV Rheinland
<b>JAPAN</b>	VCCI
<b>NORWAY</b>	NEMKO
<b>CANADA</b>	INDUSTRY CANADA, CSA
<b>R.O.C.</b>	TAF, BSMI, NCC
<b>NETHERLANDS</b>	Telefication
<b>SINGAPORE</b>	GOST-ASIA (MOU)
<b>RUSSIA</b>	CERTIS (MOU)

Copies of accreditation certificates of our laboratories obtained from approval agencies can be downloaded from our web site: [www.adt.com.tw/index.5/phtml](http://www.adt.com.tw/index.5/phtml).  
If you have any comments, please feel free to contact us at the following:

**Linko EMC/RF Lab:**

Tel: 886-2-26052180

Fax: 886-2-26051924

**Hsin Chu EMC/RF Lab:**

Tel: 886-3-5935343

Fax: 886-3-5935342

**Hwa Ya EMC/RF/Safety/Telecom Lab:**

Tel: 886-3-3183232

Fax: 886-3-3185050

**Web Site:** [www.adt.com.tw](http://www.adt.com.tw)

The address and road map of all our labs can be found in our web site also.

---END---