

typ

MKR 35.625 msec

REF -20.0 dBm

AT 10 dB

-42.26 dB


PEAK

LOG

10

dB/

$$\begin{aligned} \text{Average Factor} &= \frac{0.5 \times 20 + 1 \times 5}{35.625} \\ &= \frac{15}{35.625} \\ &= 0.42 \approx -7.5 \text{ dB} \end{aligned}$$



VA SB
SC FC
CORR

CENTER 433.954 MHz

SPAN 0 Hz

#RES BW 100 KHz

#VBW 100 KHz


#SWP 50.0 msec

hp

REF -20.0 dBm

AT 10 dB

PEAK
LOG
10
dB/



CENTER 433.955 MHz

SPAN 0 Hz

#RES BW 100 KHz

#VBW 100 KHz

#SWP 20.0 msec

17

REF -20.0 dBm AT 10 dB

PEAK

LOG

10


dB/

VΔ SB

SC VS

CORR

*



CENTER 435.954 MHz

SPAN 0 Hz

#RES BW 100 KHz

#VBW 100 KHz

#SWP 100 msec

hp


MKR 4.6000 sec

REF -20.0 dBm

AT 10 dB

-.45 dB

PEAK
LOG
10
dB/



VA SB
SC FC *~*
CORR

CENTER 433.954 MHz

SPAN 0 Hz

#RES BW 100 kHz

#VBW 100 kHz

#SWP 5.00 sec