

FCC ID: NO9MSB004



HBC-radiomatic GmbH
Tel.: +49(0)7951/393-0
Made in Germany



Prod.Code: spectrum 3 - MSB
Transmitter Ser.No.: 735-0201319/3
IP 55/Nema 4 U_{act}: 6V DC
Frequency (MHz): 905,200-908,375
Frequency Block: W5-FB001
Frequ. 1 (MHz): 905,200

USA: NO9MSB004 CAN: XXXX.XXXX.XXX

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, & (2) This device must accept any interference received, including interference that may cause undesired operation.

HBC-radiomatic GmbH
Postfach 1561
D-74555 Crailsheim

Geräteansicht Typenschilder spectrum 3
Arrangement nameplates spectrum 3

Gezeichnet / Drawn by: M.Metzger
Geprüft / Checked: D.Hahn

Datum: 02.12.2002 Datei:
Date: File: ans_spec3_typ.cdr

Z.-Nr.: AA.331.A.91
Doc.-No.:

Blatt: 1/1
Sheet:



HBC radiomatic GmbH
Tel.: +49(0)7951/393-0
Made in Germany



Prod.Code: Spectrum 3 - MSB
Transmitter Ser.No.: 735-0201319/3
IP 55 / Nema 4
Voltage: 6V DC
Frequency (MHz): 905,200-908,375
Frequency Block: W5-FB001
Frequ. 1 (MHz): 905,200
FCC-ID: NO9MSB004
CANADA: 2977 YYY YYYY

HBC-radiomatic GmbH
Postfach 1561
D-74555 Crailsheim

Typenschild Spectrum 3 - MSB
nameplate spectrum 3 - MSB

Gezeichnet / Drawn by: M.Metzger
Geprüft / Checked: D.Hahn

Datum: 19.02.2003 Datei:
Date: File: typ_spec3.cdr

Z.-Nr.:
Doc.-No.: AA.327.A.93

Blatt:
Sheet: 1/1

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, & (2) This device must accept any interference received, including interference that may cause undesired operation.

HBC-radiomatic GmbH
Postfach 1561
D-74555 Crailsheim

Text FCC

Gezeichnet / Drawn by: M.Metzger
Geprüft / Checked: D.Hahn

Datum: 18.04.2002 Datei:
Date: File: typ_text_fcc.cdr

Z.-Nr.: Blatt:
Doc.-No.: AA.328.A.93 Sheet: 1/1

 HBC-radiomatic GmbH
Tel.: +49(0)7951/393-0
Made in Germany 

Prod. Code: spectrum 3 - MSB
Transmitter Ser.No.: 735-0201319/3
IP 55/Nema 4 U_{nom}: 6V DC
Frequency (MHz): 905,200-908,375
Frequency Block: WS-FB001
Frequ. 1 (MHz): 905,200

USA: N09MSB004 CAN: XXXX.XXXX.XXX

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, & (2) This device must accept any interference received, including interference received that may cause undesired operation.