

TC643

Tune-Up Info

HBC

Copying of this document, and giving it to others and the use or communication of the contents thereof, are forbidden without express authority. Offenders are liable to the payment of damages. All rights are reserved in the event of the grant of patent or the registration of a utility model or design.



Tune-Up Info

Transceiver module TC643



Weitergabe sowie Vervielfältigung dieser Unterlage, Verwertung und Mitteilung ihres Inhalts sind nicht gestattet, soweit nicht ausdrücklich zugestanden. Zuwiderhandlungen verpflichten zu Schadensersatz. Alle Rechte für den Fall der Patentierung oder GM-Eintragung vorbehalten.

Issue date: 2017-02-08

Issued by: SEKH

Page 1 of 3

Revision: 0




TC643	Tune-Up Info	HBC
--------------	---------------------	------------

1 Table of Contents

1	Table of Contents.....	2
2	Final measurement of RF output power.....	3

2 Final measurement of RF output power

The RF output power of each single transceiver module is finally measured and checked to be in the range 10.5 – 13.5 dBm with respect of cable losses. The typical cable loss is about 0.4 dB, so the real output power range of the transceiver module is 10.9 – 13.9 dBm.



Transceiver modules with an RF output power level outside this range are sorted out and will not be used anyway.