

Annex E. Maximum Target Conducted Power

The maximum conducted average power (Unit: dBm) including tune-up tolerance is shown as below.

WLAN Tune-up Power (Full)			
WLAN 2.4GHz			
Mode	Channel	Frequency	SISO Ant 0 Max Tune up
802.11b	1	2412	15.0
	6	2437	15.0
	11	2462	15.0
802.11g	1	2412	15.0
	6	2437	15.0
	11	2462	15.0
802.11n HT20	1	2412	14.5
	6	2437	14.5
	11	2462	14.5

WLAN Tune-up Power (Full)			
Bluetooth			
Mode	Channel	Frequency	Ant 0 Max Tune-up
BR / EDR	0	2402	5.0
	39	2441	5.0
	78	2480	5.0
LE	0	2402	5.0
	19	2440	5.0
	39	2480	5.0

WLAN Tune-up Power (Full)			
WLAN 5.2GHz			
Mode	Channel	Frequency	SISO Ant 0 Max Tune up
802.11a	36	5180	9.0
	40	5200	9.0
	44	5220	9.0
	48	5240	9.0
802.11ac VHT20	36	5180	9.0
	40	5200	9.0
	44	5220	9.0
	48	5240	9.0
802.11ac VHT40	38	5190	9.5
	46	5230	9.5
802.11ac VHT80	42	5210	9.0

WLAN Tune-up Power (Full)			
WLAN 5.8GHz			
Mode	Channel	Frequency	SISO Ant 0 Max Tune up
802.11a	149	5745	13.5
	153	5765	13.5
	157	5785	13.5
	161	5805	13.5
	165	5825	13.5
802.11ac VHT20	149	5745	13.5
	153	5765	13.5
	157	5785	13.5
	161	5805	13.5
	165	5825	13.5
802.11ac VHT40	151	5755	13.5
	159	5795	13.5
802.11ac VHT80	155	5775	13.5