







BATTERY PACK -
RECHARGEABLE



12 VOLT 100 AH
Rechargeable lead-acid battery
for use in the following applications:
Automotive, Marine, Industrial, etc.

Powers Engineering Co.



**Factory
Mutual-
System**

Approved

Substitution of components may impair intrinsic safety.
Robinson Engineering Co., Garland, Texas

TYPE 400 CONTROL TRANSMITTER

Intrinsically safe for Class I, II, III,
Division 1, Groups A, B, C, D, E, F & G
hazardous locations using Robinson
12-1471-00 Battery. **WARNING:**
temperature T3C.

ROBINSON
R





Crane Boss 400

TYPE 400 CONTROL TRANSMITTER

**Factory
Mutual
System**

Approved

Intrinsically safe for Class I, II & III,
Division 1, Groups A, B, C, D, E, F & G
hazardous locations using Robinson
12-1471-00 Battery. Maximum
temperature T3C. **WARNING:**

Substitution of components may impair intrinsic safety.

Robinson Engineering Co., Garland, Texas

**BATTERY PACK,
RECHARGEABLE**



12-1471-00
Maintain full charge
for long life. Use only
approved charger.

Robinson Engineering Co.

12-1472-000

BATTERY CHARGER

CHARGE

12-1276

POWER

ROBINSON ENGINEERING COMPANY



GARLAND, TEXAS