

Mode = Charging

Report No.: 9805143


Tested By: Hong, Report No.: 9805143

Scan Settings (1 Range)

| Frequencies | | | Receiver Settings | | | | | |
|-------------|------|------|-------------------|----------|--------|-------|--------|----------|
| Start | Stop | Step | IF BW | Detector | M-Time | Atten | Preamp | OpRge |
| 450k | 30M | 5k | 10k | PK | 20ms | AUTO | LN | OFF 60dB |

| Final Measurement: x QP | Transducer No. | Start | Stop | Name |
|-------------------------|----------------|-------|------|-------|
| | 3 | 9k | 30M | EI078 |

Meas Time: 1 s
Subranges: 16
Acc Margin: 20dB



Ctrl. No.: N/A

FCC ID: NQL9840

ITS Intertek Testing Services
ETL Testing Laboratories

Mode = Charging

Report No.: 9805143

Tested By: Hong, Report No.: 9805143

Scan Settings (1 Range)

| Frequencies | | | Receiver Settings | | | | | |
|-------------|------|------|-------------------|----------|--------|-------|--------|-------|
| Start | Stop | Step | IF BW | Detector | M-Time | Atten | Preamp | OpRge |
| 450k | 30M | 5k | 10k | PK | 20ms | AUTO | LN OFF | 60dB |

Final Measurement Results:

no Results

Ctrl. No.: N/A

Mode = Stand by

Report No.: 9805143


Tested By: Hong, Report No.: 9805143

Scan Settings (1 Range)

| Frequencies | | | Receiver Settings | | | | | |
|-------------|------|------|-------------------|----------|--------|-------|--------|-------|
| Start | Stop | Step | IF BW | Detector | M-Time | Atten | Preamp | OpRge |
| 450k | 30M | 5k | 10k | PK | 20ms | AUTO | LN OFF | 60dB |

| Final Measurement: X QP | Transducer No. | Start | Stop | Name |
|-------------------------|----------------|-------|------|-------|
| | 3 | 9k | 30M | EI078 |

Meas Time: 1 s
 Subranges: 16
 Acc Margin: 20dB



Ctrl. No.: N/A

ITS Intertek Testing Services
ETL Testing Laboratories

Mode = Stand by

Report No.: 9805143

Tested By: Hong, Report No.: 9805143

Scan Settings (1 Range)

| Frequencies | | | Receiver Settings | | | | | | |
|-------------|------|------|-------------------|----------|--------|-------|--------|-------|--|
| Start | Stop | Step | IF BW | Detector | M-Time | Atten | Preamp | OpRge | |
| 450k | 30M | 5k | 10k | PK | 20ms | AUTO | LN OFF | 60dB | |

Final Measurement Results:

no Results

Ctrl. No.: N/A

FCC ID: NQL9840

Mode = TX


Report No.: 9805143

Tested By: Hong, Report No.: 9805143
 Scan Settings (1 Range)

| Frequencies | | | Receiver Settings | | | | | |
|-------------|------|------|-------------------|----------|--------|-------|--------|-------|
| Start | Stop | Step | IF BW | Detector | M-Time | Atten | Preamp | OpRge |
| 450k | 30M | 5k | 10k | PK | 20ms | AUTO | LN OFF | 60dB |

Final Measurement: x QP
 Meas Time: 1 s
 Subranges: 16
 Acc Margin: 20dB

Transducer No. Start Stop Name
 2 9k 30M EI078



Ctrl. No.: N/A

ITS Intertek Testing Services
ETL Testing Laboratories

Mode = TX

Report No.: 9805143

Tested By: Hong, Report No.: 9805143

Scan Settings (1 Range)

| Frequencies | | | Receiver Settings | | | | | |
|-------------|------|------|-------------------|----------|--------|-------|--------|-------|
| Start | Stop | Step | IF BW | Detector | M-Time | Atten | Preamp | OpRge |
| 450k | 30M | 5k | 10k | PK | 20ms | AUTO | LN OFF | 60dB |

Final Measurement Results:

no Results

Ctrl. No.: N/A