

*Charging mode*

Report No.: 9807633


Tested By: Hong, Report No.: 9807633

Scan Settings (1 Range)

----- Frequencies ----- Receiver Settings -----

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement:	x QP	Transducer No.	Start	Stop	Name
		3	9k	30M	EI078
Meas Time:	1 s				
Subranges:	16				
Acc Margin:	20dB				



Ctrl. No.: N/A

FCC ID: NQL9860

# ITS Intertek Testing Services

ETL Testing Laboratories

*Changing mode*

Report No.: 9807633

Tested By: Hong, Report No.: 9807633

Scan Settings (1 Range)

Frequencies			Receiver Settings						
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge	
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB	

Final Measurement Results:

Frequency MHz	QP Level dBuV	QP Limit dBuV
25.05500	30.5	48.0

\* limit exceeded

Ctrl. No.: N/A

FCC ID: NQL9860

*Tx mode*


Tested By: Hong, Report No.: 9807633

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement:	x QP	Transducer No.	Start	Stop	Name
		3	9k	30M	EI078

Meas Time: 1 s  
Subranges: 16  
Acc Margin: 20dB



Ctrl. No.: N/A

FCC ID: NQL9860



# Intertek Testing Services

ETL Testing Laboratories

Report No.: 9807633

*Tx mode*

Tested By: Hong, Report No.: 9807633

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement Results:

no Results

Ctrl. No.: *N/A*

FCC ID: NQL9860



# Intertek Testing Services

## ETL Testing Laboratories

*Stand-by mode*

Report No.: 9807633


Tested By: Hong, Report No.: 9807633

Scan Settings (1 Range)

|----- Frequencies -----|----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement: x QP	Transducer No.	Start	Stop	Name
Meas Time: 1 s	3	9k	30M	E1078
Subranges: 16				
Acc Margin: 20dB				



Ctrl. No.: N/A

**FCC ID: NQL9860**

# ITS Intertek Testing Services

ETL Testing Laboratories

Report No.: 9807633

*Stand-by Mode*

Tested By: Hong, Report No.: 9807633

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement Results:

no Results

Ctrl. No.: N/A

FCC ID: NQL9860