

# ITS Intertek Testing Services

ETL Testing Laboratories

Mode = Charging

Report No.: 9807959


Tested By: Hong, Report No.: 9807959

Scan Settings (1 Range)

Frequencies				Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement: x QP	Transducer No.	Start	Stop	Name
	3	9k	30M	EI078

Meas Time: 1 s  
 Subranges: 16  
 Acc Margin: 20dB



Ctrl. No.: N/A

**ITS** Intertek Testing Services  
ETL Testing Laboratories

*Mode = Charging*

Report No.: *9807959*

Tested By: Hong, Report No.: 9807959

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement Results:

no Results

Ctrl. No.: *N/A*

# ITS Intertek Testing Services

ETL Testing Laboratories

Mode = Stand by


Report No.: 9807959

Tested By: Hong, Report No.: 9807959

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement:	x	QP	Transducer No.	Start	Stop	Name
			3	9k	30M	EI078
Meas Time:		1 s				
Subranges:		16				
Acc Margin:		20dB				



Ctrl. No.: N/A

**ITS** Intertek Testing Services  
ETL Testing Laboratories

Mode = Stand by

Report No.: 9807959

Tested By: Hong, Report No.: 9807959

Scan Settings (1 Range)

Frequencies			Receiver Settings						
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge	
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB	

Final Measurement Results:

no Results

Ctrl. No.: N/A

Mode = TX

Report No.: 9807959


Tested By: Hong, Report No.: 9807959

Scan Settings (1 Range)

Frequencies				Receiver Settings			
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp OpRge
450k	30M	5k	10k	PK	20ms	AUTO LN OFF	60dB

Final Measurement: x QP	Transducer No.	Start	Stop	Name
	3	9k	30M	EI078

Meas Time: 1 s  
 Subranges: 16  
 Acc Margin: 20dB



Ctrl. No.: N/A

**ITS** Intertek Testing Services  
ETL Testing Laboratories

Mode = TX

Report No.: 9807959

Tested By: Hong, Report No.: 9807959

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement Results:

no Results

Ctrl. No.: N/A