

Mode = TX

Report No.: 9900665


Tested By: Hong, Report No.: 9900665

Scan Settings (1 Range)

Frequencies				Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement: X QF Transducer No. Start Stop Name

Meas Time: 1 s  
 Subranges: 16  
 Acc Margin: 20dB



Ctrl. No.: N/A

Report No.: 9900665

Mode = Tx

Tested By: Hong, Report No.: 9900665

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement Results:

no Results

Ctrl. No.: N/A

*mode = Charging*

Tested By: Hong, Report No.: 9900665


Scan Settings (1 Range)

Frequencies			Receiver Settings						
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge	
450k	30M	5k	10k	PK	20ms	AUTO	LN	OFF	60dB

Final Measurement: \* QP

Meas Time: 1 s  
 Subranges: 16  
 Acc Margin: 20dB

Transducer No.	Start	Stop	Name
3	9k	30M	EI078



Report No.: 9900665

Mode = Charging

Tested By: Hong, Report No.: 9900665

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN	OFF 60dB

Final Measurement Results:

no Results

Ctrl. No.: N/A

Mode = Stand by


Tested By: Hong, Report No.: 9900665

Scan Settings (1 Range)

Frequencies			Receiver Settings						
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRgs	
450k	30M	5k	10k	PK	20ms	AUTO	LN	OFF	60dB

Final Measurement:	X	QP	Transducer No.	Start	Stop	Name
			3	9k	30M	EI078

Meas Time: 1 s  
 Subranges: 16  
 Acc Margin: 20dB



Ctrl. No.: N/A

Report No.: 9900665

Mode = Stand by

Tested By: Hong, Report No.: 9900665

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement Results:

no Results

Ctrl. No.: N/A