## RETLIF TESTING LABORATORIES

TABULAR DATA SHEET									
TEST METHOD:	FCC Part 1	FCC Part 15 Radiated Emissions, 30 MHz to 10 GHz Spurious Emissions							
CUSTOMER:	Philips Con	Philips Consumer Communications JOB No.: R-7434							
TEST SAMPLE:		/ireless Intercom							
MODEL No.:	GEE-900	GEE-900 SERIAL No.: N/A							
TEST SPECIFICATION:		FCC Part 15, Subpart C PARAGRAPH: 15.209							
OPERATING		Continuously Transmitting 920.6 Mhz Signal							
MODE:									
TECHNICIAN:		Dennis Cortes DATE: August 19,1998							
NOTES:		Detector Function: Quasi-Peak Test Distance: 3 Meters							
Test Frequency	Antenna Position	Turntable Position	Meter Reading	Correction Factor	Corrected Reading	Converted Reading		Limit	
MHz	(H/V) - Height	Degrees	dBuV	dB	dBuV/m	uV/m		uV/m	
30.00								100	
								V	
V 88.00								100	
88.00								150	
V	V 4.0	202	20.0	44.2	40.2	0.2			
120.00	V-1.0	203	29.6	-11.3	18.3	8.2		<u>_</u>	
V								V	
216.00								150	
216.00								200	
V								V	
960.00								200	
960.00								500	
V									
10000.00								V	
								500	
		+							
		+							
		+							
		+							
		The frequency range was scanned from 30 MHz to 10 GHz.							
	Emissions observ	missions observed from the EUT do not exceed the specified limit.							
-								<u> </u>	

R-7434

1 OF 1