


## OPERATION INSTRUCTIONS

### TRANSMITTER UNIT (picture no.1):

- Pull up the bike seat. Find the bunch of wires located under the seat.  
Find the wire which is connected to the brake light of the bike.
- Use the TAP connector (included) to connect the red wire of the transmitter to the wire of the original brake light.
- Connect the black wire of the transmitter to the negative terminal of the bike's battery .
- Press on the brake and the red LED in the transmitter will light ,this means that the installation was successful.




PICTURE NO.1

### RECEIVER UNIT (picture no.2):

- Unscrew the rear cover of the receiver unit .
- Place two batteries, AAA 1.5v ALKALINE, in the battery holders.
- Replace the cover.
- Find the center of the back side of the helmet and clean the surrounding area with alcohol.
- Uncover the sticker of the receiver unit adapter (included) , stick the adapter on the helmet 1 cm under the center of the back side of the helmet.
- Place the receiver unit on the helmet.
- press on the brake and the LEDs will light indicating that the installation was successful.

NOTE: THE RECEIVER UNIT SHOULD BE IN MOTION IN ORDER TO WORK PROPERLY.



PICTURE NO.2

## INFORMATION TO USER

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that the interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced Radio/TV technician for help.

"The user is cautioned that any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment."

## INFORMATION TO USER

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that the interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced Radio/TV technician for help.

"The user is cautioned that any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment."