

ITS Intertek Testing Services

ETL Testing Laboratories

Mode = TX
 Model = MH9003

Report No.: 9810547

Tested By: Hong, Report No.: 9810547

Scan Settings (1 Range)


Frequencies			Receiver Settings						
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge	
450k	30M	5k	10K	PK	10ms	AUTO	LN	OFF	60dB

Final Measurement: X QU

Transducer No.	Start	Stop	Name
3	9k	30M	E1078

Meas Time: 1 s
 Subranges: 16
 Acc Margin: 20dB

dBuV



PCG15B

MR1

PAGE 1

Ctrl. No.: N/A

ITS Intertek Testing Services

ETL Testing Laboratories

Mode = TX
Model = MM9003

Report No.: 9810547

Tested By: Hong, Report No.: 9810547

Scan Settings (1 Range)

----- Frequencies -----			----- Receiver Settings -----					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

no Results

Ctrl. No.: N/A

ITS Intertek Testing Services

ETL Testing Laboratories

Mode = Stand by
 Model = MH9003

Report No.: 9810547


Tested By: Hong, Report No.: 9810547

Scan Settings (1 Range)

Frequencies			Receiver Settings						
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Presamp	OpRge	
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB	

Final Measurement: X QP	Transducer No.	Start	Stop	Name
	3	9k	30M	EI078

Meas Time: 1 s
 Subranges: 16
 Acc Margin: 20dB



Ctrl. No.: N/A

ITS Intertek Testing Services

ETL Testing Laboratories

Mode = Stand by
Model = MH9003

Report No.: 9810547

Tested By: Hong, Report No.: 9810547

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement Results:

no Results

Ctrl. No.: N/A

ITS Intertek Testing Services

ETL Testing Laboratories

Mode: *Charging*
 Model: *MH9003*


Report No.: *9810547*

Tested By: Hong, Report No.: 9810547

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Prqamp	OpRge
450k	30k	5k	20k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement:	Transducer No.	Start	Stop	Name
X OP	2	9k	30k	E1078
Meas Time:	1 s			
Subranges:	16			
Acc Margin:	20dB			



Ctrl. No.: *N/A*

ITS Intertek Testing Services

ETL Testing Laboratories

Mode = charging
Model = MH9003

Report No.: 9810547

Tested By: Hong, Report No.: 9810547
Scan Settings (1 Range)

----- Frequencies -----			----- Receiver Settings -----					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement Results:

no Results

Ctrl. No.: N/A