


Mode = TX

Report No.: 9808543

Tested By: Hong, Report No.: 9808543
 Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement:	x	QP	Transducer No.	Start	Stop	Name
			3	9k	30M	EI078
Meas Time:	1	s				
Subranges:	16					
Acc Margin:	20	dB				



Ctrl. No.: N/A

ITS Intertek Testing Services

ETL Testing Laboratories

Mode = TX

Report No.: 9808543

Tested By: Hong, Report No.: 9808543

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency MHz	QP Level dBuV	QP Limit dBuV
25.80500	31.2	48.0

* limit exceeded

Ctrl. No.: N/A

Mode: Stand-by

Report No.: 9808543

Tested By: Hong, Report No.: 9808543


Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement: X QP

Transducer No.	Start	Stop	Name
3	9k	30M	E1078

Meas Time: 1 s
 Subranges: 16
 Acc Margin: 20dB



Ctrl. No.: N/A

ITS Intertek Testing Services

ETL Testing Laboratories

Mode: Stand-by

Report No.: 9808543

Tested By: Hong, Report No.: 9808543

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV
25.80500	30.6	48.0

* limit exceeded

Ctrl. No.: N/A

Mode: *Charging*


Report No.: *9808543*

Tested By: Hong, Report No.: 9808543

Scan Settings (1 Range)

Frequencies			Receiver Settings						
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge	
450k	30M	5k	10k	PK	20ms	AUTO	LN	OFF	60dB

Final Measurement: X QP	Transducer No.	Start	Stop	Name
	3	9k	30M	EI076
Meas Time: 1 s				
Subranges: 16				
Acc Margin: 20dB				



Ctrl. No.: *N/A*

ITS Intertek Testing Services

ETL Testing Laboratories

Mode: Charging

Report No.: 9808543

Tested By: Hong, Report No.: 9808543

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency MHz	QP Level dBuV	QP Limit dBuV
15.48500	27.1	48.0

* limit exceeded

Ctrl. No.: N/A