

ITS Intertek Testing Services

ETL Testing Laboratories

Mode: TX
 Model: MH9006

Report No.: 9810976


Tested By: Hong, Report No.: 9810-547

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	10ms	AUTO	LN OFF	60dB

Final Measurement:	Transducer No.	Start	Stop	Name
dB OF	3	9k	30M	EI078

Rise Time: 1 s
 Subranges: 16
 Acc Margin: 20dB



Ctrl. No.: N/A

FCC ID: NS2MH9006N

ITS Intertek Testing Services

ETL Testing Laboratories

Mode = TX
Model = MH9006

Report No.: 9810976

Tested By: Hong, Report No.: 9810547

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

no Results

Ctrl. No.: N/A

FCC ID: NS2MH9006N

ITS Intertek Testing Services

ETL Testing Laboratories

Mode = Stand by
 Model = MH9006


Report No.: 9810976

Tested By: Hong, Report No.: 9810547

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450K	30M	5K	10K	PK	10ms	AUTO	LN OFF	60dB

Final Measurement:	Transducer No.	Start	Stop	Name
8 OP	3	9K	30M	E1078
Meas Time: 1 s				
Subranges: 16				
Acc Margin: 20dB				



Ctrl. No.: N/A

FCC ID: NS2MH9006N

ITS Intertek Testing Services

ETL Testing Laboratories

Mode = Stand by
Model = MH9006

Report No.: 9810976

Tested By: Hong, Report No.: 9810547

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

no Results

Ctrl. No.: N/A

FCC ID: NS2MH9006N

ITS Intertek Testing Services

ETL Testing Laboratories

Mode = Charging
 Model = MH9006


Report No.: 9810976

Tested By: Hong, Report No.: 9810547

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	10ms	AUTO	LN OFF	60dB

Final Measurement:	M: OP	Transducer No.	Start	Stop	Name
Meas Time:	1 s	3	9k	30M	EI078
Subranges:	16				
Acc Margin:	20dB				



Ctrl. No.: N/A

FCCID: NS2MH9006N

ITS Intertek Testing Services

ETL Testing Laboratories

Mode = Charging
Model = MH9006

Report No.: 9810976

Tested By: Hong, Report No.: 9810547

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

no Results

Ctrl. No.: N/A

FCC ID: NS2MH9006N