


Mode = TX

Report No.: 9900372

Tested By: Hong, Report No.: 9900372
 Scan Settings (i Range)

| Frequencies | | | Receiver Settings | | | | | |
|-------------|------|------|-------------------|----------|--------|-------|--------|-------|
| Start | Stop | Step | IF BW | Detector | M-Time | Atten | Preamp | OpRge |
| 450k | 30M | 5k | 10k | PK | 20ms | AUTO | LN OFF | 60dB |

| Final Measurement: | X | QP | Transducer No. | Start | Stop | Name |
|--------------------|---|------|----------------|-------|------|-------|
| | | | 3 | 9k | 30M | EI078 |
| Meas Time: | | 1 s | | | | |
| Subranges: | | 16 | | | | |
| Acc Margin: | | 20dB | | | | |



Ctrl. No.: N/A

ITS Intertek Testing Services

ETL Testing Laboratories

Mode = TX

Report No.: 9900372

Tested By: Hong, Report No.: 9900372

Scan Settings (1 Range)

| Frequencies | | | Receiver Settings | | | | | |
|-------------|------|------|-------------------|----------|--------|-------|--------|-------|
| Start | Stop | Step | IF BW | Detector | M-Time | Atten | Preamp | OpRge |
| 450k | 30M | 5k | 10k | PK | 20ms | AUTO | LN OFF | 60dB |

Final Measurement Results:

| Frequency MHz | QP Level dBuV | QP Limit dBuV |
|------------------|------------------|------------------|
| 25.80500 | 28.3 | 48.0 |

* limit exceeded

Ctrl. No.: N/A

Mode = Stand by

Report No.: 9900372

Tested By: Hong, Report No.: 9900372


Scan Settings (1 Range)

| Frequencies | | | | Receiver Settings | | | |
|-------------|------|------|-------|-------------------|--------|-------------|--------------|
| Start | Stop | Step | IF BW | Detector | M-Time | Atten | Preamp OpRge |
| 450k | 30M | 5k | 10k | PK | 20ms | AUTO LN OFF | 60dB |

Final Measurement: X QP

Meas Time: 1 s
Subranges: 16
Acc Margin: 20dB

| Transducer No. | Start | Stop | Name |
|----------------|-------|------|-------|
| 3 | 9k | 30M | EI078 |



Ctrl. No.: N/A

ITS Intertek Testing Services

ETL Testing Laboratories

Mode = Stand by

Report No.: 9900372

Tested By: Hong, Report No.: 9900372

Scan Settings (1 Range)

| Frequencies | | | Receiver Settings | | | | | |
|-------------|------|------|-------------------|----------|--------|-------|--------|-------|
| Start | Stop | Step | IF BW | Detector | M-Time | Atten | Preamp | OpRge |
| 450k | 30M | 5k | 10k | PK | 20ms | AUTO | LN OFF | 60dB |

Final Measurement Results:

| Frequency MHz | QP Level dBuV | QP Limit dBuV |
|------------------|------------------|------------------|
| 25.80500 | 27.9 | 48.0 |

* limit exceeded

Ctrl. No.: N/A

Mode: Charging

Report No.: 9900372


Tested By: Hong, Report No.: 9900372

Scan Settings (1 Range)

| Frequencies | | | Receiver Settings | | | | | |
|-------------|------|------|-------------------|----------|--------|-------|--------|-------|
| Start | Stop | Step | IF BW | Detector | M-Time | Atten | Preamp | OpRge |
| 450k | 30M | 5k | 10k | PK | 20ms | AUTO | LN OFF | 60dB |

Final Measurement: X QP
 Meas Time: 1 s
 Subranges: 16
 Acc Margin: 20dB

Transducer No. Start Stop Name
 3 9k 30M EI078



Ctrl. No.: N/A

Mode = Charging

Report No.: 9900372

Tested By: Hong, Report No.: 9900372

Scan Settings (1 Range)

```
|----- Frequencies -----||----- Receiver Settings -----|
Start      Stop      Step      IF BW  Detector  M-Time  Atten  Preamp  OpRge
450k      30M      5k        10k    PK        20ms   AUTO  LN  OFF  60dB
```

Final Measurement Results:

| Frequency MHz | QP Level dBuV | QP Limit dBuV |
|------------------|------------------|------------------|
| 10.32500 | 31.0 | 48.0 |
| 11.15000 | 30.6 | 48.0 |
| 25.80500 | 32.6 | 48.0 |

* limit exceeded

Ctrl. No.: N/A