



Intertek Testing Services

ETL Testing Laboratories

Report No.: 99006791

Mode: *Charging*

Tested By: Hong, Report No.: 99006791
Scan Settings (1 Range)


| Frequencies | | | Receiver Settings | | | | | |
|-------------|------|------|-------------------|----------|--------|-------|--------|-------|
| Start | Stop | Step | IF BW | Detector | M-Time | Atten | Preamp | OpRge |
| 480k | 30k | 5k | 10k | PK | 2Gms | AUTO | LN OFF | 60dB |

Final Measurement: X QP

Meas Time: 1 s
Subranges: 16
Acc Margin: 20dB

| Transducer No. | Start | Stop | Name |
|----------------|-------|------|-------|
| 3 | 9k | 30k | ET076 |

dBuV



FCC15B

0.45

1

10

30 MHz

Ctrl. No.: N/A

ITS Intertek Testing Services

ETL Testing Laboratories

Report No.: 99006791
Mode: Charging

Tested By: Hong, Report No.: 99006791

Scan Settings (1 Range)

| ----- Frequencies ----- | | | ----- Receiver Settings ----- | | | | | |
|-------------------------|------|------|-------------------------------|----------|--------|-------|--------|----------|
| Start | Stop | Step | IF BW | Detector | M-Time | Atten | Preamp | OpRge |
| 450k | 30M | 5k | 10k | PK | 20ms | AUTO | LN | OFF 60dB |

Final Measurement Results:

no Results

Ctrl. No.: N/A

Report No.: 99006791
 Mode: Standby

Tested By: Hong, Report No.: 99006791


Scan Settings (1 Range)

| Frequencies | | | Receiver Settings | | | | | |
|-------------|------|------|-------------------|----------|--------|-------|--------|-------|
| Start | Stop | Step | IF BW | Detector | M-Time | Atten | Preamp | OpRge |
| 450k | 30M | 5k | 10k | PK | 20ms | AUTO | LN OFF | 60dB |

Final Measurement: * QP

| Transducer No. | Start | Stop | Name |
|----------------|-------|------|-------|
| 3 | 9k | 30M | SI078 |

Meas Time: 1 s
 Subranges: 16
 Acc Margin: 20dB





Intertek Testing Services

ETL Testing Laboratories

Report No.: 99006791

Mode: Standby

Tested By: Hong, Report No.: 99006791

Scan Settings (1 Range)

| Frequencies | | | Receiver Settings | | | | | |
|-------------|------|------|-------------------|----------|--------|-------|--------|----------|
| Start | Stop | Step | IF BW | Detector | M-Time | Atten | Preamp | OpRge |
| 450k | 30M | 5k | 10k | PK | 20ms | AUTO | LN | OFF 60dB |

Final Measurement Results:

no Results


Ctrl. No.: N/A

Report No.: 99006791
 Mode: Transmission

Tested By: Hong, Report No.: 99006791
 Scan Settings (1 Range)

| Frequencies | | | Receiver Settings | | | | | |
|-------------|------|------|-------------------|----------|--------|-------|---------|-------|
| Start | Stop | Step | IF BW | Detector | M-Time | Atten | Freqamp | OpRge |
| 450k | 30M | 5k | 10k | PK | 20ms | AUTO | LN OFF | 60dB |

| Final Measurement: | Transducer No. | Start | Stop | Name |
|--------------------|----------------|-------|------|-------|
| 8 QP | 3 | 9k | 30M | EI078 |
| Meas Time: 1 s | | | | |
| Subranges: 16 | | | | |
| Acc Margin: 20dB | | | | |



Ctrl. No.: N/A



Intertek Testing Services

ETL Testing Laboratories

Report No.: 99006791

Mode: *Transmission*

Tested By: Hong, Report No.: 99006791

Scan Settings (1 Range)

| Frequencies | | | Receiver Settings | | | | | |
|-------------|------|------|-------------------|----------|--------|-------|--------|----------|
| Start | Stop | Step | IF BW | Detector | M-Time | Atten | Preamp | OpRge |
| 450k | 30M | 5k | 10k | PK | 20ms | AUTO | LN | OFF 60dB |

Final Measurement Results:

no Results

Ctrl. No.: *N/A*